

Index to Volumes 34, 35 and 36

(1950, 1951 and 1952)

NOTE: The volume year is given in *italic* type.

SYMPOSIA

1950

January (Chicago)
March (Nationwide)
May (New York)
July (Mayo Clinic)

September (Boston)
November (Philadelphia)
(Georgetown University)

PEDIATRICS
MEDICAL THERAPEUTICS
CARDIOVASCULAR DISEASES
PSYCHIATRY AND THE GENERAL
PRACTITIONER
SPECIFIC METHODS OF TREATMENT
THE INFECTIOUS DISEASES
CURRENT CONCEPTS OF PATHO-
GENESIS AND TREATMENT

1951

January (Chicago)
March (Nationwide)
May (New York)
July (Mayo Clinic)
September (Boston)
November (Philadelphia)

CLINICAL ADVANCES IN MEDICINE
DISEASES OF THE SKIN
OBSTETRICS AND GYNECOLOGY
DISEASES OF THE KIDNEY
SPECIFIC METHODS OF TREATMENT
DIAGNOSIS IN GENERAL MEDICINE

1952

January (Chicago)
March (Toronto)
(Tulane)
May (New York)
July (Los Angeles)
September (Boston)
November (Philadelphia)

RECENT ADVANCES IN CARDIOVAS-
CULAR MEDICINE
PSYCHOLOGIC ASPECTS OF MEDICINE
SYMPTOMS
ENDOCRINE AND METABOLIC DIS-
ORDERS
RECENT ADVANCES IN MEDICINE
SPECIFIC METHODS OF TREATMENT
PEDIATRICS

ABDOMEN, pain in, as minor manifesta-
tion of rheumatic fever, 1952: Nov.,
1650
Abortion, therapeutic, in heart disease
in pregnancy, 1950: May, 801
in tuberculosis, 1951: May, 653
in urological complications of preg-
nancy, 1951: May, 730
Abruptio placentae, induction of labor
in, 1952: Sept., 1475
Abscess of brain, penicillin in, 1950:
March, 323
of common bile duct, 1951: Nov.,
1686
of liver, amebic, 1950: Nov., 1672

Abscess of lung, anatomic and patho-
logic features, 1951: Nov., 1696
postpneumonic, 1950: Nov., 1664
of nasopharyngeal bursa, 1950: Nov.,
1633
perianal and perirectal, incision of,
1952: Sept., 1455
peritonsillar, 1950: Nov., 1631
pilonidal, incision of, 1952: Sept.,
1457
retropharyngeal, 1950: Nov., 1634
Ac-globulin deficiency, 1951: Sept.,
1419
Acetyl strophanthidin in congestive
heart failure, 1950: May, 670

- Acetylcholine in paroxysmal tachycardia in infancy, 1950: Jan., 219
- Acetylsalicylic acid in rheumatic fever, 1952: Nov., 1654
- Acetylureas in epilepsy, 1952: Sept., 1386, 1389
- Acid burns of eye, emergency treatment, 1952: Sept., 1219
phosphatase. See *Phosphatase*.
- Acid-ash diet in nephrotic edema, 1950: Jan., 87
- Acid-base balance, 1950: Jan., 57, March, 402
disturbances, 1951: July, 1123
in renal disease, 1951: Nov., 1718
- Acidity, gastric, determination without intubation by use of quininium exchange indicator compound, 1951: March, 593-602
- Acidosis, diabetic, in children, parenteral fluid therapy in, 1950: Jan., 59
treatment, 1952: May, 767-782
in heart failure, 1952: Jan., 112
respiratory, in children, parenteral fluid therapy, 1950: Jan., 65
tetany following, 1952: May, 891
treatment, 1950: March, 407
- Acne, pustular, cystic, antibiotics in, 1951: March, 351
vulgaris, hormones and, 1951: March, 373-390
treatment, 1950: Sept., 1476
- Acrocyanosis, 1951: March, 365
- Acrioelavicular joint, injuries, 1950: Sept., 1332
- ACTH, administration, 1951: Sept., 1242; 1952: Jan., 233, May, 801, 818
dosage, criteria of, 1951: Sept., 1246
effects on gastric secretion and peptic ulcer, 1952: July, 1079
eosinophil response to, in Addison's disease, 1952: May, 724, 744
in adrenogenital syndrome, 1952: Jan., 243
in allergy and allergic states, 1951: Sept., 1556; 1952: May, 811-827
in asthma, 1952: Sept., 1274, 1277
in atherosclerosis, 1952: Jan., 190, 193
in atopic dermatitis, 1952: Jan., 241
in bronchial asthma, 1951: Sept., 1239; 1952: Jan., 239, 241, May, 823, July, 1137
in burns, 1951: Sept., 1241
in collagen diseases, 1951: Sept., 1236, 1237, 1280; 1952: Jan., 238
in dermatomyositis, 1951: Sept., 1239; 1952: Jan., 239
in digestive diseases, 1952: July, 1069-1081
in exfoliative dermatitis, 1952: Jan., 241
in eye diseases, 1951: Sept., 1237, 1238; 1952: Jan., 240
in gout, 1952: Jan., 243
in hemolytic anemia, 1951: March 580
acquired, 1951: Sept., 1432
- ACTH in Hodgkin's disease, 1952: Jan., 242
in hypersensitivities, 1951: Sept., 1237, 1238; 1952: Jan., 239
in infections, severe, 1951: Sept., 1520
in inflammatory conditions, acute, 1951: Sept., 1420
in Landry-Guillain-Barré syndrome, 1952: Sept., 1367
in leukemia, 1951: Jan., 102, Sept., 1397; 1952: Jan., 242
in liver disease, 1951: Sept., 1453; 1952: July, 1078, Sept., 1352
in lupus erythematosus, 1951: March, 396, 408, Sept., 1238; 1952: Jan., 238, 240, July, 1116
in metabolic disorders, 1952: Jan., 243
in multiple myeloma, 1951: Jan., 219
in nephrosis, 1952: Jan., 243
in nephrotic syndrome, 1951: Sept., 1241; 1952: July, 933
in pemphigus, 1951: Sept., 1242; 1952: Jan., 241
in periarteritis nodosa, 1951: Sept., 1238, 1239, 1434; 1952: Jan., 239
in psoriasis, 1951: Sept., 1240; 1952: Jan., 241
in regional enteritis, 1952: July, 1078
chronic, 1951: Sept., 1255-1265
in relief of pain, 1950: March, 374
in rheumatic disorders, 1950: March, 374, Sept., 1424
in rheumatic fever, 1952: Jan., 219, 238, Nov., 1657
acute, 1951: Sept., 1236
in rheumatoid arthritis, 1951: Sept., 1239; 1952: Jan., 238
summary of experiences at a large clinic, 1951: Jan., 3-22
in sarcoidosis, 1951: Sept., 1241
in scleroderma, 1952: Jan., 239
in spontaneous hypoglycemia, 1952: Jan., 243
in surgery, 1952: Jan., 242
in typhoid fever, 1951: Sept., 1517
in ulcerative colitis, 1951: Sept., 1240; 1952: Jan., 241, July, 1069
indications for use, 1951: Sept., 1235
mode of action, 1951: Sept., 1231
nature of, 1951: Sept., 1230
physiologic and clinical considerations, 1952: Jan., 229-246, May, 791-809
reactions, untoward, 1950: Sept., 1428
recent studies, 1952: Jan., 229-246
sensitization to, 1952: May, 819
side effects, undesirable, prevention of, 1951: Sept., 1247
test, 48 hour, in Addison's disease, 1952: May, 724
therapeutic uses, 1952: Jan., 237, May, 802
therapy, complications, 1952: Jan., 244, May, 803
contraindications, 1952: May, 805, 819

- ACTH, therapy, magnesium levels in, 1952: July, 1166
management of clinical state, 1952: Jan., 236
present status, 1951: Sept., 1229-1253
tests in, 1952: Jan., 234
toxicity, 1951: Jan., 14
- Actinomycosis, antibiotics in, choice of, 1950: March, 313
of face, antibiotics in, 1951: March, 352
of lungs, 1951: Sept., 1323
penicillin in, 1950: March, 324
- Addison's disease, 1951: Sept., 1287; 1952: May, 721-737
cortisone in, 1952: Jan., 243
diagnostic procedures, 1952: May, 721, 745, 746
17-ketosteroids in, 1952: May, 760
treatment, 1951: Sept., 1289; 1952: May, 725
- Adenocarcinoma of thyroid gland, physiologic concepts, 1952: May, 648
- Adenohypophysis, disorders of, 1951: Nov., 1727
functional tests, 1952: May, 751
- Adenoma, basophilic, diagnosis, 1951: Nov., 1730
chromophobe, diagnosis, 1951: Nov., 1728
eosinophilic, diagnosis, 1951: Nov., 1730
of thyroid gland, physiologic concepts, 1952: May, 640, 641
- Adoptive placements, intelligence tests in, 1950: July, 1073
- Adrenal androgenic hyperplasia, cortisone in, 1951: Sept., 1236
cortex, corticoids of, 1951: Nov., 1588
functional tests, 1952: May, 743
tumors, nonsecreting, 1951: Sept., 1298
- cortical hyperplasia with adrenogenital syndrome, 1951: March, 502
insufficiency, cortisone in, 1951: Sept., 1236
crisis, acute, treatment, 1951: Sept., 1289
treatment, 1952: May, 734
disorders, 1951: Nov., 1739
diagnosis, pathology and treatment, 1951: Sept., 1283-1303
extracts in Addison's disease, 1952: May, 733
insufficiency, acute, 1951: Sept., 1286
chronic, 1951: Sept., 1287
medulla, disorders, 1951: Sept., 1299
functional tests, 1952: May, 754
steroids, 1952: Jan., 231
effect on capillary permeability, 1952: Jan., 210
in atherogenesis, 1952: Jan., 190
stimulation tests in Addison's disease, 1952: May, 725
- Adrenal-sympathetic syndrome in pheochromocytoma, 1950: May, 761
- Adrenalectomy in carcinoma of prostate, 1952: May, 699
- Adrenalin. See *Epinephrine*.
- Adrenergic blockade, clinical application, 1950: March, 379-394
- Adrenocortical hyperfunction, 1952: Nov., 1715
androgenic, congenital, 1952: Nov., 1717
diagnosis, 1952: Nov., 1718
familial incidence, 1952: Nov., 1718
treatment, 1952: Nov., 1718
- hyperplasia and tumors developing in childhood, 1952: Nov., 1724
androgen-producing, 1952: Nov., 1723
associated with salt hormone deficiency, 1952: Nov., 1725
diagnosis, 1951: Nov., 1740
insufficiency, diagnosis, 1951: Nov., 1739
in children, parenteral fluid therapy, 1950: Jan., 65
tumors, androgen-producing, 1952: Nov., 1723
feminizing, 1952: Nov., 1723
- Adrenocorticotrophic hormone. See *ACTH*.
- Adrenogenital syndrome, 1951: March, 502, Sept., 1294
cortisone in, 1952: Jan., 243
17-ketosteroids in, 1952: May, 762
treatment, 1951: Sept., 1296
- Afibrinogenopenia, 1952: July, 1065
- Age, sedimentation rate and, relationship, 1951: July, 1209-1211
- Aged, care of, 1951: Jan., 289-293; 1952: March, 569-583
- Agensis, ovarian, 1951: March, 514
- Aging and aged, psychosomatic problems, 1950: July, 1091-1105
processes, normal, 1952: March, 571, 572
- Agglutination test in viral diseases, 1950: Nov., 1612
- Air-hammer disease, 1952: Jan., 156
- Airsickness, treatment, 1952: Sept., 1373-1380
- Albright's disease, 1952: Nov., 1713
syndrome, 1952: July, 917
- Albumin, serum, in liver disease, 1951: Sept., 1452
salt-poor, in nephrotic syndrome, 1952: July, 932
- Alcoholic deterioration, 1951: Nov., 1789
- Alcoholism, chronic, prefrontal lobotomy for, 1950: July, 1047
morphine in, dangers, 1950: Nov., 1773
- Aldinamide in tuberculosis, 1952: Sept., 1260
- Alkali burns of eye, emergency treatment, 1952: Sept., 1219

- Alkalosis, hypochloremic, 1952: July, 964
 respiratory, in children, parenteral fluid therapy, 1950: Jan., 65
 tetany due to, 1952: May, 891
 treatment, 1950: March, 408
- Allergens, thrombocytopenia secondary to, 1952: Nov., 1699
- Allergic diseases, antihistaminic drugs in, 1950: March, 351-368
 headaches, treatment, 1951: Sept., 1559
 states, diagnosis in, 1951: Nov., 1593-1606. See also *Diagnosis*.
 diagnostic procedures, 1951: Nov., 1599
- Allergy, ACTH and cortisone in, 1951: Sept., 1556; 1952: May, 811-827
 dermatologic, treatment, 1951: Sept., 1557
 gastrointestinal, antihistaminic drugs in, 1950: March, 359
 treatment, 1951: Sept., 1559
 immunologic mechanisms, 1952: May 815
 in infancy and childhood, 1950: Jan., 3-11
 management, drugs used in, evaluation of, 1951: Sept., 1543-1560
 nasal, ACTH and cortisone in, 1952: May, 824
 role in neurodermatitis, 1950: July, 1010
 vitamin B₁₂ in, 1952: Sept., 1234
- Aluminum hydroxide in peptic ulcer, 1952: Sept., 1324
- Alzheimer's disease, 1950: July, 1099
- Amaurotic idiocy, infantile, heredity and, 1951: March, 523
- Ambulation, early, for postoperative patients, 1951: March, 554
- Amebiasis, 1950: Nov., 1670
- antibiotics in, 1952: Jan., 254, 255, July, 1089
 colonic, diagnostic aspects, 1952: March, 405-409
- Amenorrhea due to endocrine dysfunction, 1952: May, 706
 treatment, 1952: May, 709
 due to hypometabolism, 1952: Nov., 1734
 endocrine therapy, 1950: Sept., 1538
 secondary, 1952: Nov., 1734
- A-methopterin in leukemia, 1950: Jan., 210, 211, March, 451; 1951: Sept., 1396
 pharmacology, 1950: March, 442
- Amidopyrine in measles, 1950: Jan., 142
 in rheumatic fever, 1952: Nov., 1655
- Amino-an-fol in leukemia, 1950: Jan., 211
 pharmacology, 1950: March, 442
- Aminophylline in allergy in infants, 1950: Jan., 9
 in asthma, 1952: Sept., 1271
 in primary atypical pneumonia, 1950: Nov., 1646
- Aminophylline to potentiate mercurials, 1950: May, 623
- Aminopterin in leukemia, 1950: Jan., 209, 210, 211, March, 451; 1951: Sept., 1396
 pharmacology, 1950: March, 442
- Amithiazone in tuberculosis, 1952: Sept., 1260
- Ammonia-urea compounds in dentifrices and mouthwashes, 1950: Jan., 28
- Ammonium chloride in congestive heart disease, 1951: Sept., 1343
 in congestive heart failure, 1952: March, 430
 in nephrotic edema, 1950: Jan., 87
 salts in chemical burns of eye, 1952: Sept., 1219
- Amnesia, production in obstetrics, 1950: Sept., 1522; 1951: May, 808
- Amphetamine in obesity in childhood, 1950: Jan., 232
- Amputation in chronic arterial occlusions, 1952: Jan., 153
- Amyloidosis, classification and general aspects, 1950: July, 1107-1111
 complicating myeloma, 1950: July, 1151-1164
 diagnosis, laboratory and biopsy, 1950: July, 1171-1176
 generalized, in nontropical sprue, 1952: July, 1173-1185
 in multiple myeloma, 1951: Jan., 214
 of kidney, 1951: July, 963, 978
 primary, rupture of spleen in, 1951: Nov., 1841-1847
 systemic, 1950: July, 1119-1135
 with symptoms and signs of liver disease, diagnosis by biopsy, 1950: July, 1113-1118
 secondary, liver involvement in, 1950: July, 1165-1169
- Amyotonia congenita, 1950: Jan., 147
- Amyotrophies, nuclear, 1950: Jan., 147
- Amytal test in hypertension, 1952: Jan., 120
- Anal. See *Anus*.
- Analeptics in respiratory failure, 1950: Sept., 1359
- Analgesics in cancer, inoperable, 1951: Sept., 1377
 in dysmenorrhea, 1951: May, 862
 in lymphomas, 1951: Jan., 108
 in obstetrics, 1950: Sept., 1521-1535; 1951: May, 805-818
 synthetic, newer, 1950: March, 369-378
- Androgen-producing adrenocortical hyperplasia and tumors, 1952: Nov., 1723
 associated with salt hormone deficiency, 1952: Nov., 1725
- Androgen therapy. See *Testosterone*.
- Androgenic hyperfunction developing in childhood, 1952: Nov., 1718

- Androgenic hyperfunction developing in childhood, diagnosis, 1952: Nov., 1719
 exploratory operations, 1952: Nov., 1720
 treatment, 1952: Nov., 1720
- Anemia(s), due to acute blood loss, 1950: Sept., 1292
 electrocardiogram in, 1950: May, 871
 hemolytic, acquired, ACTH and cortisone in, 1951: Sept., 1432
 diagnosis, 1951: Sept., 1425
 etiology, 1951: Sept., 1423
 nitrogen mustard in, 1951: Sept., 1430
 periarteritis nodosa and, 1951: Sept., 1434
 splenectomy for, 1951: Sept., 1426
 transfusions in, 1951: Sept., 1427
 treatment, 1951: Sept., 1423-1440
 congenital, 1951: March, 571-585
 and acquired, newer concepts, 1951: March, 571-585
 familial, in differential diagnosis of infectious hepatitis, 1952: Nov., 1644
 hypochromic, 1950: Sept., 1300
 in multiple myeloma, 1951: Jan., 199
 iron deficiency, 1950: Sept., 1303
 due to inadequate nutrition, 1952: Nov., 1686
 role of infection in, 1952: Nov., 1688
 treatment, 1950: Nov., 1779-1789
 macrocytic, related to pernicious anemia, 1950: Sept., 1299
 vitamin B₁₂ in, 1950: July, 1197-1204
 megaloblastic, of infants, vitamin B₁₂ in, 1950: July, 1201
 of pregnancy, vitamin B₁₂ in, 1950: July, 1202
 vitamin B₁₂ in, 1952: Sept., 1232
 of azotemia, 1951: July, 1081
 pernicious, 1950: Sept., 1295
 folic acid in, 1950: Sept., 1299
 liver therapy, 1950: Sept., 1298
 therapeutic test, 1950: Sept., 1297
 treatment, 1950: Sept., 1298
 vitamin B₁₂ in, 1950: July, 1197-1204; 1952: Sept., 1230
 treatment, 1950: Sept., 1291-1304
- Anesthesia, caudal, in obstetrics, 1951: May, 811
 epidural, in obstetrics, 1951: May, 811
 for cesarean section, 1951: May, 813
 in obstetrics, 1950: Sept., 1521-1535; 1951: May, 805-818
 intravenous, in obstetrics, 1951: May, 813
 rectal, in obstetrics, 1950: Sept., 1528
 spinal, in obstetrics, 1950: Sept., 1527; 1951: May, 810
 surgical, newer drugs in, 1950: March, 589-597
 testing pain with, 1952: March, 497
- Aneurysm, aortic, asthma and, 1952: March, 363
 arteriosclerotic, 1952: Jan., 146
 cardiac, pulsation of, 1950: May, 724
 intracranial, congenital, ruptured, headache due to, 1951: Sept., 1485
 rupture of, 1952: Jan., 171
 intrathoracic, and tumor, differentiation, angiocardiology in, 1950: May, 746, 747
 mycotic, 1952: Jan., 146
 syphilitic, 1952: Jan., 146
 types, 1952: Jan., 145, 146
- Anger, physical manifestations, 1952: March, 469
- Angina pectoris, 1950: May, 687; 1952: Jan., 85, 88, July, 991
 mercurial diuretic (with theophylline) in, 1951: Jan., 63-71
 Vincent's, 1950: Nov., 1626
- Angiocardiology, 1952: Nov., 1677
 advances in, 1950: May, 745-756
 dangers, 1952: Nov., 1679
 in congenital heart disease, value, 1952: Jan., 57
 indications for use, 1952: Nov., 1679
 reactions to injections of dye, 1952: Nov., 1678
 technic, 1952: Nov., 1678
- Angioedema, ACTH and cortisone in, 1952: May, 824
- Angio- elephantiasis, 1951: March, 307
- Angioma, 1951: March, 306
 cavernous, 1951: March, 307
 senile, 1951: March, 309
 serpiginosum, 1951: March, 457
- Angioneurotic edema, ACTH and cortisone in, 1952: Jan., 240
 antihistaminic drugs in, 1950: March, 358
 treatment, 1950: Sept., 1478
- Anhydroxyprogesterone in dysmenorrhea, 1950: Sept., 1544
 in functional uterine bleeding, 1950: Sept., 1547, 1560
- Anions, undetermined, serum concentration, 1951: Nov., 1826
- Ankle, sprains, in athletics, treatment, 1950: Sept., 1259
 strapping, protective, in athletics, 1950: Sept., 1266
- Anorectal surgery, instruments for, 1952: Sept., 1451
- Anorexia nervosa, 1950: Sept., 1492
- Anoscopic examination, 1952: Sept., 1448
- Anoxemia, effect on capillary permeability, 1952: Jan., 208
 fetal, as cause of death, 1951: May, 739
 test in heart disease, 1950: May, 713-717
- Antacids in peptic ulcer, 1950: Sept., 1453; 1952: Sept., 1324
- Antagonism and synergism, antibiotic, 1952: Nov., 1613

- Anthrax, antibiotics in, 1950: March, 313; 1951: March 352
- Anti-anemic factors, interrelationship, 1952: Sept., 1228
- Antibiotics. See also *Penicillin*, *Streptomycin*, etc.
administration, 1952: Jan., 258
bacterial resistance, 1950: March, 313
choice, in infections, 1950: March, 313; 1951: Sept., 1508; 1952: Jan., 247
clinical use, 1950: March, 307-318
combinations, synergistic actions and potential applications, 1951: March, 535-544
use of, 1950: March, 315
dosages, 1950: March, 316; 1952: Jan., 259
in accessible infections, 1952: Nov., 1615
in children, 1951: Sept., 1511
in inaccessible infections, 1952: Nov., 1616
effect on normal fecal flora, 1952: July, 1083
in Chlamydozoaceae infections, 1952: Sept., 1241
in dermatitis, acute, 1952: Sept., 1439
in dermatology, 1951: March, 341-354
in gastrointestinal disease, 1952: July, 1083-1097
in herpetic and other skin diseases, 1952: Sept., 1248
in liver disease, 1951: Sept., 1453
in lymphomas, 1951: Jan., 108
in pediatric practice, 1952: Nov., 1607-1618
harmful effects, 1952: Nov., 1614
in rheumatic fever, 1952: Nov., 1655
in Rocky Mountain spotted fever, 1951: May, 921
in ulcerative colitis, 1951: Jan. 251, 259
in urinary tract infections, 1952: Sept., 1430
in viral diseases, 1952: Sept., 1239-1252
laboratory control, 1950: Nov., 1600
newer, in pediatrics, 1951: Sept., 1504-1522
ointment bases, 1951: March, 346
pharmacology and toxicology, 1950: March, 308
sensitivity of microorganisms to, method of determining, 1951: Jan., 24
synergism and antagonism, 1952: Nov., 1613
topical use, 1951: March, 343
toxicity, 1952: Jan., 261
use, laboratory in, 1952: Jan., 256
practical problems, 1952: Jan., 247-262
wide-spectrum, in liver disease, 1952: Sept., 1351
- Anticoagulants, circulating, bleeding due to, 1952: July, 1066
in acute arterial occlusions, 1952: Jan., 143, 144
in cerebral hemorrhage and thrombosis, 1952: Jan., 170
in cerebral thrombosis, 1950: May, 909-924
in prevention of coronary thrombosis, 1952: July, 998
of myocardial infarction, 1952: Jan., 83
in thromboembolism, 1952: Sept., 1318
use, maintenance of constant prothrombin level in, 1952: Jan., 113
- Anticonvulsant drugs, 1950: March, 341-350
- Antiepileptic drugs, 1952: Sept., 1381-1392
- Antihistaminic drugs, 1950: March, 351-368
clinical uses, 1950: March, 357
commercially available, 1951: Sept., 1548
in allergy, evaluation, 1951: Sept., 1546
in infants, 1950: Jan., 9
in asthma, 1952: Sept., 1272
in common cold, 1950: Nov., 1641
in dermatitis, acute, 1952: Sept., 1440
in dermatology, 1951: March, 333-340
in motion sickness, 1952: Sept., 1378
in peptic ulcer, 1952: Sept., 1330
pharmacology, 1950: March, 354
side effects, 1950: March, 362; 1951: March, 335
toxicity, 1950: March, 364
- Antihyaluronidase titer in rheumatic fever, 1952: Nov., 1650
- Antimicrobial agents, cost, 1951: Jan., 35
- Antimony in multiple myeloma, 1951: Jan., 218
- Antipyretics in lymphomas, 1951: Jan., 108
- Antisecretory drugs in peptic ulcer, 1952: Sept., 1328
- Antiseptics, urinary, choice of, 1952: Sept., 1430
- Antispasmodics in dysmenorrhea, 1951: May, 862
- Antistine, dosages, 1950: March, 353, 357
- Antistreptolysin titer in rheumatic fever, 1952: Nov., 1650
- Antithyroid drugs, 1951: Sept., 1309
in hyperthyroidism, 1952: May, 603-621
- Anuria, acute, treatment, 1950: March, 509-523
in heart and kidney disease, water balance and, 1950: March, 571-578

- Anus, abscesses, incision of, 1952: Sept., 1455
 papillae, hypertrophied, excision of, 1952: Sept., 1455
 skin tags, excision, 1952: Sept., 1451
- Anxiety, attacks of, 1952: March, 566
 fatigue due to, 1952: March, 313
 in structural disease, 1952: March, 471-483
 neurosis, 1951: Nov., 1795
 physical manifestations, 1952: March, 458, 464
 separation, in children, 1950: July, 1084
 state, 1950: Sept., 1491
- Aorta, arch of, anomalies, 1952: Jan., 43, 64
 coarctation, 1952: Jan., 40, 63, Nov., 1664
 angiocardiology in, 1950: May, 750
 with hypotension in left arm, physiologic observations, 1950: July, 1177-1185
 overriding of, diagnosis, 1952: July, 1046
 regurgitation, pulsation in, 1950: May, 725
 stenosis, 1952: Nov., 1665
- Aortitis, syphilitic, angiocardiology in, 1950: May, 752
- Aortography, thoracic, 1952: Nov., 1679
 dangers, 1952: Nov., 1682
 indications for use, 1952: Nov., 1681
 technic, 1952: Nov., 1681
- Apex beat in heart disease, 1950: May, 722
- Aphasia in differential diagnosis of deafness in children, 1952: Nov., 1793
- Apnea neonatorum, 1950: Sept., 1532
- Apomorphine in auricular paroxysmal tachycardia, 1950: May, 737
 in obstetrics, 1950: Sept., 1524
- Apophysitis of os calcis, 1950: Jan., 183
- Apoplexy, 1952: Jan., 159-175
 questionable use of term, 1950: July, 1058
- Appetite, central role in obesity, 1951: Sept., 1355
 emotions and, 1951: March, 485
 versus hunger, 1951: March, 484
- Arrhythmias, cardiac, 1952: Jan., 3-20
 dibenamine in, 1950: March, 391
 electrocardiography in, 1952: Jan., 94
 insurance aspect, 1950: May, 808
 pulsation of neck veins in, 1950: May, 727
 treatment, 1952: Jan., 11
- Arsenic in chronic discoid lupus erythematosus, 1951: March, 394
 in leukemia, 1951: Jan., 99
- Arsenicals in urinary infections, 1950: March, 533
- Arterial occlusions, acute, 1952: Jan., 142, 143
 chronic, 1952: Jan., 146, 148
 oxygen saturation, relationship to cyanosis, 1951: July, 1185-1202
 varices, differential diagnosis and treatment, 1950: May, 897-908
- Arteries, diseases, skin changes due to, 1951: March, 357
 peripheral, diabetic complications involving, 1951: Nov., 1617
 examination, methods, 1950: May, 887-896
- Arteriography, 1950: May, 894
- Arterioles, diseases, skin manifestations, 1951: March, 364
- Arteriosclerosis, coronary, cholesterol levels in, 1950: May, 678
 insurance aspect, 1950: May, 812
 obliterans, 1952: Jan., 147, 148
 skin changes in, 1951: March, 358
 pathogenesis, cholesterol in, 1950: May, 673-683
 prevention, choline in, 1950: May, 677
 pulmonary, anatomic and pathologic features, 1951: Nov., 1696
 symptoms and physical signs, 1951: Nov., 1698
- Arteriovenous fistula, 1952: Jan., 145
- Arteritis, cranial (temporal), headache due to, 1951: Sept., 1487
- Arthritides, classification, 1951: Nov., 1750
 diagnosis in, 1951: Nov., 1749-1763
 infectious, diagnosis, 1951: Nov., 1760
- Arthritis as major manifestation of rheumatic fever, 1952: Nov., 1652
 diagnostic work-up, 1951: Nov., 1751
 differential diagnosis, 1951: Nov., 1756
 emotional manifestations, 1952: March, 478
 gouty, diagnosis, 1951: Nov., 1761
 hypertrophic, 1950: Sept., 1435-1446
 physical medicine in, 1952: Sept., 1487
 of cervical spine, 1950: Sept., 1324
 psoriatic, cortisone in, 1951: Jan., 9
 diagnosis, 1951: Nov., 1758
 rheumatoid, ACTH in, 1950: March, 374; 1951: Jan., 3-22, Sept., 1239; 1952: Jan., 238
 amyloidosis secondary to, 1950: July, 1167
 atypical, diagnosis, 1951: Nov., 1758
 cortisone in, 1950: March, 373, Nov., 1703; 1951: Jan., 3-22, Sept., 1239; 1952: Jan., 238
 diagnosis, 1951: Nov., 1756
 gold therapy, 1950: Nov., 1700
 infection and, 1950: Nov., 1693-1704
 juvenile, diagnosis, 1951: Nov., 1758
 physical medicine in, 1952: Sept., 1489

- Arthritis, rheumatoid, steroids in, therapeutic effectiveness, 1951: Jan., 16
treatment, 1950: Nov., 1700
vaccines in, 1950: Nov., 1701
subdeltoid, chronic adhesive, 1950: Sept., 1331
- Arthrodysplasia, hereditary, with dystrophy of nails, 1952: July, 915
- Arthrogryposis multiplex congenita, 1950: Jan., 153
- Artisone in rheumatoid arthritis, effects, 1951: Jan., 18
- Ascites, recurrent, in pulmonary stenosis without septal defect, 1950: July, 1187-1195
- Ascorbic acid, effect on capillary permeability, 1952: Jan., 211
in infant nutrition, 1952: Jan., 283
- Aspiration biopsy of sternal marrow, 1950: Sept., 1388
- Aspirin in rheumatic fever, 1950: Sept., 1421
- Asthma, 1952: March, 347-365
bronchial, 1952: March, 350
ACTH and cortisone in, 1951: Sept., 1239; 1952: Jan., 239, May, 819, Sept., 1274, 1277
antihistaminic drugs in, 1950: March, 360; 1952: Sept., 1272
dibenzamine in, 1950: March, 390
drugs used in evaluation, 1951: Sept., 1552
morphine in, dangers, 1950: Nov., 1767
pathogenesis, 1950: Nov., 1829-1838
treatment, 1952: Sept., 1269
emergency cases, 1952: Sept., 1273
long-term, 1952: Sept., 1276
nonemergency cases, 1952: Sept., 1270
cardiac, 1952: March, 350
conditions simulating, 1952: March, 348
- Astrocystoma in childhood, 1952: Nov., 1802
- Atherosclerosis, coronary, obesity and, 1951: Sept., 1353
low cholesterol-low fat diets in, 1952: Jan., 189, 193, 195-199, May, 869, 872
pathogenesis and treatment, 1952: Jan., 177-194
prevention, 1952: July, 1001-1012
- Athlete's foot, treatment, 1950: Sept., 1481
- Athyrosis, 1950: Jan., 241-244
- Atomic attack, physician in, 1952: Jan., 263-272
injuries, 1952: Jan., 263-272
treatment, 1952: Jan., 268
- Atrial function, disturbances, unipolar precordial electrocardiogram in, 1950: May, 840
- Atrial septal defects, 1952: Nov., 1665
cardiac catheterization in, 1952: July, 1043
- Atrophy, muscular, arthritic, diagnosis, 1951: Nov., 1773
- Atropine in cardiac standstill, 1952: Jan., 19
in peptic ulcer, 1952: Sept., 1329
in ventricular paroxysmal tachycardia, 1950: May, 741
- Attitude, relation to cardiovascular patterns, 1950: May, 824
- Aureomycin, combination with other antibiotics, results, 1951: March, 535-544
dosages, 1950: March, 317; 1952: Jan., 259
in children, 1951: Sept., 1511
effect on normal fecal flora, 1952: July, 1087
general characteristics, 1951: March, 342
in amebiasis, 1950: Nov., 1672; 1952: July, 1091
in dermatology, 1951: March, 341-354
in infectious hepatitis in children, 1952: Nov., 1645
in influenza, 1950: Nov., 1645
in meningitis in children, 1950: Nov., 1686
in nonspecific vaginitis, 1952: Nov., 1731
in pediatric practice, 1952: Nov., 1612
in pharyngitis, 1950: Nov., 1633
in primary atypical pneumonia, 1950: Nov., 1647
in psittacosis, 1950: Nov., 1651
in Q fever, 1950: Nov., 1651
in Rocky Mountain spotted fever, 1951: May, 922
in salmonellosis, 1952: July, 1095
in septic sore throat, 1950: Nov., 1624
in subacute bacterial endocarditis, 1950: May, 781
in ulcerative colitis, 1951: Jan., 260, 262, 263
in urinary infections, 1950: March, 532; 1952: Sept., 1432, 1433
pharmacology and toxicology, 1950: March, 309
topical use, 1951: March, 346
toxicity, 1950: March, 312
- Auricular fibrillation, 1952: Jan., 7, 16
digitalis in, 1950: May, 653
emotional manifestations, 1952: March, 478
paroxysmal, 1950: May, 741, 742
quinidine in, 1952: Jan., 15, July, 1026
flutter, 1952: Jan., 8, 15
digitalis in, 1950: May, 653
paroxysmal, 1950: May, 743, 744
quinidine in, 1952: Jan., 15, July, 1027
premature contractions, digitalis in, 1950: May, 653

- Auricular tachycardia, paroxysmal, 1950: May, 735
- Autism, 1952: Nov., 1545
- Autonomic control, disturbances, in emotional disorders, 1952: March, 459
- Azotemia, anemia of, 1951: July, 1081
- in chronic nephritis, 1950: Jan., 83
- in renal disease, 1951: Nov., 1717
- prerenal, pathogenesis, 1950: May, 642
- BABY. See *Infant*.
- Bacillary infections, antibiotics in, 1952: Jan., 250, 251
- Bacitracin, dosage, 1950: March, 316; 1952: Jan., 259
- general characteristics, 1951: March, 341
- in amebiasis, 1950: Nov., 1672; 1952: July, 1091
- in dermatology, 1951: March, 341-354
- pharmacology and toxicology, 1950: March, 308
- topical use, 1951: March, 345
- toxicity, 1950: March, 311
- Bacteremia, penicillin in, 1950: March, 321
- streptomycin in, 1950: March, 328
- Bacteria in urine, 1951: Nov., 1711
- Bacteriologic specimens, selection for diagnosis, 1950: Nov., 1594-1597
- Bacteriologist, role in diagnosis and treatment of acute infectious diseases, 1950: Nov., 1589-1604
- Bacteriology, diagnostic, 1950: Nov., 1590
- in liver disease, 1951: Nov., 1676
- BAL in acute mercury bichloride poisoning, 1950: March, 469-484
- in lewisite burns of eye, 1952: Sept., 1219
- in polyneuritis, 1952: Sept., 1365
- Balanitis xerotica obliterans, 1951: March, 416, 417
- Banthine in peptic ulcer, 1952: Sept., 1329
- Banti's disease, 1950: Sept., 1271
- splenectomy for, effect on subsequent pregnancies, 1950: July, 1223
- Barach equalizing pressure chamber, 1950: Sept., 1357
- Barbiturates, addiction to, manifestations and treatment, 1950: March, 425-438
- in epilepsy, 1952: Sept., 1386, 1389
- in menopause, 1951: May, 888
- in obstetrics, 1950: Sept., 1523; 1951: May, 809
- intravenous, 1951: May, 813
- in surgical anesthesia, 1950: March, 592
- Basal metabolic rate as test of thyroid function, 1952: May, 739
- in arthritis, 1951: Nov., 1755
- Basal metabolic rate in hyperthyroidism, 1951: Sept., 1306
- metabolism test, clinical application, 1950: Nov., 1839-1851
- Basilar artery, stenosis of, 1951: Sept., 1466
- Basophilism, pituitary, 1951: Sept., 1290
- Baths in acute dermatitis, 1952: Sept., 1441
- Bauer-Aub diet, 1952: May, 755
- Beard, folliculitis, antibiotics in, 1951: March, 349
- pyogenic, treatment, 1950: Sept., 1476
- Bed rest, effects, management, 1951: March, 545-562
- in rheumatic fever, 1952: Nov., 1653
- wetting, causes and treatment, 1950: July, 1085
- Behavior disturbances in children, psychotherapy in, 1951: Sept., 1504
- intelligence tests in, 1950: July, 1073
- inventory, preliminary, of children, 1952: Nov., 1528
- Behcet's disease, 1951: March, 324
- Belladonna in peptic ulcer, 1952: Sept., 1329
- Benadryl, dosages, 1950: March, 353, 357
- in motion sickness, 1952: Sept., 1378, 1379
- structural formula, 1951: March, 334
- Bence-Jones protein in multiple myeloma, 1951: Jan., 210, Nov. 1834
- proteinuria in cancer, 1950: Sept. 1395
- Benemid in pediatric practice, 1952: Nov., 1611
- with penicillin, 1950: Nov., 1650; 1951: Jan., 32
- Benzodioxane as adrenergic blocking agent, 1950: March, 381
- in paroxysmal hypertension, 1951: Sept., 1300
- in pheochromocytoma, 1950: May, 762; 1952: Jan., 123, May, 754
- Bernheim's syndrome, 1952: July, 912
- Beta-haloalkylamines as adrenergic blocking agents, 1950: March, 380
- Bile ducts, carcinoma of, 1951: Nov., 1687
- common, injury to, 1951: Nov., 1686
- congenital obstruction, 1951: Nov., 1686
- examination in diagnosis of liver disease, 1951: Nov., 1676
- Biliary disease, cardiac disease and, 1951: Nov., 1687
- diabetes mellitus and, 1951: Nov., 1688
- pancreatitis and, 1951: Nov., 1689
- pregnancy and, 1951: Nov., 1689
- renal disease and, 1951: Nov., 1690

- Biliary system, diseases of, 1951: Nov., 1679-1693
- Bilirubin metabolism in estimate of liver function, 1950: Sept., 1463
- serum, in jaundice, 1952: March, 400
- Biopsy, coning, in cancer of cervix, 1951: May, 858
- endometrial, 1951: May, 828; 1952: May, 750
- gingival, in diagnosis of amyloidosis, 1950: July, 1174
- in amyloidosis, 1950: July, 1173
- in carcinoma of prostate, 1952: May, 693
- in diagnosis of cancer, 1950: Sept., 1387
- of liver. See *Liver biopsy*.
- punch, in cancer of cervix, 1951: May, 857
- rotary, in dermatologic diagnosis, 1951: Nov., 1635
- testicular, 1952: May, 749
- Birth trauma as cause of death, 1951: May, 739
- Bismuth in chronic discoid lupus erythematosus, 1951: March, 395
- Bladder care in aged, 1952: March, 577
- during pregnancy, 1951: May, 721
- postpartum, 1951: May, 722, 724
- rupture during delivery, 1951: May, 723
- Blastomas with eosinophilia, 1951: March, 465
- Bleeding, abnormal, classification of causes of, 1952: Nov., 1694
- patient, treatment of, 1951: Jan., 267-278
- Blood chemistry in diagnosis of liver disease, 1951: Nov., 1676
- coagulation, physiology of, 1951: Sept., 1403
- count in arthritis, 1951: Nov., 1754
- in clinical diagnosis of congenital heart disease, 1952: Nov., 1662
- culture in clinical diagnosis of congenital heart disease, 1952: Nov., 1662
- findings in multiple myeloma, 1951: Jan., 199
- in sputum, 1952: March, 337
- kinetic energy, circulatory consequences with special reference to kidney, 1952: July, 967-980
- lead concentration in lead poisoning, 1952: Nov., 1592
- determination in, 1952: Nov., 1595
- peripheral, in diagnosis of liver disease, 1951: Nov., 1674
- pressure determination, 1952: Nov., 1521
- high. See *Hypertension*.
- screening tests, 1952: Nov., 1521
- sedimentation rate, relationship to age, 1951: July, 1209-1211
- smear examination, 1952: Nov., 1522
- stream infections, penicillin in, 1950: March, 321
- Blood studies of newborn infants, 1952: Nov., 1568
- transfusions. See *Transfusions*.
- urea nitrogen, 1951: Nov., 1712
- uric acid in arthritis, 1951: Nov., 1755
- vessels, peripheral, examination, methods, 1950: May, 887-896
- volume, measurement of, 1951: Nov., 1586
- Body compartments, biochemical structure, deviations in disease, 1950: March, 398
- normal, 1950: March, 396
- fluids, functional divisions, 1951: Nov., 1808
- temperatures, basal, in study of fertility, 1952: May, 751
- in study of sterility, 1951: May, 829
- water measurements, 1952: May, 829
- Boils, treatment, 1950: March, 324, Sept., 1476
- Bone cysts in infants and children, 1952: Nov., 1754
- treatment, 1952: Nov., 1756
- marrow, aspiration technic, 1950: Nov., 1817-1827
- examination, diagnostic importance, in acute hematogenous tuberculosis, 1950: Nov., 1817-1827
- in diagnosis of liver disease, 1951: Nov., 1675
- studies in multiple myeloma, 1951: Jan., 202
- matrix and ossification, 1952: May, 847
- necrosis, avascular, in children, 1950: Jan., 165-186
- Paget's disease, familial incidence, 1951: July, 1203-1208
- tumors in childhood, 1952: Nov., 1803
- Bowels, care, in aged, 1952: March, 577
- Boys, heterosexual precocious pseudopuberty in, 1952: Nov., 1723
- Brachial plexus pressure, neck and shoulder pain due to, 1952: Sept., 1298
- Bradycardia, sinus, 1952: Jan., 6
- Bragg-Paul pulsator, 1950: Sept., 1357
- Brain abscess, penicillin in, 1950: March, 323
- circulation, physiology of, 1952: Jan., 161
- damage, early, in essential hypertension, psychiatric manifestations, 1951: Jan., 133-142
- lesions, organic, precocious puberty resulting from, 1952: Nov., 1713
- psychologic testing in, 1950: July, 1074
- metabolic disease, cerebral, 1950: Nov., 1801-1815
- softening of, 1952: Jan., 165, 166
- stem, glioma of, in childhood, 1952: Nov., 1802

- Brain tumor in differential diagnosis of hydrocephalus, 1952: Nov., 1744
- Bread, salt-free, recipe, 1950: March, 567
- Breast, carcinoma, advanced, hormone therapy, 1952: May, 681-688
- endocrine therapy, 1951: Jan., 51-61
- estrogens in, 1951: Jan., 56
- complications, 1951: Jan., 57
- hormone therapy, 1950: March, 447, 448, Sept., 1409
- testosterone in, 1951: Jan., 52
- complications, 1951: Jan., 53
- feeding, 1952: Nov., 1556
- maternal desire, 1952: Nov., 1557
- maternal inability, 1952: Nov., 1558
- maternal reluctance, 1952: Nov., 1557
- vs. artificial feeding, 1952: Jan., 273
- Breathing, pressure, positive, effects on circulation, 1950: Sept., 1344
- intermittent, 1951: Nov., 1703
- face mask or endotracheal tube to provide, 1950: Sept., 1352
- Bright's disease. See *Nephritis*.
- hemorrhagic, 1950: Jan., 95-105
- Bromides in epilepsy, 1950: March, 348
- Bromsulphalein excretion in liver injury, 1951: Nov., 1660
- test, evaluation, 1950: Sept., 1465
- Bronchiectasis, anatomic and pathologic features, 1951: Nov., 1696
- antibiotics in, 1951: Sept., 1519
- Bronchiolitis, acute, 1952: Sept., 1284
- treatment, 1952: Sept., 1286
- antibiotics in, 1951: Sept., 1519
- fibrosa obliterans, anatomic and pathologic features, 1951: Nov., 1696
- symptoms and physical signs, 1951: Nov., 1698
- Brown-Sequard syndrome, 1952: July, 911
- Brucellosis, antibiotics in, 1950: March, 313; 1952: Jan., 251, 253
- streptomycin in, 1950: March, 329
- Buerger's disease. See *Thromboangiitis obliterans*.
- Bürger-Grütz xanthomatosis, 1951: March, 451
- Burns, ACTH and cortisone in, 1951: Sept., 1240
- chemical, of eye, emergency treatment, 1952: Sept., 1215-1222
- severe, in children, parenteral fluid therapy, 1950: Jan., 65
- treatment, annotated outline, 1952: Sept., 1201-1214
- Bursa, nasopharyngeal, abscess of, 1950: Nov., 1633
- Bursitis of shoulder, physical medicine in, 1952: Sept., 1490
- subdeltoid, 1950: Sept., 1331
- CAFFEINE sodium in respiratory failure, 1950: Sept., 1359
- Calcinosis, interstitial, in tendinitis of shoulder, 1952: Sept., 1304
- universalis and calcinosis circumscripta, 1951: Sept., 1279
- Calcium carbonate in peptic ulcer, 1952: Sept., 1325
- deficiency, tetany due to, 1952: May, 880
- gluconate in auricular paroxysmal tachycardia, 1950: May, 739
- metabolism in renal disease, 1951: Nov., 1719
- pantothenate in chronic discoid lupus erythematosus, 1951: March, 395
- serum, in parathyroid disease, 1952: May, 755
- versenate in lead poisoning, 1952: Nov., 1593
- Calorie requirements of premature infant, 1952: Nov., 1574
- Calvé's disease, 1950: Jan., 170
- Cancer. See *Carcinoma*.
- Capillary circulation, clinical physiology, 1952: Jan., 201-215
- diseases, skin changes in, 1951: March, 367
- fragility in hypertension, 1952: Jan., 124
- inspection, 1950: May, 888
- permeability, 1952: Jan., 205
- topography and vasomotion, 1952: Jan., 211
- Carbamylcholine in auricular paroxysmal tachycardia, 1950: May, 738
- Carbarsone in amebic dysentery, 1950: Nov., 1672
- suppositories in *Trichomonas vaginalis* vaginitis, 1952: Sept., 1467
- Carbohydrates in infant feeding, 1952: Jan., 276
- Carbon dioxide, serum concentration, 1951: Nov., 1825
- relation to volume of body water, 1951: Nov., 1817
- therapy in psychoses, 1950: Sept., 1500
- Carbuncles, penicillin in, 1950: March, 324
- Carcinoma, biopsy in, 1950: Sept., 1387
- clinical manifestations, early, 1950: Sept., 1381
- cytologic study of body secretions, 1950: Sept., 1395-1404
- diagnosis, early, 1950: Sept., 1381-1408
- emotional manifestations, 1952: March, 480
- hormonal treatment, 1950: Sept., 1409-1417; 1951: Sept., 1367
- in childhood, 1952: Nov., 1797-1806
- inoperable, treatment, 1951: Sept., 1361-1380
- laboratory aids in, 1950: Sept., 1395
- nitrogen mustards in, 1951: Sept., 1375

- Carcinoma, of bile ducts, 1951: Nov., 1687
 of breast, advanced, hormone therapy, 1952: May, 681-688
 endocrine therapy, 1951: Jan., 51-61
 estrogens in, 1951: Jan., 56
 complications, 1951: Jan., 57
 hormone therapy, 1950: March, 447, 448, Sept., 1409
 testosterone in, 1951: Jan., 52
 complications, 1951: Jan., 53
 of cervical spine, neck and shoulder pain due to, 1952: Sept., 1296
 of cervix, basal cell, 1951: May, 852
 early stages, clinical recognition, 1951: May, 847-859
 intraepithelial, 1951: May, 848
 of gallbladder, 1951: Nov., 1686
 of glans penis, 1951: March, 413, 414
 of lung, asthma and, 1952: March, 359
 nitrogen mustards in, 1950: March, 450
 of pancreas, 1951: Nov., 1687
 of prostate, 1952: May, 689-704
 adrenalectomy in, 1952: May, 699
 estrogen therapy, 1950: March, 445, 446, Sept., 1411; 1952: May, 695
 orchiectomy in, 1950: Sept., 1411; 1952: May, 696
 prostatectomy in, 1952: May, 697, 698
 hormonal therapy after, 1952: May, 698
 radiotherapy in, 1952: May, 699
 of stomach, diagnosis, failure of x-ray and gastroscopy in, 1952: July, 1106
 of thyroid, metastatic, treatment with radioiodine, 1952: May, 663-680
 physiologic concepts, 1952: May, 648
 radioiodine in, 1950: March, 450; 1951: Jan., 43
 physical examination in, 1950: Sept., 1386
 radiation therapy, 1951: Sept., 1366
 roentgen diagnosis, 1950: Sept., 1390
 study methods, 1951: Nov., 1829
 tests, 1951: Nov., 1590, 1835
 Cardiorespiratory disease, treatment, salt depletion syndrome as complication, 1951: July, 1139-1156
 Cardiorespiratory arrest, 1950: Sept., 1343
 Cardiospasm, dibenamine in, 1950: March, 390
 treatment, 1952: March, 384
 wrongly blamed on heart, 1952: March, 507
 Cardiovascular anomalies, congenital, diagnosis in reference to surgical intervention, 1952: Jan., 37-51
 complications of arrhythmias, 1952: Jan., 5
 Cardiovascular defects, congenital, cardiac catheterization and contrast study of heart and great vessels in, 1952: Nov., 1673-1682
 disease in aged, 1952: March, 580
 recent advances, symposium on 1952: Jan., 1
 studies, recent trends, 1950: May, 609-614
 symposium on, 1950: May, 609
 manifestations of allergic disorders, 1951: Nov., 1598
 symptoms and disease, relationship of life stress to, 1950: May, 817-831
 syphilis, late, treatment, 1950: March, 499
 treatment, 1951: Jan., 147
 Carditis as major manifestation of rheumatic fever, 1952: Nov., 1651
 Caries, dental, control and prevention, 1950: Jan., 13-32
 Caronamide with penicillin, 1951: Jan., 32
 Carotid occlusion, chronic, syndrome of, 1951: Sept., 1459
 sinus pressure as test for arrhythmias, 1952: Jan., 10
 in auricular paroxysmal tachycardia, 1950: May, 736
 in treatment of supraventricular tachycardia, 1952: Jan., 12
 Carter-Robbin's test of posterior pituitary function, 1952: May, 753
 Castration in cancer of breast, 1950: Sept., 1409
 in cancer of prostate gland, 1950: Sept., 1411
 male, effect on sexual behavior, 1951: Jan., 280
 Cataplexy, 1952: March, 541
 Catheterization, cardiac, 1952: Nov., 1673
 and contrast study of heart and great vessels in congenital cardiovascular defects, 1952: Nov., 1673-1682
 dangers, 1952: Nov., 1677
 data in congenital cardiac and great vessel anomalies, 1952: Nov., 1676
 findings, 1952: Nov., 1675
 in study of normal and diseased heart, 1952: July, 1035-1049
 indications for use, 1952: Nov., 1677
 technic, 1952: Nov., 1673
 Cat-scratch disease, antibiotics in, 1952: Sept., 1252
 Causalgia, 1952: Jan., 156, March, 492
 of neck and shoulder, 1952: Sept., 1306
 Ceepryn in intermittent positive pressure breathing, 1951: Nov., 1704
 Cellulitis, indurated, chronic, 1951: March, 363
 penicillin in, 1950: March, 324
 Cephalin-cholesterol flocculation, abnormal, incidence in infectious hepatitis, 1952: Nov., 1642

- Cephalin-cholesterol flocculation test of Hanger, 1952: March, 398
of liver injury, 1951: Nov., 1656
- Cephalopelvic disproportion, induction of labor in, 1952: Sept., 1478
quantitative estimation, 1951: May, 783
by precision stereoscopic technique, 1951: May, 784
- Cerebral. See also *Brain*.
attacks, psychic aspects, 1952: March, 557-568
damage, early, in essential hypertension, psychiatric manifestations, 1951: Jan., 133-142
embolism, 1952: Jan., 173
hemorrhage, 1952: Jan., 163, 169
macular degeneration, 1950: Jan., 162
metabolic disease, pathologic physiology, 1950: Nov., 1801-1815
spasm, 1952: Jan., 162
thrombosis, 1952: Jan., 163, 169
anticoagulants in, 1950: May, 909-924
differentiation from hemorrhage and embolus, 1950: May, 910
- Cerebrospinal fluid examination in diagnosis of liver disease, 1951: Nov., 1676
in infants and children, 1950: Jan., 107-118
methods of obtaining, 1950: Jan., 115
- Cerebrovascular accidents, in aged, 1952: March, 581
priscoline in, 1950: March, 385
spontaneous, diagnosis and treatment, 1952: Jan., 159-175
symptoms, recurrent, treatment, and question of "vasospasm," 1951: Sept., 1457-1474
- Cervical conditions, leukorrhea due to, treatment, 1952: Sept., 1463, 1465
rib, 1950: Sept., 1326
scraping in cancer diagnosis, 1951: May, 857
smear in cancer diagnosis, 1950: Sept., 1396
spine, lesions, 1950: Sept., 1323
traction, method, 1950: Sept., 1325
- Cervix uteri, basal cell hyperplasia of, 1951: May, 853
carcinoma, early stages, clinical recognition, 1951: May, 841-859
- Cesarean section, anesthesia for, 1951: May, 813
- Chancreoid, aureomycin in, 1951: March, 351
of penis, 1951: March, 412, 413
- Character neurosis, 1951: Nov., 1795
- Charts, scatter, use of, 1951: Nov., 1585
- Chemical equivalence, basic concepts, 1951: Nov., 1808
- Chemotherapy in leukemia and malignant lymphomas, 1951: Sept., 1389
in meningitis in children, 1952: Nov., 1617
- Chemotherapy in neoplastic diseases, 1950: March, 439-458
in tuberculosis, 1952: Sept., 1257
in ulcerative colitis, 1951: Jan., 251, 257-266
- Chest disease, angiocardigraphy in, 1950: May, 746
pain in, 1952: March, 339-341
in heart diseases, 1951: Nov., 1721
- Chickenpox, antibiotics in, 1952: Sept., 1250
diagnosis, 1950: Sept., 1310
treatment, 1950: Jan., 144, Sept., 1318
- Chigger infestation, 1950: Jan., 267
- Child(ren), adrenocortical hyperplasia and tumors developing in, 1952: Nov., 1724
androgenic hyperfunction developing in, 1952: Nov., 1718
appraisal of, 1952: Nov., 1516
frequency of examination, 1952: Nov., 1517
general principles, 1952: Nov., 1516
behavior disturbances, psychotherapy in, 1951: Sept., 1504
inventory, preliminary, 1952: Nov., 1528
- cancer in, 1952: Nov., 1797-1806
- cerebrospinal fluid in, 1950: Jan., 107-118
- deaf, 1952: Nov., 1787-1795
- developmental appraisal by general practitioner, 1952: Nov., 1525-1532
imparting of prognosis, 1952: Nov., 1531
indication for formal examination, 1952: Nov., 1531
interpretation of results, 1952: Nov., 1530
methods available, 1952: Nov., 1525
tests for, 1952: Nov., 1526
working plan and method, 1952: Nov., 1526
norms and observations, 1952: Nov., 1527
- diagnostic problems in, 1950: July, 1079-1089
- diseases of, symposium on, 1950: Jan., 1
growing, posture changes in, 1952: Nov., 1533-1540
- hemorrhagic disease in, 1952: Nov., 1693-1710
- hernias in, management of, 1952: Nov., 1767-1777
- hospitalization of, problems resulting from, 1952: Nov., 1552
- infectious hepatitis in, 1952: Nov., 1637-1647
- iron deficiency in, 1952: Nov., 1683-1691
- lead poisoning in, 1952: Nov., 1587-1597

- Child(ren), medical care, psychotherapy in, 1951: Sept., 1495-1506
 meningitis in, chemotherapy in, 1952: Nov., 1617
 nephritis in, types and treatment, 1951: July, 1069-1080
 noninfectious osseous lesions of, 1952: Nov., 1751-1765
 parenteral fluid therapy in, 1950: Jan., 53-70
 rheumatic fever in, recognition and management, 1952: Nov., 1649-1658
 tuberculosis in, treatment of, 1952: Nov., 1619-1626.
- Childbirth. See *Labor*.
- Chlamydozoaceae infections, antibiotics in, 1952: Sept., 1241
- Chloramphenicol. See *Chloromycetin*.
- Chloride balance, renal aspects in patients with water-electrolyte problems, 1951: July, 1129-1143
 technic, clinical use of, 1951: July, 1113-1127
 replacement, 1950: March, 406
 serum concentration, 1951: Nov., 1825
 relation to volume of body water, 1951: Nov., 1817
- Chloroform anesthesia in obstetrics, 1950: Sept., 1529; 1951: May, 812
- Chloromycetin, combination with other antibiotics, results, 1951: March, 535-544
 dosages, 1950: March, 318; 1952: Jan., 259
 in children, 1951: Sept., 1512
 effect on normal fecal flora, 1952: July, 1087
 general characteristics, 1951: March, 342
 in amebiasis, 1952: July, 1091
 in dermatology, 1951: March, 341-354
 in meningitis in children, 1950: Nov., 1686; 1951: Sept., 1514
 in pediatric practice, 1952: Nov., 1612
 in pneumonia, 1950: Nov., 1661
 in primary atypical pneumonia, 1950: Nov., 1647
 in Rocky Mountain spotted fever, 1951: May, 923
 in salmonellosis, 1952: July, 1095
 in subacute bacterial endocarditis, 1950: May, 781
 in typhoid fever, 1950: Nov., 1675; 1951: Sept., 1517; 1952: July, 1092
 in ulcerative colitis, 1951: Jan., 260
 in urinary infections, 1950: March, 533; 1952: Sept., 1432, 1433
 pharmacology and toxicology, 1950: March, 311
 toxicity, 1950: March, 313
- Chloroquine in amebiasis, 1952: July, 1091
- Chlorothen, dosages, 1950: March, 352, 357
- Chlor-trimeton, dosages, 1950: March, 353, 357
- Cholangiohepatitis, 1951: Nov., 1683
- Cholecystitis, acute, 1951: Nov., 1681
 epigastric pain in, 1952: March, 369
 chronic, with cholelithiasis, 1951: Nov., 1680
- Cholelithiasis, 1951: Nov., 1683
 Cholelithiasis with chronic cholecystitis, 1951: Nov., 1680
- Cholera, 1950: Nov., 1675
 antibiotics in, choice of, 1950: March, 313
 immunization, 1950: Nov., 1730
- Cholesterol, blood, in hypothyroidism, 1950: Jan., 236
 concept of atherogenesis, 1952: Jan., 177
 dietary, effect on blood levels, 1950: May, 679
 esters in liver injury, 1951: Nov., 1668
 excess, in blood, clinical significance and management, 1952: May, 865
 in pathogenesis of arteriosclerosis, 1950: May, 673-683
 restriction in atherosclerosis, 1952: Jan., 189, 193, 195-199, May, 872
 in obesity with heart disease, 1951: Sept., 1357
 serum, in hyperthyroidism, 1951: Sept., 1306
 in thyroid disease, 1952: May, 742
 total and esterified, in liver injury, 1951: Nov., 1650
- Cholesterosis, extracellular, 1951: March, 452
- Choline in prevention of arteriosclerosis, 1950: May, 677
- Cholinergic blocking agents in peptic ulcer, 1952: Sept., 1329
- Chondrosarcoma in infants and children, 1952: Nov., 1759
- Chorea as major manifestation of rheumatic fever, 1952: Nov., 1653
 diagnosis and treatment, 1950: July, 1079
- Huntington's, hereditary aspects, 1951: March, 522
- Choriomeningitis, lymphocytic, 1950: Nov., 1686
 diagnosis, 1950: Sept., 1316
 management, 1950: Sept., 1321
- Chorionepithelioma, hormone assay, 1951: Nov., 1833
- Choroid plexus coagulation or extirpation, 1952: Nov., 1746
- Cigarettes smoking in heart disease, 1950: May, 697-703
- Circulation, lesser, physiology, as altered by congenital and acquired heart disease, 1952: July, 1035-1049
 time in clinical diagnosis of congenital heart disease, 1952: Nov., 1662
 in thyroid disease, 1952: May, 742
 measurements, 1950: May, 892

- Circulatory consequences of blood kinetic energy, particularly in kidney, 1952: July, 967-980
 considerations in respiratory failure, 1950: Sept., 1343
 failure, renal insufficiency due to, 1950: May, 641-648
- Cirrhosis, biliary, xanthomatous, 1951: March, 442
 cardiac, 1950: May, 626
 Laennec's, diet in, low sodium and high protein, 1951: Jan., 73-91
 of liver, ACTH and cortisone in, 1952: July, 1078
 in hepatitis, 1952: Sept., 1348
- Cisternal puncture in infants and children, 1950: Jan., 117
- Citrate tetany, 1952: May, 892
- Cleidocranial dysostosis in differential diagnosis of hydrocephalus, 1952: Nov., 1744
- Climacteric. See also *Menopause*.
 male, concept of, 1951: Jan., 279-288
- Clinicopathologic conference, 1952: March, 435-444
- Clostridial infections, antibiotics in, choice of, 1950: March, 313
- Coagulation, disturbance, bleeding disorders associated with, 1952: July, 1058
 physiology of, 1951: Sept., 1405
- Coarctation of aorta. See *Aorta*.
- Coccal infections, electrocardiogram in, 1950: May, 871
- Coccidioidomycosis of lungs, 1951: Sept., 1328
- Codeine in hypertrophic arthritis, 1950: Sept., 1438
- Cold agglutination test, 1950: Nov., 1612
 common, 1950: Nov., 1637
 antibiotics in, 1952: Sept., 1246
 antihistaminic drugs in, 1950: March, 362, Nov., 1641
 diagnosis, 1950: Sept., 1311
 prevention and treatment, 1950: Nov., 1640
 pressor test in hypertension, 1952: Jan., 121
 sores, 1951: March, 563
- Coli-aerogenes infections, antibiotics in, choice of, 1950: March, 314
- Colitis, ulcerative, chronic, 1951: Jan., 243-255
 ACTH and cortisone in, 1951: Sept., 1240; 1952: Jan., 241, July, 1069
 antibiotics in, 1952: July, 1097
 carcinomatous degeneration, 1951: Jan., 247
 chemotherapy in, 1951: Jan., 257-266
 kidney in, 1951: July, 982
 treatment, 1951: Jan., 249
- Collagen diseases, ACTH and cortisone in, 1951: Sept., 1236, 1237, 1280; 1952: Jan., 238, May, 824
 diffuse, diagnosis, 1951: Nov., 1759
 pathology and clinical course, 1951: Sept., 1267-1281
- Collapse procedures in tuberculosis, changing picture, 1950: Sept., 1367
 therapy in tuberculosis, 1952: Sept., 1260
- Colon, amebiasis, diagnostic aspects, 1952: March, 405-409
- Colonic mucus, cytology of, in cancer diagnosis, 1950: Sept., 1403
- Colorado tick fever, 1951: March, 587-592
 diagnosis, 1950: Sept., 1314
 management, 1950: Sept., 1320
- Coma, diabetic, diagnosis, 1951: Nov., 1614
 magnesium metabolism in, 1952: July, 1161
 treatment, 1952: May, 767-782
- Comatose patient, neurological examination of, 1952: Sept., 1401
- Comedos, perianal, excision of, 1952: Sept., 1457
- Commissurotomy for mitral stenosis, evaluation of patients for, by cardiac catheterization, 1952: July, 1040
- Compensation neurosis, headache due to, 1951: Sept., 1491
- Complement fixation test in Rocky Mountain spotted fever, 1951: May, 915
 in viral diseases, 1950: Nov., 1610
- Complex, Eisenmenger's, 1952: Nov., 1670
- Compound E. See *Cortisone*.
- Compulsive reactions, 1950: July, 1027
- Conduction disturbances, electrocardiogram in, 1952: Jan., 94
- Condylomata acuminata, removal, 1952: Sept., 1454
- Confusion reactions, 1950: July, 1020
- Congo red test for amyloidosis, 1950: July, 1165, 1171
- Coning biopsy in cancer of cervix, 1951: May, 858
- Conjunctivitis, inclusion, antibiotics and sulfonamides in, 1952: Sept., 1243
 vernal, ACTH and cortisone in, 1951: Sept., 1238
- Constitutional factors in determining reactions to morbid influences, 1952: March, 467
- Contact dermatitis. See *Dermatitis*, *contact*.
- Conteben in tuberculosis, 1951: Jan., 165; 1952: Sept., 1260
- Contusions, muscle, in athletics, treatment, 1950: Sept., 1264
- Conversion hysteria, 1950: Sept., 1489

- Convulsions, cerebrospinal fluid in, 1950: Jan., 109
 of epilepsy, treatment, 1950: March, 341-350, Sept., 1507-1520
- Coombs antiglobulin test, 1951: March, 575
- Cor pulmonale, morphine in, dangers, 1950: Nov., 1768
- Coronary arteries, diabetic complications involving, 1951: Nov., 1616
 arteriosclerosis, cholesterol levels in, 1950: May, 678
 insurance aspect, 1950: May, 812
 artery disease, anoxemia test in, 1950: May, 713-717
 diagnosis and treatment, 1952: Jan., 69-91
 electrocardiogram in, 1952: Jan., 96
 exercise test, electrocardiogram in, 1950: May, 877
 terminology and diagnosis, 1950: May, 685-696
 two-step exercise test in, 1950: May, 705-713
 left, anomalous origin from pulmonary artery, 1952: Nov., 1667
 atherosclerosis, obesity and, 1951: Sept., 1353
 blood flow, reflex disturbances, electrocardiogram in, 1950: May, 876
 failure, 1950: May, 688
 insufficiency, 1950: May, 686
 concept of, 1952: Jan., 70
 thrombosis, prevention, 1952: July, 991-999
 with infarction, pitfalls in, 1952: Jan., 113
- Cortical hyperostosis, infantile, 1952: Nov., 1764
- Corticoids, glycogenic, in adrenal cortex disease, 1952: May, 744
 of adrenal cortex, 1951: Nov., 1588
- Corticotrophin. See ACTH.
- Cortisone, administration, 1951: Sept., 1242; 1952: Jan., 233, May, 801, 818
 dosage, criteria of, 1951: Sept., 1246
 effects on gastric secretion and peptic ulcer, 1952: July, 1079
 in Addison's disease, 1951: Sept., 1289; 1952: May, 727
 in adrenal cortical insufficiency, 1951: Sept., 1236
 in adrenogenital syndrome, 1951: Sept., 1296; 1952: Jan., 243
 in allergic states, 1952: May, 811-827
 in allergy, 1951: Sept., 1556
 in asthma, 1952: Sept., 1274, 1277
 in atherosclerosis, 1952: Jan., 190, 193
 in atopic dermatitis, 1952: Jan., 241, May, 823, July, 1137
 in bronchial asthma, 1951: Sept., 1239; 1952: Jan., 239
 in burns, 1951: Sept., 1241
 chemical, of eye, 1952: Sept., 1220
 in collagen diseases, 1951: Sept., 1236, 1237, 1280; 1952: Jan., 238
- Cortisone, in congenital androgenic adrenocortical hyperfunction, 1952: Nov., 1717
 in dermatomyositis, 1951: Sept., 1239; 1952: Jan., 239
 in digestive diseases, 1952: July, 1069-1081
 in eye diseases, 1951: Sept., 1238; 1952: Jan., 240
 in hemolytic anemia, acquired, 1951: Sept., 1432
 in hypersensitivities, 1951: Sept., 1238; 1952: Jan., 239
 in idiopathic thrombocytopenic purpura, 1952: Nov., 1702
 in inflammatory conditions, acute, 1951: Sept., 1240
 in Landry-Guillain-Barré syndrome, 1952: Sept., 1367
 in leukemia, 1951: Jan., 102, Sept., 1397; 1952: Jan., 242
 in liver disease, 1951: Sept., 1453; 1952: July, 1078, Sept., 1352
 in lupus erythematosus, 1951: March, 396, 408, Sept., 1238; 1952: Jan., 238, 240, July, 1116
 in multiple myeloma, 1951: Jan., 102, 219
 in nephrosis, 1952: Jan., 243
 in nephrotic syndrome, 1951: Sept., 1241; 1952: July, 933
 in pemphigus, 1951: Sept., 1242; 1952: Jan., 241
 in periarteritis nodosa, 1951: Sept., 1238, 1239
 in psoriasis, 1951: Sept., 1240
 in psoriatic arthritis, 1951: Jan., 9
 in regional enteritis, 1952: July, 1078
 in relief of pain, 1950: March, 372
 in rheumatic disorders, 1950: March, 373, Sept., 1424
 in rheumatic fever, 1952: Jan., 219, 238, Nov., 1657
 in rheumatoid arthritis, 1950: Nov., 1703; 1951: Sept., 1239; 1952: Jan., 238
 summary of experiences at a large clinic, 1951: Jan., 3-22
 in rheumatoid spondylitis, 1951: Jan., 9
 in sarcoidosis, 1951: Sept., 1241
 in scleroderma, 1952: Jan., 239
 in spontaneous hypoglycemia, 1952: Jan., 243
 in Still's disease, 1951: Jan., 9
 in surgery, 1952: Jan., 242
 in ulcerative colitis, 1951: Sept., 1240; 1952: Jan., 241, July, 1069
 in Waterhouse-Friderichsen disease, 1951: Sept., 1286
 indications for use, 1951: Sept., 1235
 mode of action, 1951: Sept., 1231
 nature of, 1951: Sept., 1230
 physiologic and clinical considerations, 1952: Jan., 229-246, May, 791-800
 recent studies, 1952: Jan., 220-246

- Cortisone, side effects, undesirable, prevention of, 1951: Sept., 1247
therapeutic uses, 1952: Jan., 237, May, 802
therapy, complications, 1952: Jan., 244, May, 803
contraindications, 1952: May, 805, 819
management of clinical state, 1952: Jan., 236
present status, 1951: Sept., 1229-1253
tests in, 1952: Jan., 234
toxicity, 1951: Jan., 9
untoward reactions to, 1952: May, 732
Costen's syndrome, 1952: March, 323
Cough, 1951: Nov., 1699
chronic, 1952: March, 333-337
management, 1952: March, 336
Coxa plana, 1950: Jan., 173
Coxsackie virus, diagnosis, 1950: Sept., 1314
Cranial nerves, testing, 1952: Sept., 1398
Craniopharyngiomas, diagnosis, 1951: Nov., 1729
Creatine excretion in hypothyroidism, 1950: Jan., 236
Crepitation in arthritis, 1951: Nov., 1754
Cretinism, 1950: Jan., 238-241
Cross-eyes, treatment, problems in, 1950: Jan., 283-302
Cry of baby, 1952: Nov., 1560
Curare in poliomyelitis, 1950: March, 556
in surgical anesthesia, 1950: March, 591
Cushing's disease, 1951: Sept., 1290
syndrome, 1951: Sept., 1290
as response to excess of ACTH or cortisone, 1951: Sept., 1234, 1235
17-ketosteroids in, 1952: May, 764
tests for, 1952: May, 744
Cyanosis, arterial oxygen saturation, relationship, 1951: July, 1185-1202
heart anomalies associated with, 1952: Jan., 44
Cyclopropane anesthesia, 1950: March, 504
in obstetrics, 1950: Sept., 1530; 1951: May, 812
Cysts, bone, in infants and children, 1952: Nov., 1754
bronchogenic, diagnosis, angiocardigraphy in, 1950: May, 747, 748
Cystitis in female, 1952: Sept., 1427
in male, 1952: Sept., 1427
postpartum, 1951: May, 721
Cytologic diagnosis of carcinoma of prostate, 1952: May, 693
methods in cancer diagnosis, 1950: Sept., 1395
DDT in pediculosis, 1950: Sept., 1478
Deafness, biologic, causes, 1952: Nov., 1788
classification, 1952: Nov., 1787
etiology, 1952: Nov., 1788
in children, 1952: Nov., 1787-1795
diagnosis, 1952: Nov., 1790
diagnostic methods, 1952: Nov., 1791
differential diagnosis, 1952: Nov., 1793
pathologic, causes, 1952: Nov., 1789
postnatal causes, 1952: Nov., 1789
prenatal causes, 1952: Nov., 1788
Death, fear of, in patient, 1952: March, 473
Decamethonium bromide in obstetrics, 1950: Sept., 1531
with electroshock therapy, 1950: Sept., 1506
Decapryn, dosages, 1950: March, 352, 357
structural formula, 1951: March, 334
Defibrillation of heart in ventricular fibrillation, 1952: Jan., 19
Deficiency, iron. See Iron.
Deformity in arthritis, 1951: Nov., 1754
Dehydration, 1951: May, 896
acute anuria due to, 1950: March, 511
causes, 1951: July, 1120
treatment, 1950: March, 405
water-chloride balance studies in, 1951: July, 1135
Delirious reactions, 1950: July, 1021
Delirium tremens, 1951: Nov., 1789
Dementia, arteriosclerotic, 1950: July, 1099
praecox, psychoneurosis and, differentiation, 1950: July, 963, 964
senile, 1950: July, 1099
Demerol in obstetrics, 1950: Sept., 1524; 1951: May, 809
in relief of pain, 1950: March, 371
Dengue, 1950: Sept., 1315, 1320
Dental caries, control and prevention, 1950: Jan., 13-32
Dentifrices, ammonia-urea compounds in, 1950: Jan., 28
fluoride, 1950: Jan., 27
penicillin, 1950: Jan., 30
Departments, physicians', 1952: March, 586
Depressed patients, fatigue in, 1952: March, 314
Depression as mood response in illness, 1950: July, 1026
mild, 1952: March, 527-537
psychotic and neurotic, differentiation, 1950: July, 962
reactive, 1951: Nov., 1795
Dermatitis, acute, treatment, guiding principles, 1952: Sept., 1435-1443
allergic, extrinsic, 1950: Sept., 1474
intrinsic, 1950: Sept., 1482
treatment, 1951: Sept., 1557

- Dermatitis, atopic, 1950: Sept., 1482
 ACTH and cortisone in, 1952: Jan., 241, May, 823, July, 1137
 antihistaminics in, 1951: March, 337, 338
 chronic, ACTH and cortisone in, 1951: Sept., 1242
 treatment, current concepts, 1952: July, 1127-1139
 atrophic maculosa lipoides diabetica, 1951: March, 452
 contact, antihistaminic drugs in, 1950: March, 360; 1951: March, 339
 treatment, 1950: Sept., 1474; 1951: Sept., 1559
 eczematous, treatment, 1950: Sept., 1482
 exfoliative, ACTH in, 1951: Sept., 1238; 1952: Jan., 241
 cortisone in, 1951: Sept., 1238
 herpetiformis, antibiotics in, 1952: Sept., 1249
 aureomycin in, 1951: March, 351
 pigmented purpuric lichenoid, 1951: March, 457
 pyogenic, treatment, 1950: Sept., 1475
 schistosoma, 1950: Jan., 266
 seborrheic, antibiotics in, 1951: March, 349
 stasis, 1951: March, 362, 363
 venenata, treatment, 1950: Sept., 1474
 Dermatologic diagnosis, 1951: Nov., 1621-1636. See also *Diagnosis*.
 disorders, vitamin B₁₂ in, 1952: Sept., 1234
 Dermatology, antibiotics in, 1951: March, 341-354
 antihistaminics in, 1951: March, 333-340
 Dermatomyositis, 1951: Sept., 1278
 ACTH and cortisone in, 1951: Sept., 1239; 1952: Jan., 239
 Dermatophytosis of feet, treatment, 1950: Sept., 1481
 Dermatoses, treatment, 1950: Sept., 1473-1486
 Desensitization in atopic dermatitis, 1952: July, 1136
 Desoxycorticosterone in Addison's disease, 1951: Sept., 1289; 1952: May, 727
 in Waterhouse-Friderichsen disease, 1951: Sept., 1286
 Dextrocardia, 1952: Nov., 1666
 Diabetes mellitus, biliary disease and, 1951: Nov., 1688
 chronic complications, diagnosis, 1951: Nov., 1614
 diagnosis, 1951: Nov., 1607
 laboratory studies in, 1951: Nov., 1608
 in pregnancy, induction of labor in, 1952: Sept., 1477
 insulin allergy and resistance in, management, 1952: May, 783-790
 Diabetes mellitus, management, 1951: Sept., 1523-1531
 predisposition to, in women who give birth to large babies, 1952: July, 1151-1155
 pregnancy and, 1951: May, 659-665
 treatment, by clinical approach, 1950: March, 485-494
 vascular sclerosis in, 1950: March, 491
 Diagnosis, clinical, of congenital heart disease, 1952: Nov., 1659-1671
 dermatologic, 1951: Nov., 1621-1636
 steps in, 1951: Nov., 1626
 in allergic states, 1951: Nov., 1593-1606
 completeness, 1951: Nov., 1604
 revision, 1951: Nov., 1604
 in arthritides, 1951: Nov., 1749-1763
 in endocrine disorders, 1951: Nov., 1727-1748
 in general medicine, symposium on, 1951: Nov., 1577
 in heart diseases, 1951: Nov., 1721-1725
 in medical out-patient clinic, 1951: Nov., 1799-1805
 laboratory aids in, 1951: Nov., 1579-1592
 neurologic, 1952: Sept., 1393-1408
 history taking, 1952: Sept., 1395
 rationale, 1952: Sept., 1394
 of chronic pulmonary diseases, 1951: Nov., 1695-1706
 of diabetes mellitus, diabetic coma, and chronic complications, 1951: Nov., 1607-1619
 of diseases of mouth, 1951: Nov., 1637-1647
 of liver disease, 1951: Nov., 1649-1678
 of malignancy, biochemical methods, 1951: Nov., 1829-1840
 of spinal cord disease, 1951: Nov., 1765-1779
 proctologic, 1952: Sept., 1445-1450
 psychiatric, 1951: Nov., 1781-1797.
 See also *Psychiatric diagnosis*.
 renal, principles of, 1951: Nov., 1707-1720
 tentative, in medical out-patient clinic, 1951: Nov., 1803
 Diagnostic problems in children, 1950: July, 1079-1089
 procedures for general survey, 1951: Nov., 1581
 in allergic states, 1951: Nov., 1599
 tests on sick patients, 1951: Nov., 1582
 Dialysis, peritoneal, in acute renal failure, 1950: March, 516
 in congestive heart failure, 1950: May, 624
 Diarrhea, acute, with acidosis and post-acidotic tetany in children, parenteral fluid therapy in, 1950: Jan., 57
 epidemic, 1950: Nov., 1675
 Diatriu, 1950: March, 352, 357

- Dibenzamine as adrenergic blocking agent, 1950: March, 380
 in arterial embolism, 1950: March, 385
 in asthma, 1950: March, 390
 in Buerger's disease, 1950: March, 386
 in cardiac arrhythmias, 1950: March, 391
 in cardiospasm, 1950: March, 390
 in frostbite, 1950: March, 386
 in glaucoma, 1950: March, 389
 in hypertension, 1950: March, 387
 in pheochromocytoma, diagnostic, 1950: March, 386, May, 765; 1952: May, 754
 in psychoses, 1950: March, 392
 in Raynaud's disease, 1950: March, 385
 in shock, 1950: March, 391
- Dichloro-aminopterin in leukemia, 1951: Sept., 1396
- Dicumarol, hypothyroidism due to, 1951: Sept., 1419
 in arterial embolism, 1952: Jan., 144
 in cerebral thrombosis, 1950: May, 909-924
 in prevention of coronary thrombosis, 1952: July, 998
 in thromboembolism, 1952: Sept., 1318
 poisoning, hypoproteithrombinemia of, treatment, 1950: March, 462
 therapy with, dangers, 1950: Nov., 1791
 use, hypoproteithrombinemia due to, 1952: July, 1063
- Diet, acid-ash, in nephrotic edema, 1950: Jan., 87
 Bauer-Aub, 1952: May, 755
 in atherosclerosis, role, 1952: May, 869
 in cardiovascular renal disease, importance, 1951: July, 1101-1111
 in congestive heart failure, 1951: Sept., 1347
 in dermatitis, atopic, 1952: July, 1136
 in diabetes mellitus, 1951: Sept., 1525
 in epilepsy, 1950: Sept., 1518
 in glomerulonephritis, 1950: Jan., 102
 in heart disease, importance, 1951: July, 1102
 in heart failure, 1950: March, 566
 congestive, 1952: March, 429
 in hypercholesterolemia, role, 1952: May, 869
 in hypertension, 1950: Nov., 1742; 1951: July, 1107; 1952: July, 1022
 malignant, 1951: Jan., 124
 in hypertrophic arthritis, 1950: Sept., 1438
 in kidney failure, 1950: March, 511
 chronic, 1952: Sept., 1417
 in liver disease, 1951: Sept., 1442
 in lymphomas, 1951: Jan., 106
 in nephrotic syndrome, 1952: July, 927
- Diet, in obesity in childhood, 1950: Jan., 230
 with heart disease, 1951: Sept., 1356
 in peptic ulcer, 1950: Sept., 1452; 1952: Sept., 1332
 in rheumatic fever, 1952: Jan., 225, Nov., 1655
 in Rocky Mountain spotted fever, 1951: May, 917
 in tuberculosis in children, 1952: Nov., 1620
 in ulcerative colitis, chronic, 1951: Jan., 252
 low cholesterol, low fat, in prevention and treatment of atherosclerosis, 1952: Jan., 189, 193, 195-199, May, 872
 low sodium and high protein, in Laennec's cirrhosis, 1951: Jan., 73-91
 in heart failure, 1950: March, 566
 in liver disease, 1951: Sept., 1448
 rice, in hypertension, 1950: Nov., 1742; 1951: July, 1107; 1952: Jan., 127, 135
 salt-poor, for toxemia of pregnancy, 1951: May, 687
 sodium-poor, in hypertension, 1952: Jan., 127
 tube, in liver disease, 1951: Sept., 1447
- Diethylstilbestrol in abnormal uterine bleeding, 1952: May, 715
 in amenorrhea, 1952: May, 709
 in carcinoma of breast, 1952: May, 682
 of prostate, 1952: May, 697
 in dysmenorrhea, 1950: Sept., 1543; 1951: May, 863; 1952: Nov., 1736
 in gonorrheal vaginitis, acute, 1952: Nov., 1731
 in menopause, 1950: Sept., 1549; 1951: May, 889, 890
 in mumps orchitis, 1950: Jan., 135
- Digestive system, diseases, ACTH and cortisone in, 1952: July, 1069-1081
- Digitalis, action of, 1950: May, 649
 ambulatory use, 1950: May, 657
 contraindications, 1950: May, 659
 electrocardiographic check on use, 1952: Jan., 97
 in atrioventricular heart block, 1952: Jan., 19
 in auricular fibrillation, 1950: May, 653; 1952: Jan., 16
 in auricular flutter, 1950: May, 653; 1952: Jan., 15
 in auricular paroxysmal tachycardia, 1950: May, 738
 in heart block, 1950: May, 653
 in heart failure, 1950: March, 565, May, 651, 663-671; 1951: Sept., 1334
 congestive, 1952: March, 426
 in paroxysmal auricular fibrillation, prophylactic, 1950: May, 743
 in paroxysmal auricular flutter, 1950: May, 744

- Digitalis, in paroxysmal 'supraventricular tachycardia, 1952: Jan., 13
 in paroxysmal tachycardias, 1950: May, 653
 in infancy and childhood, 1950: Jan., 219, 222
 in premature contractions, 1950: May, 653
 in rheumatic fever, 1952: Nov., 1656
 in surgery and obstetrics, 1950: May, 660
 preparations and dosages, 1950: May, 653
 toxicity, 1950: May, 626, 658
 use of, directions for, 1950: May, 649-662
- Digitoxin, 1950: May, 656
 whole leaf, 1950: May, 655
 in congestive heart failure, 1950: May, 668; 1951: Sept., 1336
- Digoxin, 1950: May, 657
 in heart failure, 1951: Sept., 1336
 congestive, 1950: May, 669
- Dihydroergocornine in hypertension, 1950: March, 388
- Dihydrostreptomycin, current uses, 1950: March, 326-330
 dosage and administration, 1950: March, 317, 327
 in influenzal meningitis, 1950: Jan., 137
 in subacute bacterial endocarditis, 1950: May, 781
 in tuberculosis, 1951: Jan., 159; 1952: Sept., 1259
 in tuberculous meningitis, 1950: Jan., 138
 pharmacology and toxicology, 1950: March, 309
 topical use, 1951: March, 346
 toxicity, 1950: March, 312
- Dilantin sodium in epilepsy, 1950: March, 346, Sept., 1513, 1516; 1952: Sept., 1385, 1388
- Diodoquin in amebic dysentery, 1950: Nov., 1672
- Diphenylhydantoin sodium. See *Dilantin sodium*.
- Diphtheria, 1950: Nov., 1628
 antibiotics in, 1950: March, 314; 1952: Jan., 251, 253
 antitoxin therapy, 1950: Nov., 1630
 immunization, 1950: Jan., 133, Nov., 1719
 active, 1952: Nov., 1599
 dosage schedule, 1952: Nov., 1600
 passive, 1952: Nov., 1602
 paralysis of, 1950: Nov., 1629
 penicillin in, 1950: March, 324, Nov., 1631
 toxoid, booster or recall injections, 1952: Nov., 1602
 treatment, 1950: Jan., 134
- Diplegia, atonic, 1950: Jan., 155
- Disease(s) associated with liver disease, 1951: Nov., 1650
 combined systems, physical medicine in, 1952: Sept., 1492
 contagious. See *Infectious diseases, acute*.
 functional vs. organic, concept of, 1952: March, 305-310
 hereditary aspects, 1951: March, 519-533
 internal, cutaneous signs, 1951: Nov., 1630
 of biliary system, 1951: Nov., 1679-1693
 patient's conception of, 1952: March, 472
 structural, emotional manifestations, 1952: March, 471-483
- Dislocation of acromioclavicular joint, 1950: Sept., 1332
- Diucardyn as diuretic, 1952: July, 954
- Diuretics, acidifying, in congestive heart disease, 1951: Sept., 1343
 in edema, 1952: July, 953
 in liver disease, 1951: Sept., 1452
 in nephrotic syndrome, 1952: July, 932
 in premenstrual tension, 1952: May, 719
- mercurial, 1952: July, 932, 953
 in angina pectoris, 1951: Jan., 63-71
 in heart failure, 1950: March, 568, May, 621, 629-640
 congestive, 1951: Sept., 1383; 1952: March, 429
 in liver disease, 1951: Sept., 1452
 in rheumatic fever, 1952: Nov., 1656
 oral and rectal, products and description, 1950: May, 631
 parenteral, products and description, 1950: May, 630
 poisoning due to, 1952: Jan., 111
 potentiation of, 1950: May, 623
 osmotic, in congestive heart failure, 1951: Sept., 1344
 xanthine, in congestive heart failure, 1951: Sept., 1343
- Doctor-patient relationship, 1952: Jan., 289-296, March, 308, 469, 585-592
 in peptic ulcer, 1952: Sept., 1334
- Dolantin in relief of pain, 1950: March, 371
- Dolophine in relief of pain, 1950: March, 369
- Douche, vaginal, in leukorrhea, 1952: Sept., 1463
- Drainage, mechanical, in edema of nephrotic syndrome, 1952: July, 931
- Dramamine in motion sickness, 1952: Sept., 1378, 1379
- Draper-Whitehead method of artificial respiration, 1950: Sept., 1357
- Dressings, wet, in acute dermatitis, 1952: Sept., 1441

- Drug(s) addiction, manifestations and treatment, 1950: March, 425-438
 effect on electrocardiogram, 1950: May, 873
 psychologic aspects of, 1950: July, 973-979
 sensitivity, ACTH and cortisone in, 1952: Jan., 240
 thrombocytopenia secondary to, 1952: Nov., 1699
 use of, psychologic aspects, 1950: July, 973-979
- Ducci and Watson bilirubin test, evaluation, 1950: Sept., 1463
- Ductus arteriosus, patent, 1952: Jan., 38, 63, Nov., 1663
 cardiac catheterization in, 1952: July, 1045
 roentgenology in, 1952: Jan., 63
- Duodenal drainage, cytology of material from, in cancer diagnosis, 1950: Sept., 1399
 ulcer, medical management in light of current etiologic concepts, 1950: Sept., 1447-1457
- Duodenitis, treatment, 1952: March, 384
- Dwarfism, pituitary, 1951: Nov., 1731
 renal, 1951: July, 1077
- Dye, injections in angiocardiology, reactions to, 1952: Nov., 1678
 studies, special, in hydrocephalus, 1952: Nov., 1743
- Dysentery, amebic, 1950: Nov., 1670
 treatment, 1950: Nov., 1672
 bacillary, 1950: Nov., 1667
 antibiotics in, choice of, 1950: March, 313
 sulfonamides in, 1950: March, 333
 treatment, 1950: Nov., 1670
- Dysmenorrhea, 1952: May, 717, Nov., 1735
 endocrine therapy in, 1950: Sept., 1542
 primary, 1951: May, 862
 refractory, 1951: May, 863
 secondary, 1951: May, 861
 treatment, 1951: May, 861-870
- Dyspepsia, 1952: March, 367-384
 treatment, 1952: March, 379
- Dysplasia, fibrous, in infants and children, 1952: Nov., 1752
 in differential diagnosis of bone cysts, 1952: Nov., 1755
 treatment, 1952: Nov., 1753
 retinal, in differential diagnosis of retrolental fibroplasia, 1952: Nov., 1581
- Dyspnea, 1952: March, 341-344
 in congestive heart failure, 1952: Jan., 32, 34
 management, 1952: March, 343
 orthostatic, 1951: Nov., 1723
 simulated, 1952: Jan., 113
- EBSTEIN's disease, 1952: Nov., 1669
- Eclampsia, 1951: May, 681
 kidney function in, 1951: May, 699-714, July, 964
 treatment, 1951: May, 693
- Ecthyma, antibiotics in, 1951: March, 348
- Ectodermosis erosiva pluriorificialis, 1951: March, 323
- Eczema, 1950: Sept., 1482
 adult, treatment, 1950: Sept., 1484
 allergic, 1952: July, 1127
 atopic, generalized, antihistaminics in, 1951: March, 338
 localized, antihistaminics in, 1951: March, 337
 infantile, ACTH and cortisone in, 1952: May, 823
 treatment, 1950: Sept., 1483
 of hands, treatment, 1950: Sept., 1484
 stasis, 1951: March, 362, 363
 vaccinatum, antibiotics in, 1952: Sept., 1249
- Eddowes' syndrome, 1952: July, 913
- Edema, 1952: May, 836
 angioneurotic, treatment, 1950: Sept., 1478
 hormonal disturbance in, 1952: May, 838
 in chronic nephritis and nephrosis, 1950: Jan., 76
 treatment, 1950: Jan., 85
 in congestive heart failure, 1952: Jan., 31, 33
 pathogenesis and treatment, 1950: May, 615-628
 in heart and kidney disease, water balance and, 1950: March, 571-587
 in renal diagnosis, 1951: Nov., 1714
 pulmonary, in renal disease, 1951: July, 1089
 treatment, in nephrotic syndrome, 1952: July, 928
 recent developments, 1952: July, 953-966
- EDTA in lead poisoning, 1952: Nov., 1593
- Effort syndrome, wrongly attributed to heart, 1952: March, 510
- Ego, 1952: Nov., 1544
 versus id, 1952: Nov., 1544
- Ehlers-Danlos syndrome, 1952: July, 913
- Eisenmenger complex, 1952: Nov., 1670
 reflex, roentgenology in, 1952: Jan., 59
- Elastic stockings in prevention of thromboembolism, 1952: Sept., 1313
- Electric coma therapy in psychoses, 1950: Sept., 1503
- Electrical stimulation to induce labor, 1952: Sept., 1480
- Electrocardiogram, aV limb leads, 1952: Jan., 103
 extremity leads, unipolar, use, recent advances, 1950: May, 857-867
 in arrhythmias, 1952: Jan., 11, 94

- Electrocardiogram, in clinical diagnosis of congenital heart disease, 1952: Nov., 1661
 in conduction disturbances, 1952: Jan., 94
 in coronary artery disease, 1950: May, 693; 1952: Jan., 72, 96
 anoxemia test, 1950: May, 713-717
 exercise test, 1950: May, 705, 877
 in digitalis therapy, 1952: Jan., 97
 in emotional disturbances, 1950: May, 821
 in myocardial infarction, 1952: Jan., 75
 in pre-excitation syndrome, 1950: May, 884
 in valvular deformities, 1952: Jan., 96
 in venous thrombosis and pulmonary embolism, 1950: May, 874
 patterns, 1952: Jan., 95
 precordial, unipolar, interpretation of, 1950: May, 833-855
 V chest leads, 1952: Jan., 105
 Electrocardiography, practical, advances in, 1950: May, 869-886
 recent advances, 1952: Jan., 93-108
 techniques, 1950: May, 836
 theory of, 1950: May, 833; 1952: Jan., 98
 Electroencephalogram as hearing test in children, 1952: Nov., 1792
 in epilepsy, 1950: Sept., 1511; 1952: Sept., 1390
 Electrolyte(s) balance in nephrotic syndrome, 1952: July, 929
 in pregnancy, 1951: May, 893-906
 body, alterations in disease, 1950: March, 398-402
 disturbances, classification, 1951: July, 1113-1127
 prevention, 1951: July, 1139
 measurements, 1951: May, 904
 metabolism, physiologic considerations, 1952: May, 829-846
 serum concentration, abnormalities and interpretation, 1951: Nov., 1813, 1815
 clinical interpretation, 1951: Nov., 1807-1828
 Electrophoresis, 1951: Nov., 1589
 Electroshock therapy in mental disorders of aged, 1950: July, 1104
 in psychoses, 1950: Sept., 1504, 1505
 methods to prevent seizures, 1950: Sept., 1505
 Electrostimulation, nonconvulsive, in psychoses, 1950: Sept., 1504
 Embolectomy, 1952: Jan., 144
 Embolism, arterial, 1952: Jan., 142
 dibenamine in, 1950: March, 385
 cerebral, 1952: Jan., 173
 differentiation from hemorrhage and thrombosis, 1950: May, 910
 pulmonary, diagnosis, 1952: Sept., 1317
 Embolism, pulmonary, electrocardiogram in, 1950: May, 874
 prevention, 1952: Sept., 1313
 septic, pathogenesis, 1950: Nov., 1751-1760
 sites of origin, 1952: Sept., 1309
 Emerson hip-lift method of artificial respiration, 1950: Sept., 1349, 1351
 Emesis, 1952: March, 374
 Emetine in amebic dysentery, 1950: Nov., 1672
 Emotional conflicts, role in neurodermatitis, 1950: July, 1010
 disturbances, functional cardiovascular changes during, 1950: May, 818
 in differential diagnosis of deafness in children, 1952: Nov., 1794
 physical manifestations, 1952: March, 457-470
 prevalence in armed forces of World War II, 1950: July, 939
 in civilian practice, 1950: July, 941
 treatment, 1952: March, 462
 manifestations of structural disease, 1952: March, 471-483
 reactions, role, in pain, 1952: March, 494
 Emphysema, 1952: March, 354
 bullous, diagnosis, angiocardioraphy in, 1950: May, 749
 pulmonary, anatomic and pathologic features, 1951: Nov., 1695
 symptoms and physical signs, 1951: Nov., 1697
 Empyema, postpneumonic, treatment, 1950: Nov., 1663
 Encephalitis associated with exanthems, mumps and vaccination procedures, 1952: Nov., 1627-1635
 cerebrospinal fluid in, 1950: Jan., 112
 due to herpes simplex virus, 1951: March, 566
 encephalitic, 1952: Nov., 1630
 encephalomyelitic, 1952: Nov., 1630
 equine, diagnosis, 1950: Sept., 1317
 management, 1950: Sept., 1321
 infectious, in children, 1950: Nov., 1689-1692
 meningoencephalitic, 1952: Nov., 1629
 nonsuppurative, 1950: Jan., 162
 St. Louis, diagnosis, 1950: Sept. 1316
 management, 1950: Sept., 1321
 with associated illnesses, age incidence, 1952: Nov., 1628
 clinical picture, 1952: Nov. 1629
 diagnosis, 1952: Nov., 1632
 etiology, 1952: Nov., 1628
 incidence, 1952: Nov., 1627
 pathology, 1952: Nov., 1631
 prognosis, 1952: Nov., 1632
 sex incidence, 1952: Nov., 1628
 treatment, 1952: Nov., 1633
 Encephalogram in hydrocephalus, 1952: Nov., 1743

- Encephalomalacia, 1952: Jan., 165, 166, 169
- Encephalopathy, hypertensive, 1951: Sept., 1469
- in acute glomerulonephritis, 1950: Jan., 98
- treatment, 1950: Jan., 103
- Endocarditis, bacterial, subacute, 1952: Jan., 225
- diagnosis and treatment, revised criteria for, 1950: May, 769-783
- in pregnancy, 1951: May, 673
- kidney in, 1951: July, 983
- penicillin in, 1950: March, 321; 1951: Jan., 30
- Endochondromas in differential diagnosis of bone cysts, 1952: Nov., 1756
- multiple, in children, 1952: Nov., 1752
- Endocrine disease, electrocardiogram in, 1950: May, 873
- disorders, diagnosis in, 1951: Nov., 1727-1748
- symposium on, 1952: May, 601
- dysfunctions, cortisone in, 1951: Sept., 1236, 1237
- menstrual disorders due to, 1952: May, 705-720
- factors in acne, 1951: March, 373-390
- function, tests, 1952: May, 739-756
- imbalance, leukorrhea due to, 1952: Sept., 1464
- manifestations of menopause, 1952: March, 516
- therapy in abnormal uterine bleeding, 1952: May, 713
- in advanced mammary carcinoma, 1952: May, 681-688
- in amenorrhea, 1950: Sept., 1538; 1952: May, 709
- in carcinoma, 1950: Sept., 1409-1417
- of breast, 1950: March, 446; 1951: Jan., 51-61
- of prostate, 1950: March, 445
- in chronic discoid lupus erythematosus, 1951: March, 396
- in dysmenorrhea, 1950: Sept., 1542
- in functional uterine bleeding, 1950: Sept., 1544, 1556
- in infertility in women, 1951: May, 836
- in inoperable carcinoma, 1951: Sept., 1367
- in menopause, 1950: Sept., 1547; 1951: May, 889
- in menstrual disorders, 1950: Sept., 1537-1550
- in peptic ulcer, 1952: Sept., 1330
- Endometrium, anatomy and physiology, 1951: May, 871
- biopsy of, 1951: May, 828; 1952: May, 750
- Energy, kinetic, of blood, circulatory consequences, in kidney, 1952: July, 967-980
- Enteric infections, acute, 1950: Nov., 1667-1678
- Enteritis, regional, 1951: Jan., 227-241
- ACTH and cortisone in, 1952: July, 1078
- analysis of forty cases, 1951: Jan., 227
- chronic, ACTH in, 1951: Sept., 1255-1265
- results of medical management, 1951: Jan., 237
- of surgical treatment, 1951: Jan., 232
- Enterococcal infections, antibiotics in, 1950: March, 314; 1952: Jan., 248, 250
- Enterogastrone in peptic ulcer, 1952: Sept., 1330
- Enuresis, causes and treatment, 1950: July, 1085
- Environment of premature infant, control of, 1952: Nov., 1572
- Enzyme activity, intracellular, of brain, 1950: Nov., 1803
- Eosinophil(s) reduction test, 1951: Nov., 1590
- response to ACTH and cortisone, 1951: Sept., 1233, 1246
- in Addison's disease, 1952: May, 724, 744
- to epinephrine, in Addison's disease, 1952: May, 724, 752
- test in ACTH and cortisone therapy, 1952: Jan., 235
- Ephedrine in allergy in infants, 1950: Jan., 9
- in asthma, 1952: Sept., 1270
- in respiratory failure, 1950: Sept., 1359
- Epididymitis, 1952: Sept., 1426
- Epigastric pain, 1952: March, 368-371
- wrongly attributed to heart, 1952: March, 507
- Epiglottitis, acute, 1952: Sept., 1279
- Epilepsy, diagnosis, 1950: Sept., 1510
- drug therapy, 1950: March, 341-350; 1952: Sept., 1381-1392
- electroencephalogram in, 1952: Sept., 1390
- neurosypilitic, 1952: July, 1146
- questionable use of term, 1950: July, 1055
- reflex, 1952: March, 561
- seizures, treatment, 1950: Sept., 1507-1520
- types, 1950: Sept., 1508, 1510
- with psychic symptoms, 1952: March, 557
- Epinephrine in allergy in infants, 1950: Jan., 9
- in asthma, 1952: Sept., 1271
- in atrioventricular heart block, 1952: Jan., 19
- in blood in pheochromocytoma, 1950: May, 763
- in cardiac standstill, 1952: Jan., 19
- reaction in pheochromocytoma, 1950: May, 765
- response of eosinophils to, in Addison's disease, 1952: May, 724, 752

- Epithelial cells in urine, 1951: Nov., 1711
- Ergot alkaloids as adrenergic blocking agents, 1950: March, 382
in hypertension, 1950: March, 389
- Erysipelas, treatment, 1950: Jan., 135
- Erythema annulare as major manifestation of rheumatic fever, 1952: Nov., 1653
- multiforme, 1951: March, 320, Nov., 1631
- aureomycin in, 1951: March, 351
- exudativum, 1951: March, 315-331
- nodosum, 1951: Nov., 1631
- palmar hereditarium, 1951: March, 304
- Erythroblastosis fetalis, 1950: Jan., 187-200; 1951: May, 749-770
- ACTH and cortisone in, 1951: Sept., 1238
- exchange transfusions in, 1951: May, 765
- in differential diagnosis of infectious hepatitis, 1952: Nov., 1644
- premature induction of labor in, 1951: May, 762
- Erythrocytes, sedimentation rate in arthritis, 1951: Nov., 1754
- in urine, 1951: Nov., 1710
- Erythromelalgia, 1951: March, 366; 1952: Jan., 157
- Erythroplasia of Queyrat, 1951: March, 413, 414
- Esophagus, atresia of, congenital, 1950: Jan., 247-256
- Estinyl estradiol in carcinoma of breast, 1952: May, 682
- Estradiol dipropionate in carcinoma of breast, 1952: May, 682
- in functional uterine bleeding, 1950: Sept., 1556, 1560
- in menopause, 1950: Sept., 1549
- Estrogen determination in urine, 1951: Nov., 1587
- therapy in abnormal uterine bleeding, 1952: May, 715
- in acne, 1951: March, 386, 387
- in amenorrhea, 1952: May, 709
- combined with progesterone, 1950: Sept., 1540
- in carcinoma of breast, 1950: March, 448, Sept., 1411; 1951: Jan., 56; 1952: May, 681
- complications, 1951: Jan., 57
- of prostate, 1950: March, 445, Sept., 1411; 1952: May, 695
- in dysmenorrhea, 1950: Sept., 1542
- in functional menstrual disorders, 1950: Sept., 1546, 1556
- in hypertrophic arthritis, 1950: Sept., 1438
- in infertility in women, 1951: May, 837
- in leukorrhea, 1952: Sept., 1465
- in menopause, 1950: March, 530, Sept., 1548; 1951: May, 888, 890; 1952: March, 523
- Estrogen therapy, preovulatory, in dysmenorrhea, 1951: May, 863
- to induce labor, 1952: Sept., 1480
- Estrone sulfate in carcinoma of breast, 1952: May, 682
- Ether anesthesia in obstetrics, 1950: Sept., 1529; 1951: May, 813
- Ethinyl estradiol in menopause, 1950: Sept., 1549
- in oligomenorrhea, 1950: Sept., 1541
- Ethyl carbamate. See *Urethane*.
- chloride spray in relief of pain, 1950: March, 374
- Ethylene-diamine-tetra-acetate in lead poisoning, 1952: Nov., 1593
- Ethylenediamine tetra-acetic acid in chemical burns of eye, 1952: Sept., 1220, 1222
- Ethylstibamine in multiple myeloma, 1951: Jan., 218
- Eunuchoidism, 1951: March, 507
- Euphoria, 1950: July, 1024
- Eve tilting board for artificial respiration, 1950: Sept., 1351
- Ewing's tumor in infants and children 1952: Nov., 1760, 1803
- treatment, 1952: Nov., 1761
- Exanthems, encephalitis associated with, 1952: Nov., 1627-1635
- Exchange resins in congestive heart failure, 1952: March, 432
- transfusion in erythroblastosis fetalis, 1951: May, 765
- Exercise(s), effect in congestive heart failure, 1950: May, 619
- in hypertrophic arthritis of hip, 1950: Sept., 1443
- of knee, 1950: Sept., 1444
- of spine, 1950: Sept., 1441
- test in arrhythmias, 1952: Jan., 10
- in coronary artery disease, electrocardiogram in, 1950: May, 705-713, 877
- in electrocardiographic diagnosis, 1952: Jan., 95
- Exhaustion in emotional disorders, 1952: March, 461
- Exophthalmos, radioiodine therapy and, 1951: Sept., 1317
- Exsanguinotransfusion in acute renal failure, 1950: March, 518
- Extrahepatic system, congenital anomalies of, in differential diagnosis of infectious hepatitis, 1952: Nov., 1644
- Extrasystoles, wrongly attributed to heart disease, 1952: March, 509
- Extremity, lower, pigmentary purpuric diseases of, 1951: March, 457-462
- neurovascular lesions, 1952: Jan., 155
- upper, pain in, 1950: Sept., 1323-1334
- Eye(s), burns, chemical, emergency treatment, 1952: Sept., 1215-1222
- crossed, treatment, problems in, 1950: Jan., 283-302

- Eye(s), diabetic complications involving, 1951: Nov., 1615
diseases of, ACTH and cortisone in, 1951: Sept., 1237, 1238; 1952: Jan., 240
irrigation, in chemical burns, 1952: Sept., 1215
lesions, in erythema multiforme, 1951: March, 320
movements, development, 1950: Jan., 286
- Eyeground examination in hypertension, 1952: Jan., 119
- FAINTING, as symptom, 1952: March, 326-330
reflex, 1952: March, 563
- Fallopian tubes, diagnostic tests, in infertility, 1951: May, 827
- Fallot, tetralogy of. See *Tetralogy of Fallot*.
- Family, relation to hospital, 1952: Nov., 1551-1554
- Fat in infant feeding, 1952: Jan., 276
restriction in atherosclerosis, 1952: Jan., 189, 193, 195-199, May, 872
- Fatigue, 1952: March, 311-317
emotional causes, 1952: March, 312
hysterical, 1952: March, 315
psychogenic, 1952: March, 313
wrongly attributed to heart, 1952: March, 511
- Fauces, infections, acute, 1950: Nov., 1621-1635
- Fear, distorted symptoms resulting from, 1952: March, 460, 465
in structural disease, 1952: March, 471-483
- Fecal flora, normal, effect of antibiotics on, 1952: July, 1083
impactions, treatment, 1952: Sept., 1456
- Feces urobilinogen in liver injury, 1951: Nov., 1655
- Feeding, breast. See *Breast feeding*.
of infant. See *Infant feeding*.
- Feeling tone and pain, 1952: March, 493
- Felty's syndrome, 1952: July, 912
diagnosis, 1951: Nov., 1759
- Fertility in women, effect of splenectomy on, 1950: July, 1226
- Fetus, deaths, prevention, 1951: May, 739-747
- Fever as minor manifestation of rheumatic fever, 1952: Nov., 1650
blisters, 1951: March, 563
therapy in hypertension, 1952: July, 1022
in syphilis, 1950: March, 499
- Fibrinogen, absence of, bleeding due to, 1951: Jan., 274
- Fibrinogenopenias, 1951: Sept., 1420; 1952: July, 1065
- Fibrinolysis, blood alterations in, 1951: Jan., 274
- Fibroplasia, retrolental. See *Retrolental fibroplasia*.
- Fibrosarcoma in infants and children, 1952: Nov., 1760
- Fibrosis, pulmonary, anatomic and pathologic features, 1951: Nov., 1695
chronic progressive, 1951: Jan., 169-173
symptoms and physical signs, 1951: Nov., 1697
- Fibrositis, diagnosis, 1951: Nov., 1762
of shoulder, physical medicine in, 1952: Sept., 1491
- Fingers, arthritis, hypertrophic, 1950: Sept., 1439
- Fistula, arteriovenous, 1952: Jan., 145
of common bile duct, 1951: Nov., 1686
tracheo-esophageal, 1950: Jan., 247-256
vesicovaginal, pregnancy and, 1951: May, 723
- Fits. See also *Convulsions*.
hysterical, 1952: March, 565
- Fixation, development, 1950: Jan., 283
- Flame photometry, 1951: Nov., 1589
- Flocculation tests, evaluation, 1950: Sept., 1467
- Fluids, administration, in nephrotic syndrome, 1952: July, 926
in renal failure, 1952: Sept., 1410, 1416
parenteral, 1950: March, 395-412
in children, 1950: Jan., 53-70
in pregnancy, 1951: May, 893-906
body, alterations in disease, 1950: March, 398
requirements of premature infants, 1952: Nov., 1574
- Fluorides in caries prevention, 1950: Jan., 23
- Fluoroscopy in clinical diagnosis of congenital heart disease, 1952: Nov., 1660
in congenital heart disease, value, 1952: Jan., 56
- Focal infection, rheumatoid arthritis and, 1950: Nov., 1696
theory of, pro and con, 1950: Nov., 1705-1717
- Folic acid, antagonists, in leukemia, 1950: Jan., 209, March, 451; 1951: Sept., 1395
pharmacology, 1950: March, 442
in infant nutrition, 1952: Jan., 282
in macrocytic anemias, 1950: Sept., 1299
in pernicious anemia, 1950: Sept., 1299
- Folliculitis, pyogenic, of beard, treatment, 1950: Sept., 1476
- Follow-up visits in medical out-patient clinic, 1951: Nov., 1805
- Food, addiction to, 1951: March, 491
poisoning, 1950: Nov., 1673
soft, for infants, 1952: Nov., 1559

- Foot, avascular necrosis, 1950: Jan., 183
dermatophytosis, treatment, 1950: Sept., 1481
- Foreign bodies in vagina, leukorrhea due to, 1952: Sept., 1468
vaginitis caused by, 1952: Nov., 1732
- Formula, selection of, for artificial feeding, 1952: Nov., 1559
- Fourneau compounds as adrenergic blocking agents, 1950: March, 381
in pheochromocytoma, diagnostic, 1950: March, 386
- Fowler's solution in leukemia, 1951: Sept., 1389
- Freiberg's disease, 1950: Jan., 185
- Friedländer's bacillus infections, antibiotics in, choice of, 1950: March, 314
- Frostbite, 1952: Jan., 156
dibenzamine in, 1950: March, 386
- Frozen shoulder, physical medicine in, 1952: Sept., 1490
- Functional problems, psychologic testing in, 1950: July, 1075
vs. organic disease, concept of, 1952: March, 305-310
- Fundus changes in hypertension, 1952: Jan., 119
- Fungi, demonstration of, 1951: Nov., 1633
- Fungus infections of lungs, 1951: Sept., 1323-1331
of vagina, treatment, 1952: Sept., 1468
superficial, treatment, 1950: Sept., 1480
- Furunculosis, penicillin in, 1950: March, 324
treatment, 1950: Sept., 1477
- GAFFKYA tetragen infection, antibiotics in, choice of, 1950: March, 314
- Gallbladder, carcinoma of, 1951: Nov., 1686
concalculous, 1951: Nov., 1681
perforation, 1951: Nov., 1683
- Ganglioma, 1951: Sept., 1302
- Gangrene in occlusive disease of arteries, 1951: March, 359
- Gas gangrene, antibiotics in, 1952: Jan., 251, 253
penicillin in, 1950: March, 324
- Gastric acidity, determination without intubation by use of quininium exchange indicator compound, 1951: March, 593-602
- Gastritis, treatment, 1952: March, 384
- Gastrointestinal tract disease, antibacterial agents in, 1952: July, 1083-1097
tetany due to, 1952: May, 890
manifestations of allergic disorders, 1951: Nov., 1506
scleroderma of, 1951: Sept., 1271
- Gastrosocopy in diagnosis of gastric ulcer not demonstrable by x-ray, 1952: July, 1099
- Gaucher's disease, 1951: March, 451
splenectomy for, effect on subsequent pregnancies, 1950: July, 1223
- Genetic syndromes, 1952: July, 912
- Genetics, principles, applications in medicine, 1951: March, 519-533
- Genital lesions due to herpes simplex virus, 1951: March, 565
in erythema multiforme, 1951: March, 321
- Genitalia, female, congenital anomalies, 1952: Nov., 1732
immature, trauma to, 1952: Nov., 1732
- Genitourinary infections, penicillin in, 1950: March, 324
- Geriatric(s) care, 1952: March, 569-583
psychosomatic aspects, 1950: July, 1091-1105
- German measles, diagnosis, 1950: Sept., 1310
immunization, 1952: Nov., 1604
treatment, 1950: Jan., 141, Sept., 1318
- Gerstmann's syndrome, 1952: July, 911
- Gingivitis, 1951: Nov., 1638
- Gingivostomatitis, Vincent's, diagnosis, 1951: Nov., 1638
- Girls, gynecologic examination in, methods of, 1952: Nov., 1729
heterosexual precocious pseudopuberty in, 1952: Nov., 1717
isosexual precocious pseudopuberty in, 1952: Nov., 1721
- Gitalin in congestive heart failure, 1950: May, 669
- Glans penis, atrophic lesions, 1951: March, 411-418
- Glaucoma, dibenzamine in, 1950: March, 389
- Gliomas of brain stem in childhood, 1952: Nov., 1802
- Glomerulonephritis, 1951: July, 960
acute, 1950: Jan., 95-105; 1951: July, 1157-1160
cardiac manifestations, 1951: July, 1083, 1084
chronic, in children, 1951: July, 1072
nephrotic stage, ACTH and cortisone in, 1952: Jan., 243
report of case followed from onset to termination for period of nine years, 1951: July, 1167-1183
therapeutic dilemmas, 1952: March, 411-417
in pregnancy, 1951: May, 684, 696, July, 1051-1068
retinal manifestations, 1951: July, 1028
- Glomerulosclerosis, capillary, 1951: July, 982
retinal manifestations, 1951: July, 1034

- Glomerulotubular imbalance in congestive heart failure, 1950: May, 617
- Glossitis, rhomboid, median, diagnosis, 1951: Nov., 1639
- Glossodynia, diagnosis, 1951: Nov., 1640
- Glossopyrosis, diagnosis, 1951: Nov., 1640
- Glucose in diabetic acidosis and coma, 1952: May, 778
- tolerance test, intravenous, in diagnosis of diabetes, 1951: Nov., 1614
- oral, of pituitary function, 1952: May, 752
- standard, in diagnosis of diabetes, 1951: Nov., 1610
- Glucose-insulin tolerance test of pituitary function, 1952: May, 753
- Glycosides, cardiac, in congestive heart failure, 1950: May, 620, 663-671
- Glycosuria in diagnosis of diabetes, 1951: Nov., 1608
- Goiter, adenomatous, treatment, 1950: March, 536
- exophthalmic, antithyroid drugs in, 1952: May, 606, 614
- treatment, 1950: March, 537
- toxic. See *Thyrotoxicosis*.
- Gold salts in rheumatoid arthritis, 1950: Nov., 1700
- Gonadotropins, determination in urine, 1951: Nov., 1587
- in abnormal uterine bleeding, 1952: May, 715
- in amenorrhea, 1952: May, 710
- urinary, excretion, as test, 1952: May, 748
- of ovarian function, 1952: May, 751
- of testicular function, 1952: May, 749
- Gonads, disorders of, 1951: Nov., 1742
- functional tests, 1952: May, 748
- Gonococcal infections, antibiotics in, 1952: Jan., 249, 250
- Gonorrhea, penicillin in, 1950: March, 324; 1951: Jan., 30
- Gout, ACTH in, 1952: Jan., 243
- kidney of, as clinical entity, 1952: July, 941-951
- nephritis, 1951: July, 982
- Gradenigo's syndrome, 1952: March, 323
- Granuloma, eosinophilic, 1951: March, 450, 463-479
- in infants and children, 1952: Nov., 1762
- faciale, 1951: March, 472
- inguinale, antibiotics in, 1951: March, 350
- Gratification and tension, 1952: Nov., 1542
- Graves' disease. See *Goiter, exophthalmic*.
- Growth, rapid, influence on normal posture development, 1952: Nov., 1537
- screening test, 1952: Nov., 1518
- sex hormones and, 1951: March, 501-518
- Guaiaac test for cancer, 1950: Sept., 1395
- Gynecologic examination in young girls, methods of, 1952: Nov., 1729
- problems in preadolescent and adolescent years, 1952: Nov., 1729-1737
- of adolescent years, 1952: Nov., 1733
- of preadolescent years, 1952: Nov., 1731
- Gynecology, psychosomatic aspects, 1950: July, 995-1008
- symposium on, 1951: May, 629
- Gynecomastia, diagnosis, 1951: Nov., 1744
- HALLUCINOSIS, alcoholic, acute, 1951: Nov., 1789
- Hamstring muscles, tears, in athletes, 1950: Sept., 1265
- Hand-Schüller-Christian disease, 1951: March, 449
- Hands, eczema, treatment, 1950: Sept., 1484
- Hanger's cephalin-cholesterol flocculation test, 1952: March, 398
- Haptene in erythroblastosis fetalis, 1950: Jan., 198
- Hay fever, ACTH and cortisone in, 1952: Jan., 240
- antihistaminic drugs in, 1950: March, 359
- drugs used in, evaluation, 1951: Sept., 1547
- Head, circumference in first five years of life, 1952: Nov., 1740
- drop in poliomyelitis, 1950: Jan., 122, 124
- injuries, morphine in, dangers, 1950: Nov., 1769
- tilting, ocular, 1950: Jan., 292
- Headache, 1951: Sept., 1485-1493; 1952: March, 319-326
- allergic, treatment, 1951: Sept., 1559
- due to compensation neurosis, 1951: Sept., 1491
- due to cranial (temporal) arteritis, 1951: Sept., 1487
- due to lesions of teeth, ears, eyes, nose or neck, 1952: March, 323
- due to psychological stress, 1951: Sept., 1491
- due to ruptured congenital intracranial aneurysm, 1951: Sept., 1485
- due to subdural hematoma, 1951: Sept., 1487
- from nervous tension, 1952: March, 325
- migrainous, 1951: Sept., 1489
- antihistaminic drugs in, 1950: March, 361
- post-traumatic, 1952: March, 324

- Headache, sick, paroxysmal, 1951: Sept., 1489
treatment, 1951: Sept., 1485-1493
vascular, 1952: March, 321
with hypertension, 1951: Sept., 1490
- Health examination, pediatric, 1952: Nov., 1515-1523
history, 1952: Nov., 1515
- Hearing, normal development, 1952: Nov., 1790
tests in children, 1952: Nov., 1521, 1792
- Heart, adaptation, physiology, 1952: Jan., 22
amyloid disease, 1950: July, 1137-1144
and great vessels, cardiac catheterization and contrast study in congenital cardiovascular defects, 1952: Nov., 1673-1682
congenital malformations of, classification, 1952: Nov., 1663
transposition, roentgenology in, 1952: Jan., 62
anomalies, diagnosis, 1952: Jan., 37-51
roentgenology in, 1952: Jan., 53-68
block, atrioventricular, 1952: Jan., 7, 19
bundle branch, unipolar precordial electrocardiogram in, 1950: May, 852
complete, 1952: Nov., 1666
digitalis in, 1950: May, 653
catheterization, in study of normal and diseased heart, 1952: July, 1035-1049
defibrillation, in ventricular fibrillation, 1952: Jan., 19
disease, acquired, angiocardiology in, 1950: May, 752
amyloid, 1950: July, 1137-1144
anoxemia test, 1950: May, 713-717
arteriosclerotic, in pregnancy, 1951: May, 674
biliary disease and, 1951: Nov., 1687
complicating scleroderma, 1951: Sept., 1274
congenital, acyanotic group, 1952: Nov., 1663
modified, 1952: Nov., 1666
angiocardiology in, 1950: May, 749
cardiac catheterization in, 1952: July, 1042, 1047
clinical diagnosis, 1952: Nov., 1659-1671
cyanotic group, 1952: Nov., 667
modified, 1952: Nov., 1669
diagnosis, 1952: Nov., 1663
in reference to surgical intervention, 1952: Jan., 37-51
roentgenology in, 1952: Jan., 53-68
diagnostic procedures, 1952: Nov., 1659
- Heart, disease, congenital, in pregnancy, 1951: May, 674
coronary, diagnosis and treatment, 1952: Jan., 69-91
diagnosis in, 1951: Nov., 1721-1725
without laboratory aid, 1950: May, 721-733
diet in, importance, 1951: July, 1102
electrocardiogram in, 1950: May, 881; 1952: Jan., 93-108
exercise test, electrocardiogram in, 1950: May, 705-713, 877; 1952: Jan., 96
hypertensive, in pregnancy, 1951: May, 674
in pregnancy, management, 1951: May, 667-676
insurance aspect, 1950: May, 805-815
neck and shoulder pain in, 1952: Sept., 1304
obesity and, 1951: Sept., 1351-1359
physiology of lesser circulation as altered by, 1952: July, 1035-1049
pregnancy and, 1950: May, 795-804
psychosomatic aspects, 1950: May, 817-831
pulsation and percussion signs in, 1950: May, 721-733
rheumatic, in pregnancy, management, 1951: May, 671
penicillin in, prophylactic, 1951: Jan., 30
salt restriction in, salt depletion syndrome as complication, 1951: July, 1139-1156
smoking in, 1950: May, 697-703
symposium on, 1950: May, 609
syphilitic, in pregnancy, 1951: May, 674
treatment, pitfalls in, 1952: Jan., 109
two-step exercise test, 1950: May, 705-713
valvular angiocardiology in, 1950: May, 753
water balance in, as related to edema and oliguria, 1950: March, 571-587
enlargement, insurance aspect, 1950: May, 811
failure, acidosis in, 1952: Jan., 112
chronic, renal insufficiency complicating, 1950: May, 646
congestive, cardiac glycosides in, 1950: May, 663-671
cation exchange resins in, 1951: Sept., 1344
diet in, 1950: March, 566, 567; 1951: Sept., 1347
digitalis in, 1950: March, 565, May, 651, 663-671; 1951: Sept., 1334

- Heart, failure, congestive, diuresis in, 1950: March, 568, May, 629-640; 1951: Sept., 1338-1344
in pregnancy, 1951: May, 672
magnesium levels in, 1952: July, 1163
oxygen therapy, 1951: Sept., 1345
pathogenesis, 1950: May, 615
pathologic physiology, 1952: Jan., 21-36
physical activity in, 1951: Sept., 1346
physical measures, 1951: Sept., 1348
salt and water retention in, pathogenesis and treatment, 1950: May, 615-628
syndrome of, 1952: Jan., 30
thromboembolic complications, 1951: Sept., 1346
treatment, 1952: March, 419-434
physiologic considerations, 1952: Jan., 33
in acute glomerulonephritis, 1950: Jan., 98
treatment, 1950: Jan., 104
pulmonary hemodynamics in, 1952: July, 1039
treatment, 1950: March, 563-570, May, 620; 1951: Sept., 1333-1350
in renal disease, 1951: July, 1083-1093
massage, in auricular fibrillation, 1952: Jan., 18
murmurs, heart disease and, 1952: March, 511
insurance aspect, 1950: May, 808
significant, in rheumatic fever, 1952: Nov., 1651
pain wrongfully attributed to, 1952: March, 501-513
percussion of, 1950: May, 729-732
rhythm, irregularities, 1952: Jan., 3-20
right, dynamics in hypertrophy, 1952: July, 1037
roentgenograms of, in coronary artery disease, 1950: May, 693
sounds, 1951: Nov., 1724
standstill, treatment, 1952: Jan., 19
Heartburn, 1952: Jan., 371
wrongly attributed to heart, 1952: March, 507
Heberden's nodes, 1950: Sept., 1439
Heine-Medin disease, 1950: Jan., 140
Hemagglutination test in tuberculosis, 1951: March, 603-614
Hemagglutination-inhibition test in viral diseases, 1950: Nov., 1611
Hemangiomas, 1951: March, 306
Hemarthrosis in hemophilia, 1950: March, 467
Hematocrit in clinical diagnosis of congenital heart disease, 1952: Nov., 1662
Hematologic disorders, vitamin B₁₂ in, 1952: Sept., 1230
Hematoma, subdural, headache due to, 1951: Sept., 1487
in differential diagnosis of hydrocephalus, 1952: Nov., 1744
Hematomyelia, diagnosis, 1951: Nov., 1773
Hematuria during pregnancy, 1951: May, 724
in chronic nephritis, 1950: Jan., 82
in renal diagnosis, 1951: Nov., 1710
significance, 1951: July, 1011-1016
Hemiplegia, physical medicine in, 1952: Sept., 1491
Hemoglobin determination, 1952: Nov., 1521
Hemolytic disease, chronic, with erythrocyte-bound antibody, 1951: March, 575
of newborn, 1950: Jan., 187
not due to Rh factor, 1950: Jan., 199
syndrome, 1952: July, 911
Hemophilia, 1951: Sept., 1410; 1952: July, 1060, Nov., 1705
detection in young infants, 1952: Nov., 1705
in children, management, 1952: Nov., 1706
problems of surgery in, 1950: March, 467
psychiatric and social aspects, 1951: Sept., 1415
treatment, 1950: March, 464; 1951: Jan., 267, Sept., 1413
Hemophilia-like disease in women, 1952: July, 1062
Hemophilus infections, antibiotics in, 1950: March, 314; 1952: Jan., 251, 252
Hemoptysis, 1952: March, 337-339
management, 1952: March, 338
Hemorrhage, cerebral, 1952: Jan., 163, 169
differentiation from hemorrhage and thrombosis, 1950: May, 910
gastrointestinal, morphine in, dangers, 1950: Nov., 1770
subarachnoid, spontaneous, primary, 1952: Jan., 171, 173
uterine, in menopause, 1950: March, 546
Hemorrhagic disorders, classification, 1951: Sept., 1404; 1952: July, 1052
diagnosis, 1951: Sept., 1409; 1952: July, 1051-1068
in children, 1952: Nov., 1693-1710
etiology, 1952: Nov., 1694
multiple defects, 1952: Nov., 1697
treatment, 1950: March, 459-468; 1951: Jan., 267-278, Sept., 1403; 1952: July, 1051-1068
Hemorrhoids, external, thrombosed, excision of, 1952: Sept., 1452
injection treatment, 1952: Sept., 1452
internal, injection of, 1952: Sept., 1452

- Hemostatic agents in hemophilia, 1951: Sept., 1414
- Heparin in acute arterial occlusions, 1952: Jan., 143
- in atherosclerosis, 1952: Jan., 189, July, 1008
- in cerebral thrombosis, 1950: May, 909-924
- in prevention of coronary thrombosis, 1952: July, 998
- in thromboembolism, 1952: Sept., 1318
- obviation of anticoagulant effect, 1951: Sept., 1421
- overdosage, hemorrhage due to, treatment, 1951: Jan., 272
- Heparinoid states, treatment, 1951: Jan., 273
- Hepatitis, ACTH and cortisone in, 1952: July, 1078
- amebic, 1950: Nov., 1672
- chronic, 1952: Sept., 1341-1355
- treatment, 1952: Sept., 1351
- epidemic. See *Hepatitis, infectious*.
- infectious, diagnosis, 1950: Sept., 1313
- immunization, 1952: Nov., 1604
- in infancy and childhood, 1952: Nov., 1637-1647
- clinical signs and symptoms, 1952: Nov., 1640, 1641
- differential diagnosis, 1952: Nov., 1644
- epidemiology, 1952: Nov., 1637
- immunity, 1952: Nov., 1646
- laboratory studies, 1952: Nov., 1642
- morbidity, 1952: Nov., 1646
- mortality, 1952: Nov., 1646
- palpable livers and abnormal cephalin-cholesterol flocculation in, 1952: Nov., 1642
- susceptibility, 1952: Nov., 1639
- treatment, 1952: Nov., 1645
- management, 1950: Sept., 1319
- serum, diagnosis, 1950: Sept., 1313
- in differential diagnosis of infectious hepatitis, 1952: Nov., 1644
- management, 1950: Sept., 1320
- subacute, 1952: Sept., 1341-1355
- treatment, 1952: Sept., 1351
- with jaundice, attack rates in children of school age, 1952: Nov., 1638
- incidence in children, 1952: Nov., 1639
- Hernia, diaphragmatic, in infants and children, 1952: Nov., 1774
- embryology, 1952: Nov., 1774
- pathogenesis, 1952: Nov., 1774
- physical findings, 1952: Nov., 1774
- postoperative care, 1952: Nov., 1776
- preoperative care, 1952: Nov., 1775
- Hernia, diaphragmatic, in infants and children, roentgenographic examination, 1952: Nov., 1775
- treatment, 1952: Nov., 1775
- epigastric, in infants and children, 1952: Nov., 1774
- femoral, in infants and children, 1952: Nov., 1772
- hiatal, treatment, 1952: March, 384
- in infants and children, management of, 1952: Nov., 1767-1777
- in umbilical area in infants and children, 1952: Nov., 1772
- inguinal, in infants and children, 1952: Nov., 1767
- clinical features, 1952: Nov., 1768
- complications and dangers, 1952: Nov., 1771
- embryology and pathogenesis, 1952: Nov., 1767
- incarcerated, treatment, 1952: Nov., 1771
- operative procedure, 1952: Nov., 1770
- pathogenesis and embryology, 1952: Nov., 1767
- postoperative care, 1952: Nov., 1770
- preoperative preparation, 1952: Nov., 1769
- treatment, 1952: Nov., 1769
- umbilical, in infants and children, 1952: Nov., 1773
- Herpes simplex, antibiotics in, 1952: Sept., 1248
- diagnosis, 1950: Sept., 1311
- encephalitis, 1950: Nov., 1691
- management, 1950: Sept., 1319
- virus, infections caused by, clinical ramifications, 1951: March, 563-569
- oral manifestations, 1951: Nov., 1642
- zoster, antibiotics in, 1951: March, 351; 1952: Sept., 1249
- diagnosis, 1950: Sept., 1311
- management, 1950: Sept., 1319
- neck and shoulder pain due to, 1952: Sept., 1306
- Herpetetic lesions, sporadic, diagnosis of, 1951: Nov., 1642
- Hesperidin, effect on capillary permeability, 1952: Jan., 211
- Hexamethonium iodide in peptic ulcer, 1952: Sept., 1329
- Hidradenitis, suppurative, treatment, 1950: Sept., 1476
- Hip, arthritis, hypertrophic, 1950: Sept., 1442
- necrosis, avascular, 1950: Jan., 173
- osteochondritis, 1950: Jan., 173
- Hip-lift method of artificial respiration, 1950: Sept., 1349, 1351
- Histadyl, dosages, 1950: March, 352, 357
- structural formula, 1951: March, 334

- Histamine antagonists. See *Antihistaminic drugs*.
 effect on capillary permeability, 1952: Jan., 209
 test for pheochromocytoma, 1950: May, 763; 1952: Jan., 124
 in paroxysmal hypertension, 1951: Sept., 1300
 of adrenal medulla function, 1952: May, 754
- Histologic examination in diagnosis of liver disease, 1951: Nov., 1677
- History, health, 1952: Nov., 1515
 in arthritis, 1951: Nov., 1751
 in clinical diagnosis of congenital heart disease, 1952: Nov., 1660
 in dermatologic diagnosis, 1951: Nov., 1628
 in liver disease, 1951: Nov., 1649
 personal and family, in diagnosis of allergic states, 1951: Nov., 1599
 taking, accurate, in medical outpatient clinic, 1951: Nov., 1800
 in diagnosis of deafness in children, 1952: Nov., 1791
 in neurology, 1952: Sept., 1395
 in proctology, 1952: Sept., 1446
- Hives. See *Urticaria*.
- Hodgkin's disease, ACTH in, 1952: Jan., 242
 granulomatous, of skin with eosinophilia, 1951: March, 465
 nitrogen mustards in, 1950: March, 453
 treatment, 1951: Jan., 99, Sept., 1381-1401
 x-ray, 1950: March, 453
- Hormonal mechanism of onset of puberty, 1952: Nov., 1711
- Hormone(s), analyses, 1951: Nov., 1586
 and acne vulgaris, 1951: March, 373-390
 assay in diagnosis of malignancy, 1951: Nov., 1832
 gonadotrophic, in malignancy, 1951: Nov., 1832
 influence on cerebral metabolism, 1950: Nov., 1806
 sex, female. See *Estrogens*
 therapy. See *Endocrine therapy*.
 use in treatment of undescended testicle, 1952: Nov., 1783
- Horner's syndrome, 1952: July, 911
- Horseshoe kidneys, 1951: July, 994
- Hospital, relation of family to, 1952: Nov., 1551-1554
- Hospitalization of children, problems resulting from, 1952: Nov., 1552
- Hot flushes, 1950: March, 543
- Huhner test, 1951: May, 821
- Humidity, relative, for premature infant, 1952: Nov., 1572
- Huntington's chorea, hereditary aspects, 1951: March, 522
- Hürthle cell adenocarcinoma of thyroid gland, 1952: May, 648
- Hyaluronidase, effect on capillary permeability, 1952: Jan., 210
- Hydantoins in epilepsy, 1952: Sept., 1385, 1388
- Hydrarthrosis, intermittent, diagnosis, 1951: Nov., 1759
- Hydrillin, dosages, 1950: March, 353, 357
- Hydrocephalus, cerebrospinal fluid in, 1950: Jan., 109
 communicating, internal, 1952: Nov., 1740
 contraindications to operation, 1952: Nov., 1746
 diagnosis, 1952: Nov., 1740
 and treatment, 1952: Nov., 1739-1750
 diagnostic procedures, 1952: Nov., 1742
 differential diagnosis, 1952: Nov., 1744
 evaluation of apparent mentality as index of severity of, 1952: Nov., 1741
 indications for surgical intervention, 1952: Nov., 1746
 noncommunicating, internal, 1952: Nov., 1739
 operative procedures, 1952: Nov., 1746
 treatment, 1952: Nov., 1622, 1744
 nonsurgical, 1952: Nov., 1744
 surgical, 1952: Nov., 1746
 types, 1952: Nov., 1739
- Hydrochloric acid in nephrotic edema, 1950: Jan., 87
- Hydroma, subdural, 1952: Nov., 1744
- Hydronephrosis, bilateral, pathologic aspects, 1951: July, 971
 in pregnancy, 1951: May, 725
- Hydros tubae profluens, 1952: Sept., 1470
- Hygroma, subdural, in differential diagnosis of hydrocephalus, 1952: Nov., 1744
- Hymen, imperforate, 1952: Nov., 1732
- Hyosciamine in motion sickness, 1952: Sept., 1379
- Hypercholesteremia and atherosclerosis, relationship, 1952: Jan., 178
 clinical significance and management, 1952: May, 865-874
- Hyperchylomicronemia, alimentary, 1952: Jan., 179
- Hypercortico-adrenalism, 1951: Sept., 1290
- Hyperemia, venous, intermittent, 1952: Jan., 149
- Hyperglycemia in diagnosis of diabetes, 1951: Nov., 1608
- Hyperlipemia, idiopathic, 1951: March, 451
- Hypermetropia, test for, 1952: Nov., 1520
- Hyperorexia nervosa, 1951: Sept., 1355

- Hyperparathyroidism complicating polycystic kidney, clinicopathologic conference, 1952: March, 435-444
 diagnosis, 1951: Nov., 1737
 kidney in, 1951: July, 980
- Hyperphosphatemia, tetany due to, 1952: May, 890
- Hyperplasia, basal cell, of cervix, 1951: May, 852
- Hypersensitiveness in poliomyelitis, 1950: Jan., 122
- Hypersensitivities, ACTH and cortisone in, 1951: Sept., 1237, 1238; 1952: Jan., 239
- Hypersomnia, 1952: March, 545
- Hypersplenism, 1950: Sept., 1271-1289
- Hypertension, atherogenesis and, 1952: Jan., 191
 capillary fragility in, 1952: Jan., 124
 diagnosis and treatment, study plan for general practitioner, 1952: Jan., 117-128
 diet in, 1950: Nov., 1742; 1951: July, 1107; 1952: July, 1022
 drug therapy, 1952: July, 1020
 emotional manifestations, 1952: March, 476
 essential, 1952: Jan., 129-139
 adrenergic blocking agents in, 1950: March, 387
 early cerebral damage in, psychiatric manifestations, 1951: Jan., 133-142
 pathogenesis, 1952: Jan., 131, 132
 renal changes in, 1951: July, 966, 981
 treatment, 1950: Nov., 1741-1750; 1952: Jan., 134
 eyeground or fundus examination, 1952: Jan., 119
 headache in, 1951: Sept., 1490; 1952: March, 322
 in kidney disease, 1952: July, 1015
 in menopause, 1950: March, 545
 in pheochromocytoma, 1950: May, 760; 1952: July, 1016
 in renal diagnosis, 1951: Nov., 1715
 insurance aspect, 1950: May, 807
 intravenous pyelogram in, 1952: Jan., 123
 Kempner regimen in, 1950: Nov., 1742
 malignant, 1951: Jan., 111-131
 differential diagnosis, 1951: Jan., 121
 treatment, 1950: Nov., 1749; 1951: Jan., 123
 obesity and, 1951: Sept., 1354
 of known etiology, 1952: Jan., 129
 paroxysmal, benzodioxane test, 1951: Sept., 1300
 histamine test, 1951: Sept., 1300
 pituitary therapy, 1952: Jan., 136
 psychotherapy in, 1952: July, 1019
 reserpin-antirenin therapy in, 1952: Jan., 135
- Hypertension, rice diet in, 1951: July, 1107; 1952: Jan., 127, 135
 salt restriction in, 1952: Jan., 127, 136
 sympathectomy for, 1950: Nov., 1745; 1952: Jan., 127, 137, July, 1023
 tests in, 1952: Jan., 120, 121, 123, May, 754
 treatment, 1952: Jan., 134, July, 1013-1024
 medical, 1950: Nov., 1741
 pitfalls in, 1952: Jan., 110
 surgical, 1950: Nov., 1745
 unilateral renal disease and, 1951: July, 1041-1050
 results of nephrectomy, 1951: July, 1044
 vasoconstrictor blocking drugs in, 1952: Jan., 135
 venous, in congestive heart failure, 1952: Jan., 30
 veratrum viride in, 1950: Nov., 1743
- Hypertensive vascular disease in pregnancy, 1951: May, 682
 treatment, 1951: May, 686
- Hyperthyroidism. See *Thyrotoxicosis*.
- Hyperventilation syndrome, 1952: March, 357
- Hypocortico-adrenalism, 1951: Sept., 1286
- Hypoglycemia, 1950: Nov., 1803
 spontaneous, ACTH and cortisone in, 1952: Jan., 243
- Hypogonadism, male, classification, 1951: Nov., 1746
 ovarian, primary, 1952: Nov., 1734
 pituitary, primary, 1952: Nov., 1734
- Hypomagnesemia, symptoms and signs, 1952: July, 1166
 treatment, 1952: July, 1169
- Hypometabolism, amenorrhea due to, 1952: Nov., 1734
- Hyponatremia in congestive heart failure, 1952: March, 430
- Hypoparathyroidism, 1952: May, 887
 diagnosis, 1951: Nov., 1737
- Hypoproteinemias, 1951: Sept., 1418
 clinical causes and their treatment, 1950: March, 459-464
 in hyperthyroidism, case report, 1951: March, 615-619
- Hypotension in left arm in coarctation of aorta, physiologic observations, 1950: July, 1177-1185
 renal, 1951: July, 974
- Hypothrombinemia, 1952: July, 1062
- Hypothyroidism, diagnosis, radioiodine in, 1952: July, 981-989
 in children, 1950: Jan., 235-245
 morphine in, dangers, 1950: Nov., 1767
 tests for, 1952: May, 739
- Hypotonia, congenital, 1950: Jan., 154
- Hypoxemia, effect on capillary permeability, 1952: Jan., 208

- Hysterectomy in postmaturity abnormal uterine bleeding, 1952: May, 716
- Hysteria, anxiety, 1951: Nov., 1795
conversion, 1950: Sept., 1489; 1951: Nov., 1795
questionable use of term, 1950: July, 1063
- ICTERIC index, evaluation, 1950: Sept., 1463
in jaundice, 1952: March, 400
- Icterus. See *Jaundice*.
- Id, 1952: Nov., 1544
as infant personality, 1952: Nov., 1543
versus ego, 1952: Nov., 1544
- Ideational content, tests, 1950: July, 1075
- Idiocy, amaurotic, infantile, heredity and, 1951: March, 523
- Ileitis, regional, antibiotics in, 1952: July, 1097
chronic, ACTH in, 1951: Sept., 1255-1265
- Illness as cause of fatigue, 1952: March, 312
in premature infants, early diagnosis, 1952: Nov., 1576
treatment, 1952: Nov., 1576
influence on normal posture development, 1952: Nov., 1537
- Imidazoline as adrenergic blocking agent, 1950: March, 383
- Immobilization, effects in normal subjects, 1951: March, 546
osteoporosis due to, 1952: May, 860
- Immunization, active, against diphtheria, tetanus and pertussis, 1952: Nov., 1599
dosage schedules, 1952: Nov., 1600
reactions, 1952: Nov., 1601
mandatory procedures for foreign travel, 1950: Nov., 1724, 1726
measles, 1952: Nov., 1603
passive, against diphtheria, tetanus and pertussis, 1952: Nov., 1602
pediatric aspects, 1950: Nov., 1722, 1725
procedures in private practice, 1952: Nov., 1599-1605
today's practices, 1950: Nov., 1713-1740
- Impetiginized lesions, antibiotics in, 1951: March, 348
- Impetigo, antibiotics in, 1951: March, 348
treatment, 1950: Sept., 1475
- Impotence and the male climacteric, 1951: Jan., 279-288
- Indifference and apathy in illness, 1950: July, 1024
- Indigestion. See *Dyspepsia*.
- Induction of labor, 1952: Sept., 1473-1484
- Infancy, early, posture development in, 1952: Nov., 1533
infectious hepatitis in, 1952: Nov., 1637-1647
iron deficiency anemia of, due to inadequate nutrition, 1952: Nov., 1686
late, posture development in, 1952: Nov., 1533
- Infant(s), cerebrospinal fluid in, 1950: Jan., 107-118
cry of, 1952: Nov., 1560
diseases, symposium on, 1950: Jan., 1
examination of, 1952: Nov., 1555
feeding, advances in, 1952: Jan., 273-288
artificial, 1952: Nov., 1558
amount of feedings, 1952: Nov., 1559
number of feedings, 1952: Nov., 1559
selection of formula, 1952: Nov., 1559
practical aspects, 1952: Nov., 1555-1560
preparation of prospective mother for, 1952: Nov., 1555
self-demand, 1950: Jan., 33-40
first day of life, physician's responsibility, 1952: Nov., 1561-1570
hernias in, management of, 1952: Nov., 1767-1777
iron deficiency in, 1952: Nov., 1683-1691
large, birth of, significance, 1952: July, 1151-1155
neurological examination of, 1952: Sept., 1404
newborn, cerebrospinal fluid in, 1950: Jan., 107
deaths, prevention, 1951: May, 739-747
extrauterine respiration, 1952: Nov., 1563
hemolytic disease, 1950: Jan., 187
not due to Rh factor, 1950: Jan., 199
immediate care of, 1952: Nov., 1563
initial examination, 1952: Nov., 1564
laboratory examinations, 1952: Nov., 1568
observation of, 1952: Nov., 1568
physical examination, 1952: Nov., 1564
special problems of, 1952: Nov., 1569
noninfectious osseous lesions of, 1952: Nov., 1751-1765
personality, 1952: Nov., 1542
id as, 1952: Nov., 1543
premature, caloric requirements, 1952: Nov., 1574
care of, 1950: Jan., 41-51
causes of death in, 1951: May, 741
control of environment of, 1952: Nov., 1572

- Infant(s), premature, diagnosis of illness, 1952: Nov., 1576
 feeding of, 1950: Jan., 46
 initial, 1952: Nov., 1574
 technique, 1952: Nov., 1575
 fluid requirements, 1952: Nov., 1574
 management of, 1952: Nov., 1571-1578
 nursing care of, 1952: Nov., 1573
 nutrition of, 1952: Nov., 1573
 prognosis, 1952: Nov., 1577
 protection from infection, 1952: Nov., 1572
 survival of, 1952: Nov., 1577
 treatment of illness, 1952: Nov., 1576
 vitamin requirements, 1952: Nov., 1576
 prenatal factors, 1952: Nov., 1562
 term, causes of death in, 1951: May, 743
- Infection(s), accessible, 1952: Nov., 1607
 antibiotic dosage in, 1952: Nov., 1615
 accompanied or complicated by thrombocytopenias, 1952: Nov., 1699
 acute, as starting point of emotional disorder, 1952: March, 468
 foci of, in arthritis, 1951: Nov., 1753
 in children, choice of antibiotic, 1951: Sept., 1508
 inaccessible, 1952: Nov., 1607
 antibiotic dosage in, 1952: Nov., 1616
 sodium penicillin in, 1952: Nov., 1611
 protection of premature infant from, 1952: Nov., 1572
 rheumatoid arthritis and, 1950: Nov., 1693-1704
 role in iron deficiency anemia, 1952: Nov., 1688
- Infectious diseases, acute, cerebrospinal fluid in, 1950: Jan., 112
 treatment, modern, 1950: Jan., 133-145
 diagnosis and treatment, role of bacteriologist in, 1950: Nov., 1589-1604
 role of virologist in, 1950: Nov., 1605-1620
 penicillin in, 1951: Jan., 31
 symposium on, 1950: Nov., 1587
- Infertility in women, diagnosis and treatment, 1951: May, 817-846
- Inflammatory conditions, acute, ACTH and cortisone in, 1951: Sept., 1420
- Influenza, 1950: Nov., 1643
 antibiotics in, 1952: Sept., 1247
 diagnosis, 1950: Sept., 1312
 immunization, 1950: Nov., 1733
 prophylaxis and treatment, 1950: Sept., 1319, Nov., 1644
- Injuries, athletic, treatment, 1950: Sept., 1255-1269
 of acromioclavicular joint, 1950: Sept., 1332
- Insanity, questionable use of term, 1950: July, 1064
- Insect bites, granulomatous reactions to, 1951: March, 467
 and stings, antihistaminic drugs in, 1950: March, 361
- Insemination, therapeutic, 1951: May, 838
- Insomnia, 1952: March, 547
 electroconvulsive therapy in, 1952: March, 551
 treatment, 1952: March, 550
- Inspection of newborn infant, 1952: Nov., 1564
- Insulin, allergy to, in diabetes, management, 1952: May, 783-790
 in diabetes, 1951: Sept., 1528
 clinical approach, 1950: March, 486
 in diabetic acidosis and coma, 1952: May, 777
 in psychoses, 1950: Sept., 1502
 coma therapy, 1950: Sept., 1503
 resistance to, in diabetes, management, 1952: May, 783-790
 tolerance test of pituitary function, 1952: May, 752
- Insurance aspects of heart disease, 1950: May, 805-815
- Intelligence tests in adoptive placements and behavior disorders, 1950: July, 1073
 in mental retardation, 1950: July, 1067
- Intermittent positive pressure breathing, 1951: Nov., 1703
- Intervertebral disk, cervical, rupture of, 1950: Sept., 1327
 degeneration and protrusion, neck and shoulder pain due to, 1952: Sept., 1294
- Intestine(s), infections, acute, 1950: Nov., 1667-1678
 irrigation in acute renal failure, 1950: March, 517
 normal flora, effect of antibiotics on, 1952: July, 1083
 obstruction, medical management, 1952: March, 383
 tuberculosis, 1950: Nov., 1676
- Intocostin in poliomyelitis, 1950: March, 556
- Intoxication, pathologic, 1951: Nov., 1789
- Intracranial diagnostic puncture in hydrocephalus, 1952: Nov., 1742
- Intrarenal function, tests, 1951: July, 949
- Iodides in asthma, 1952: Sept., 1272
- Iodine in thyrotoxicosis, 1951: Sept., 1308
 protein-bound, in blood, 1951: Nov., 1587
 in hypothyroidism, 1950: Jan., 237

- Iodine, protein-bound, in serum in thyroid disease, 1951: Sept., 1306; 1952: May, 741
radioactive, effect on function of thyroid cancer, 1952: May, 652, 666
excretion, in diagnosis of hyperthyroidism, 1951: Sept., 1306
in carcinoma, 1951: Sept., 1377
of thyroid, 1950: March, 450
in diagnosis of thyroid disorders, 1950: Jan., 238; 1952: July, 981-989
in hyperthyroidism, 1951: Sept., 1310
results, 1952: May, 623-637
in test of thyroid function, 1952: May, 741
in thyroid diseases, clinical application, 1951: Jan., 37-50
in treatment of metastatic thyroid carcinoma, 1952: May, 663-680
medical centers engaged in therapy with, 1952: May, 668, 669
pharmacology, 1950: March, 443
Iodoacetate index in malignancy, 1951: Nov., 1836
Ion exchange resins in edema, 1952: July, 958
use, magnesium levels after, 1952: July, 1165
Ipecac in auricular paroxysmal tachycardia, 1950: May, 737
in supraventricular tachycardia, 1952: Jan., 13
Iron deficiency anemia of infancy due to inadequate nutrition, 1952: Nov., 1686
role of infection in, 1952: Nov., 1688
in infants and children, 1952: Nov., 1683-1691
causes, 1952: Nov., 1684
clinical findings, 1952: Nov., 1685
laboratory studies, 1952: Nov., 1686
supplemental iron therapy, 1952: Nov., 1689
treatment, 1952: Nov., 1688
metabolism, 1952: Nov., 1683
current concepts, 1950: Nov., 1779-1789
therapy in anemia, 1950: Nov., 1779-1789
in erythroblastosis fetalis, 1950: Jan., 199
in hypochromic anemia, 1950: Sept., 1303
supplemental, in iron deficiency, 1952: Nov., 1689
Irradiation. See *Röntgen* and *Radium*.
Irrigation of eye in chemical burns, 1952: Sept., 1215
Irritability, 1950: July, 1023
Isolation procedures in treatment of tuberculosis in children, 1952: Nov., 1620
Isonicotinic acid hydrazide in tuberculosis, 1952: Sept., 1260
in tuberculous meningitis in children, 1952: Nov., 1622
Isonipocaine in relief of pain, 1950: March, 371
Isotopes, radioactive, 1951: Nov., 1591
Isuprel in asthma, 1952: Sept., 1271
in intermittent positive pressure breathing, 1951: Nov., 1703
Itch, swimmer's, 1950: Jan., 266
Itching in acute dermatitis, treatment, 1952: Sept., 1440
Itrumil in hyperthyroidism, 1952: May, 619, 620
Ivy poisoning, treatment, 1950: Sept., 1474
JAUNDICE, 1951: Nov., 1683
classification, 1951: Nov., 1669
differential diagnosis, 1951: Nov., 1669; 1952: March, 393-403
diagnostic aids in, 1951: Nov., 1672
hemolytic, acquired, ACTH and cortisone in, 1951: Sept., 1238
congenital, 1950: Sept., 1293
splenectomy for, effect on subsequent pregnancies, 1950: July, 1221
hepatic, differential diagnosis, 1951: Nov., 1670
test responses in, 1951: Nov., 1671, 1672
hepatitis with, attack rates in children of school age, 1952: Nov., 1638
in erythroblastosis fetalis, 1950: Jan., 189
laboratory tests, 1952: March, 397
posthepatic, differential diagnosis, 1951: Nov., 1671
prehepatic, differential diagnosis, 1951: Nov., 1669
serum, homologous, diagnosis, 1950: Sept., 1313
Joint disease, degenerative, 1950: Sept., 1435-1446
diagnosis, 1951: Nov., 1761
physical medicine in, 1952: Sept., 1487
involvement in arthritis, 1951: Nov., 1752, 1753, 1754
KAPOSI'S varicelliform eruption, 1951: March, 565
aureomycin in, 1951: March, 351
Kartagener's syndrome, 1952: July, 917
Kempner regimen in hypertension, 1950: Nov., 1742
rice diet in hypertension, 1951: July, 1107
Keratitis, dendritic, 1951: March, 567

- Keratoconjunctivitis, epidemic, antibiotics in, 1952: Sept., 1252
diagnosis, 1950: Sept., 1314
management, 1950: Sept., 1320
- Keratosis, seborrheic, 1951: March, 419-425
senile, 1951: March, 425-431
- Kerion, 1950: Jan., 259
- Ketosis, diabetic, and diabetic coma, treatment, 1952: May, 767-782
- 17-Ketosteroids, diagnostic significance, 1952: May, 757-766
excretion, 1951: Nov., 1744
as test of testicular function, 1952: May, 748
in ACTH and cortisone therapy, 1952: Jan., 235
in Addison's disease, 1952: May, 723
in adrenal cortex disease, 1952: May, 743
in malignancy, 1951: Nov., 1833; 1952: May, 694
urinary, 1951: Nov., 1587
- Kidney, agenesis, 1951: July, 990
amyloid disease, 1951: July, 963, 978
anomalies, congenital, 1951: July, 987-1004
arteriolar disease, diffuse, with hypertension, 1951: July, 966, 981
arteriosclerosis, senile, 1951: July, 965
artificial, in acute anuria, 1950: March, 513
in acute renal insufficiency, 1952: Sept., 1413
circulatory consequences of blood kinetic energy in, 1952: July, 967-980
cystic disease, 1951: July, 972, 979, 999
dehydration and, 1951: July, 974
diabetic complications involving, 1951: Nov., 1616
diseases, bilateral, classification, 1951: July, 959-976
diagnosis and treatment, urologic methods in, 1951: July, 1005-1009
biliary disease and, 1951: Nov., 1690
cardiac manifestations, 1951: July, 1083-1093
cardiovascular, diet in, importance, 1951: July, 1101-1111
chronic, 1951: July, 977
ophthalmologic aspects, 1951: July, 1023-1039
complicating congestive heart failure, 1950: May, 626
diet in, importance, 1951: July, 1103
heart disease and, salt depletion syndrome as complication of treatment, 1951: July, 1139-1156
in children, 1951: July, 1069-1080
- Kidney, diseases, in pregnancy, 1951: May, 684
treatment, 1951: May, 696
magnesium metabolism in, 1952: July, 1159
pulmonary edema in, 1951: July, 1089
symposium on, 1951: July, 941
unilateral, hypertension and, 1951: July, 1041-1050; 1952: July, 1015
results of nephrectomy, 1951: July, 1044
water balance in, as related to edema and oliguria, 1950: March, 571-587
during pregnancy, 1951: May, 716
dwarfed, 1951: July, 993
ectopic, 1951: July, 996
end stage, and hypertension, 1952: July, 1018
failure, acute, treatment, 1950: March, 509-523; 1952: Sept., 1409
chronic, treatment, 1952: Sept., 1415
in acute glomerulonephritis, 1950: Jan., 98
treatment, 1950: Jan., 104
secondary, 1951: July, 973
function, impaired, therapeutic abortion for, 1951: May, 730
in normal and toxemic pregnant woman, 1951: May, 699-714
tests, 1951: Nov., 1711
application, 1951: July, 943-957
clinical, 1951: May, 708
in chronic nephritis, 1950: Jan., 83
in hypertension, 1952: Jan., 121
intrarenal, 1951: July, 949
fused, 1951: July, 994
glomerular lesions, primary, 1951: July, 960
horseshoe, 1951: July, 994
hypotension, 1951: July, 974
in eclampsia, 1951: July, 964
in hyperparathyroidism, 1951: July, 980
in hypervitaminosis D, 1951: July, 981
in lupus erythematosus, disseminated, 1951: July, 963, 981
in periarteritis nodosa, 1951: July, 965, 983
in subacute bacterial endocarditis, 1951: July, 983
in ulcerative colitis, 1951: July, 982
insufficiency, acute, 1951: July, 1160-1165
treatment, 1952: Sept., 1409
chronic, treatment, 1952: Sept., 1415
diagnosis, 1951: July, 944
due to circulatory failure, 1950: May, 641-648
ischemia, functional, 1951: July, 973

- Kidney, Kimmelstiel-Wilson's disease, 1951: July, 962
 leukemic or lymphoblastomatous infiltration, pathologic aspects, 1951: July, 972
 lower nephron syndrome, 1951: July, 1160-1165
 lymphosarcoma, 1951: July, 983
 multiple myelomas, 1951: July, 979
 of gout as clinical entity, 1952: July, 941-951
 polycystic disease, 1951: July, 979, 999
 pathologic aspect, 1951: July, 972
 retinal manifestations, 1951: July, 1034
 with hyperparathyroidism and osteitis fibrosa cystica, clinicopathologic conference, 1952: March, 435-444
 rotation, abnormal, 1951: July, 998
 solitary, 1951: July, 991
 tuberculosis, in pregnancy, 1951: May, 728
 tubular lesions, 1951: July, 968
 tumors, pregnancy and, 1951: May, 729
 vascular lesions, primary, 1951: July, 965
 Kimmelstiel-Wilson's disease, 1951: July, 962
 Klebsiella infections, antibiotics in, 1952: Jan., 250, 251
 Knee, arthritis, hypertrophic, 1950: Sept., 1444
 region, avascular necrosis of bone in, 1950: Jan., 180
 sprains, in athletics, treatment, 1950: Sept., 1262
 strapping, protective, in athletics, 1950: Sept., 1266
 Köhler's disease, 1950: Jan., 183
 Korsakoff's psychosis, 1951: Nov., 1789
 Kraurosis penis, 1951: March, 416-417
 Kunkel's zinc sulfate turbidity reaction, 1952: March, 399
 Kutrol in peptic ulcer, 1952: Sept., 1331
 Kyphoscoliosis, morphine in, dangers, 1950: Nov., 1768
 Kyphosis dorsalis juvenilis, 1950: Jan., 170
 LABOR, induction of, 1952: Sept., 1473-1484
 indications, 1952: Sept., 1473
 methods, 1952: Sept., 1479
 premature, in erythroblastosis, 1951: May, 62
 management, in tuberculous woman, 1951: May, 651
 sedation, analgesia and anesthesia in, 1950: Sept., 1521-1535
 uterine inertia at, 1951: May, 791-804
 Laboratory aids in dermatologic diagnosis, 1951: Nov., 1633
 in diagnosis and treatment, 1951: Nov., 1579-1592
 of allergic states, 1951: Nov., 1601
 of early cancer, 1950: Sept., 1395
 bacteriologic, in diagnosis and control of acute infectious diseases, 1950: Nov., 1589-1603
 examinations of newborn infant, 1952: Nov., 1568
 findings in liver disease, 1951: Nov., 1650
 in rheumatic fever, 1952: Nov., 1650
 reliability of, 1950: Sept., 1462
 studies in diagnosis of diabetes, 1951: Nov., 1608
 tests. See *Tests*.
 virus diagnostic, in control of acute infectious diseases, 1950: Nov., 1605-1620
 Laennec's cirrhosis, diet in, low sodium and high protein, 1951: Jan., 73-91
 Lanatoside C, 1950: May, 657
 in congestive heart failure, 1950: May, 669; 1951: Sept., 1336
 Landry-Guillain-Barré syndrome, ACTH and cortisone in, 1952: Sept., 1367
 Language, significance of, 1952: March, 449
 Laryngotracheobronchitis, acute, 1952: Sept., 1279-1288
 treatment, 1952: Sept., 1283
 antibiotics in, 1952: Jan., 255, 256
 Larynx, amyloid tumors, 1950: July, 1145-1150
 Laurence-Moon-Bardet-Biedl syndrome, 1952: July, 916
 L.E. test in dermatologic diagnosis, 1951: Nov., 1635
 Lead concentrations in urine, blood, tissues and scrapings, 1952: Nov., 1592
 determination in paint scrapings, 1952: Nov., 1592, 1596
 in urine, blood and tissues, 1952: Nov., 1595
 poisoning in children, 1952: Nov., 1587-1597
 course, 1952: Nov., 1591
 diagnosis, 1952: Nov., 1589
 incidence, 1952: Nov., 1587
 pathogenesis, 1952: Nov., 1588
 prognosis, 1952: Nov., 1591
 sources, 1952: Nov., 1587
 symptoms and signs, 1952: Nov., 1588
 treatment, 1952: Nov., 1591
 Leg ulcers, 1951: Nov., 1632
 hypertensive-ischemic, 1951: March, 365

- Legg-Perthes' disease, 1950: Jan., 173
 obturator nerve section in, 1950: Jan., 180
- Leptospirosis, antibiotics in, 1952: Jan., 255
 in differential diagnosis of infectious hepatitis, 1952: Nov., 1645
- Letterer-Siwe disease, 1951: March, 450
- Leukemia, ACTH and cortisone in, 1951: Sept., 1242, 1397; 1952: Jan., 242
 acute, treatment, 1951: Jan., 102
 chronic, treatment, 1951: Jan., 96
 folic acid antagonists in, 1950: Jan., 209, March, 451; 1951: Sept., 1395
 Fowler's solution in, 1951: Sept., 1389
 in children, 1952: Nov., 1798
 treatment, recent advances, 1950: Jan., 201-216
 myelocytic, chronic, urethane in, results of three-year study, 1950: July, 1205-1215
 nitrogen mustards in, 1950: Jan., 204, March, 452, 453; 1951: Sept., 1390
 radioactive phosphorus in, 1950: Jan., 207, March, 452, 453; 1951: Sept., 1386
 treatment, current trends, 1951: Sept., 1381-1401
 triethylene melamine in, 1951: Sept., 1392
 urethane in, 1950: Jan., 202, March, 452, 453; 1951: Sept., 1394
 x-rays in, 1951: Sept., 1385
- Leukocytes in urine, 1951: Nov., 1711
- Leukoplakia of glans penis, 1951: March, 413, 414
 oral, diagnosis, 1951: Nov., 1644
- Leukorrhea in general practice, diagnosis and treatment, 1952: Sept., 1459-1471
 psychic aspects, 1950: July, 1003
- Levy's anemia test in heart disease, 1950: May, 713
- Lewisite burns of eye, treatment, 1952: Sept., 1219
- Leydig cell tumors, precocious pseudopuberty due to, 1952: Nov., 1725
- Libman-Sacks disease, kidney in, 1951: July, 981
- Lichen chronicus simplex disseminatus, 1952: July, 1128
- planus of glans penis, 1951: March, 416
 oral, diagnosis, 1951: Nov., 1645
 erosive type, 1951: Nov., 1647
 nonerosive type, 1951: Nov., 1646
- sclerosus et atrophicus of glans penis, 1951: March, 416-417
- urticatus following insect bites, 1950: Jan., 269
- vidal, antihistaminics in, 1951: March, 337
- Life stress, relation to cardiovascular symptoms and disease, 1950: May, 817-831
- Lime burns of eye, treatment, 1952: Sept., 1218, 1219
- Lipid(s) and atherosclerosis, relationship, 1952: Jan., 179
 classification, 1951: March, 434
 diseases as manifested in skin, 1951: March, 433-456
 plasma, function, 1952: May, 865
- Lipoidosis, cerebroside, 1951: March, 451
 cutis et mucosae, 1951: March, 451
 phosphatide, 1951: March, 450
- Lipoproteins, cholesterol-bearing, of plasma, 1952: Jan., 182
- Lipotropic agents in atherosclerosis, 1952: Jan., 193
 in chronic arterial occlusions, 1952: Jan., 151
 in severe liver disease, 1951: Sept., 1451
- Listerella infections, antibiotics in, choice of, 1950: March, 314
- Livedo reticularis, 1951: March, 364
- Liver, abscess, amebic, 1950: Nov., 1672
 biopsy, evaluation, 1950: Sept., 1466
 in diagnosis of amyloidosis, 1950: July, 1113, 1173
 methods, 1951: Nov., 1662
 needle, "blind," 1951: Nov., 1663
 contraindications, 1951: Nov., 1664
 histologic technics, 1951: Nov., 1666
 in differential diagnosis of jaundice, 1951: Nov., 1673
 indications, 1951: Nov., 1664
 limitations, 1951: Nov., 1664
 peritoneoscopic, 1951: Nov., 1663
 surgical, direct, 1951: Nov., 1662
- cirrhosis. See *Cirrhosis*.
- damage, hypoprolthrombinemia from, 1950: March, 464
 disease, ACTH and cortisone in, 1952: July, 1078
 cutaneous xanthoma in relation to, 1951: March, 441
 diagnosis, 1951: Nov., 1649-1678
 aids in, 1951: Nov., 1674
 factors suggesting presence of, 1951: Nov., 1649
 morphine in, dangers, 1950: Nov., 1764
 parenchymal, differential diagnosis, 1951: Nov., 1673
 severe, medical management, 1951: Sept., 1441-1455
- injury, establishment of presence of, 1951: Nov., 1651
 evaluation of severity of, 1951: Nov., 1667
 nature of, 1951: Nov., 1668

- Liver, involvement, in primary systemic amyloidosis, 1950: July, 1113-1118
 in secondary amyloidosis, 1950: July, 1165-1169
 palpable, incidence in infectious hepatitis, 1952: Nov., 1642
 tests, 1951: Nov., 1651
 choice of laboratory, 1951: Nov., 1652
 factors influencing, 1951: Nov., 1661
 functional, follow-up on normal infants and children, 1952: Nov., 1643
 pitfalls in, 1950: Sept., 1459-1472
 general principles, 1951: Nov., 1651
 general selection, 1951: Nov., 1652
 individual, 1951: Nov., 1653
 purpose, 1951: Nov., 1651
 therapy in pernicious anemia, 1950: Sept., 1298
 venous pulsations, 1950: May, 728
 Lobotomy, prefrontal, in psychoses, 1950: Sept., 1501
 indications for and complications of, 1950: July, 1019-1028
 Lockjaw. See *Tetanus*.
 Lonalac, composition and recipes for use, 1951: Jan., 89
 recipe, 1950: March, 567
 Lumbar puncture in infants and children, 1950: Jan., 116
 in syphilis, 1950: March, 496
 subarachnoid-peritoneal shunt in hydrocephalus, 1952: Nov., 1748
 Lung abscess, postpneumonic, 1950: Nov., 1664
 actinomycosis, 1951: Sept., 1323
 carcinoma, asthma and, 1952: March, 359
 nitrogen mustard in, 1950: March, 450
 coccidioidomycosis, 1951: Sept., 1328
 diseases, in aged, 1952: March, 580
 fibrosis, chronic, ACTH and cortisone in, 1951: Sept., 1241
 chronic progressive, 1951: Jan., 169-173
 fungus infections, 1951: Sept., 1323-1331
 passive congestion, anatomic and pathologic features, 1951: Nov., 1696
 resection for tuberculosis, 1950: Sept., 1372
 secretion, cytology of, in cancer diagnosis, 1950: Sept., 1397
 tuberculosis. See *Tuberculosis*.
 tumors, diagnosis, angiocardioraphy in, 1950: May, 747
 Lupus erythematosus, discoid, chronic, treatment, new developments, 1951: March, 391-398
 disseminated, 1952: July, 1111-1125
 Lupus erythematosus, disseminated, ACTH and cortisone in, 1951: Sept., 1238; 1952: Jan., 238, 240, July, 1116
 acute, 1951: March, 399-409, Sept., 1274
 kidney in, 1951: July, 963, 981
 retinal changes, 1951: July, 1035
 subacute and chronic pulmonary disease in, 1951: Jan., 170
 Lymphadenitis, tuberculous, streptomycin in, 1950: Jan., 279
 Lymphangioma, 1951: March, 309
 circumscriptum, 1951: March, 309
 Lymphatics, diseases, skin manifestations, 1951: March, 366
 Lymphedema praecox, 1951: March, 367
 Lymphogranuloma inguinale, antibiotics in, choice of, 1950: March, 314
 venereum, antibiotics in, 1950: March, 314; 1951: March, 350; 1952: Sept., 1242
 diagnosis, 1950: Sept., 1313
 management, 1950: Sept., 1319
 sulfonamides in, 1952: Sept., 1242
 Lymphoma, benign giant follicular, treatment, 1951: Jan., 101
 malignant, nitrogen mustards in, 1951: Sept., 1390
 treatment, current trends, 1951: Sept., 1381-1401
 triethylene melamine in, 1951: Sept., 1392
 x-rays in, 1951: Sept., 1385
 management, 1951: Jan., 93-110
 Lymphosarcoma, nitrogen mustard in 1950: March, 454
 of kidney, 1951: July, 983
 treatment, 1951: Jan., 101, Sept., 1381-1401
 McCann, William Sharp, symposium in honor of, 1951: March, 481
 MacLagan's thymol turbidity test, 1952: March, 398
 Macrocephaly, true, in differential diagnosis of hydrocephalus, 1952: Nov., 1744
 Macrochylomicrohememia, alimentary, 1952: Jan., 179
 Macrosomia adiposa congenita, 1952: July, 916
 Macular degeneration, cerebral, 1950: Jan., 162
 Magnesium compounds in peptic ulcer, 1952: Sept., 1326
 deficiency, tetany due to, 1952: May, 893
 metabolism, clinical studies, 1952: July, 1157-1171
 sulfate in auricular paroxysmal tachycardia, 1950: May, 739
 in lead poisoning, 1952: Nov., 1593
 in ventricular paroxysmal tachycardia, 1950: May, 741

- Maico psychometer, 1952: Nov., 1792
 Maladie de Roger, 1952: Nov., 1665
 Malformations, congenital, 1951: March, 580
 Malignancy, diagnosis of, biochemical methods, 1951: Nov., 1829-1840
 in differential diagnosis of infectious hepatitis, 1952: Nov., 1644
 Malta fever. See *Brucellosis*.
 Mandelamine in urinary tract infections, 1952: Sept., 1433
 Mandelic acid in urinary tract infections, 1950: March, 529, 531
 Marfan's syndrome, 1952: July, 914
 Marie-Strümpell disease, ACTH in, 1951: Sept., 1239
 Marsilid in tuberculosis, 1952: Sept., 1260
 Massage, cardiac, in ventricular fibrillation, 1952: Jan., 18
 prostatic, 1952: Sept., 1425
 Maternal personality, 1952: Nov., 1545
 maturity of, 1952: Nov., 1547
 Measles, antibiotics in, 1952: Sept., 1252
 diagnosis, 1950: Sept., 1310
 diuresis due to, in nephrosis, 1952: July, 934
 German. See *German measles*.
 immunization, 1952: Nov., 1603
 treatment, 1950: Jan., 141, Sept., 1318
 Meats, strained, low salt, and recipes, 1951: Jan., 91
 Mebaral in epilepsy, 1950: March, 345, Sept., 1513, 1517; 1952: Sept., 1386, 1389
 Mecholyl in auricular paroxysmal tachycardia, 1950: May, 738
 in supraventricular tachycardia, 1952: Jan., 13
 test in pheochromocytoma, 1950: May, 765
 Mediastinum, tumor of, asthma and, 1952: March, 360
 diagnosis, angiocardiology in, 1950: May, 747
 Medical status, general, in dermatologic diagnosis, 1951: Nov., 1628
 therapeutics, symposium on, 1950: March, 307
 Medicine, laboratory, relationship to clinical medicine, 1951: Nov., 1579
 psychologic aspects, symposium on, 1952: March, 445
 psychosomatic, 1951: Nov., 1796
 recent advances in, symposium on, 1952: July, 909
 Medulloblastoma in childhood, 1952: Nov., 1802
 Meig's syndrome, 1952: July, 912
 Melancholia, involutional, 1950: July, 1097; 1951: Nov., 1792
 prefrontal lobotomy for, 1950: July, 1046
 Meltzer-Auer technic of artificial respiration, 1950: Sept., 1357
 Membranes, rupture, for inducing labor, 1952: Sept., 1481
 Menarche, 1952: Nov., 1733
 Meningism, cerebrospinal fluid in, 1950: Jan., 109
 Meningitis, antibiotics in, 1952: Jan., 249, 255
 aseptic, antibiotics in, 1952: Sept., 1252
 bulbar type, 1950: Jan., 126
 cerebrospinal fluid in, 1950: Jan., 112
 complicating pneumonia, 1950: Nov., 1664
 in children, 1950: Nov., 1679-1688
 chemotherapy in, 1952: Nov., 1617
 treatment, 1951: Sept., 1512
 influenzal, 1951: Sept., 1513
 chloromycetin in, 1951: Sept., 1514
 streptomycin in, 1950: Jan., 137, March, 329; 1951: Sept., 1514
 sulfadiazine in, 1951: Sept., 1514
 meningococcal, penicillin in, 1950: March, 323; 1951: Jan., 31, Sept., 1514
 sulfadiazine in, 1951: Sept., 1514
 sulfonamides in, 1950: Jan., 136, March, 335
 nonpurulent, in children, 1950: Nov., 1686
 pneumococcal, penicillin in, 1950: Jan., 137; 1951: Jan., 31, Sept., 1575
 sulfadiazine in, 1951: Sept., 1515
 purulent, in children, 1950: Nov., 1680
 treatment, 1950: Nov., 1682
 syphilitic, 1950: Nov., 1688; 1952: July, 1142
 treatment, 1950: Jan., 136
 tuberculous, 1950: Nov., 1687
 in children, 1952: Nov., 1620
 adjuvant drugs in, 1952: Nov., 1621
 duration of therapy, 1952: Nov., 1622
 streptomycin therapy, 1952: Nov., 1621
 supportive therapy, 1952: Nov., 1623
 para-aminosalicylic acid in, 1950: Nov., 1688
 promizole in, 1950: Nov., 1688
 streptomycin in, 1950: Jan., 138, Nov., 1687; 1951: Sept., 1515
 Meningococcal infections, antibiotics in, choice of, 1950: March, 314
 sulfonamides in, 1950: March, 335
 Meningococcemia, sulfonamides in, 1950: March, 335
 Menometrorrhagia due to hormonal abnormalities, 1952: May, 712
 treatment, 1952: May, 713
 in children, 1952: Nov., 1735
 management, 1950: Sept., 1561

- Menopause, 1951: May, 879-892; 1952: March, 515-525
 diagnosis, 1950: March, 542; 1951: May, 885
 emotional factors, 1950: March, 547
 endocrine manifestations, 1952: March, 516
 endocrine therapy, 1950: March, 550, Sept., 1547
 osteoporosis after, 1952: May, 849
 physical changes, 1952: March, 519
 physiologic changes in, 1951: May, 880
 psychologic manifestations, 1952: March, 517
 psychosomatic aspects, 1950: July, 1004
 psychotherapy, 1950: March, 550
 symptoms, 1951: May, 883
 treatment, 1950: March, 541-551; 1951: May, 887; 1952: March, 522
 Menorrhagia, 1951: May, 876
 Menstrual cycle after splenectomy, 1950: July, 1226
 Menstruation, current hypothesis, 1950: Sept., 1555
 disorders of, due to hormonal abnormalities, diagnosis and treatment, 1952: May, 705-720
 endocrine therapy, 1950: Sept., 1537-1550
 psychosomatic aspects, 1950: July, 999
 painful, treatment, 1951: May, 861-870
 Mental defect, hereditary aspects, 1951: March, 525
 deficiency in differential diagnosis of deafness in children, 1952: Nov., 1794
 illness, treatment, modern, 1950: Sept., 1499-1506
 retardation, intelligence tests in, 1950: July, 1067
 management, 1950: July, 1071
 Mentality, apparent, evaluation as index of severity of hydrocephalus, 1952: Nov., 1741
 Meperidine in relief of pain, 1950: March, 369
 Mercaptopurin sodium as diuretic, 1952: July, 954
 Mercuhydrin in angina decubitus, 1951: Jan., 63-71
 Mercurialism, 1950: May, 637
 Mercury bichloride poisoning, BAL in, 1950: March, 469-484
 Mesantoin in epilepsy, 1950: March, 347, Sept., 1513, 1516; 1952: Sept., 1385, 1388
 Metabolic abnormalities in renal diagnosis, 1951: Nov., 1716
 disease, cerebral, pathologic physiology, 1950: Nov., 1801-1815
 disorders, ACTH and cortisone in, 1952: Jan., 243
 symposium on, 1952: May, 601
 Metabolism, basal, in hypothyroidism, 1950: Jan., 235
 test for, clinical application, 1950: Nov., 1839-1851
 of iron, 1952: Nov., 1683
 Metatarsal head, avascular necrosis, 1950: Jan., 185
 Methacholine. See *Mecholyl*.
 Methadone in obstetrics, 1950: Sept., 1525
 in relief of pain, 1950: March, 369
 Methenamine in urinary tract infection, 1950: March, 529, 531
 Methyl-mercaptopimidazole in thyrotoxicosis, 1951: Sept., 1309
 Methylphenylethylhydantoin. See *Mesantoin*.
 Methyltestosterone in abnormal uterine bleeding, 1952: May, 715
 in dysmenorrhea, preovulatory, 1951: May, 864
 in menopause, 1950: Sept., 1549
 Methylthiouracil in hyperthyroidism, 1952: May, 619, 620
 Metopon in relief of pain, 1950: March, 372
 Metrazol in respiratory failure, 1950: Sept., 1359
 Microsporium audouini, 1950: Jan., 258
 lanosum, 1950: Jan., 258
 Migraine. See *Headache, migrainous*.
 Milliequivalent, computation, 1951: May, 904
 Milligrams per cent, conversion to millimols or milliequivalents per liter, 1951: Nov., 1811
 Mineral(s) deficits, effect on normal posture development, 1952: Nov., 1538
 in infant nutrition, 1952: Jan., 283
 Miscarriage. See *Abortion*.
 Mitral stenosis, angiocardigraphy in, 1950: May, 754
 evaluation of patients for commissurotomy in, by cardiac catheterization, 1952: July, 1040
 uncomplicated, emotional manifestations, 1952: March, 474
 valve lesions, percussion in, 1950: May, 732
 pulsatory phenomena, 1950: May, 723
 Mole, hydatid, hormone assay, 1951: Nov., 1833
 Moloy's precision stereoscopic technic for estimating cephalopelvic disproportion, 1951: May, 781, 784
 Monilia infections of vagina, treatment, 1952: Sept., 1468
 Moniliasis, treatment, 1950: Sept., 1482
 Mononucleosis, infectious, antibiotics in, 1952: Sept., 1251
 diagnosis, 1950: Sept., 1315
 in differential diagnosis of infectious hepatitis, 1952: Nov., 1644
 management, 1950: Sept., 1320

- Mood response, 1950: July, 1022
- Morphine in congestive heart failure, 1952: March, 424
- in obstetrics, 1950: Sept., 1525; 1951: May, 808
- in rheumatic fever in children, 1952: Nov., 1655
- in supraventricular tachycardia, 1952: Jan., 13
- use, hazards in, 1950: Nov., 1761-1771
- postoperative, 1950: Nov., 1773
- preoperative, 1950: Nov., 1773
- Mosenthal test, modified, in hypertension, 1952: Jan., 122
- Mother, desire to breast-feed baby, 1952: Nov., 1557
- inability to breast feed baby, 1952: Nov., 1558
- new, conference with, 1952: Nov., 1556
- or mother figure, absence of, 1952: Nov., 1545
- prospective, preparation for infant feeding, 1952: Nov., 1555
- psychopathology in, 1952: Nov., 1546
- reluctance to breast-feed baby, 1952: Nov., 1557
- sensitized, induction of labor in, 1952: Sept., 1477
- Mother-child relationship in first year, 1952: Nov., 1541-1550
- role of pediatrician in, 1952: Nov., 1548
- Motion sickness, antihistaminic drugs in, 1950: March, 361
- treatment, 1952: Sept., 1373-1380
- Motor function, testing, in neurology, 1952: Sept., 1399
- unit, disorders, in infants and children, 1950: Jan., 147-167
- Mouth, diseases of, diagnosis, 1951: Nov., 1637-1647
- hygiene, and caries, 1950: Jan., 22
- lesions in erythema multiforme, 1951: March, 321
- Mouth-to-mouth insufflation, 1950: Sept., 1351
- Mouthwashes, ammonia-urea compounds in, 1950: Jan., 28
- fluoride, 1950: Jan., 27
- Movement, voluntary, anatomy and physiology of, 1951: Nov., 1767
- Mucin in peptic ulcer, 1952: Sept., 1327
- Mucous membrane lesions, distribution of, 1951: Nov., 1629
- Mumps, antibiotics in, 1952: Sept., 1250
- diagnosis, 1950: Sept., 1311
- encephalitis, 1950: Nov., 1691; 1952: Nov., 1627-1635
- immunization, 1952: Nov., 1604
- treatment, 1950: Jan., 134, Sept., 1318
- Muscle changes in arthritis, 1951: Nov., 1754
- contusion, in athletics, treatment, 1950: Sept., 1264
- relaxants, in obstetrics, 1950: Sept., 1531
- skeletal, disorders, in infants and children, 1950: Jan., 147-167
- strains, in athletics, treatment, 1950: Sept., 1265
- Musculoskeletal disorders, physical medicine in, 1952: Sept., 1485
- Muscoviscidosis, antibiotics in, 1951: Sept., 1519
- Muscular atrophy, spinal, progressive, in infants, 1950: Jan., 147
- Mutations of genes, 1952: July, 912
- Myasthenia gravis, 1950: Jan., 159
- Mycosis fungoides, nitrogen mustard in, 1950: March, 454
- treatment, 1951: Jan., 103
- Myletitis, infectious, 1951: Nov., 1774
- Myeloma, multiple, amyloidosis complicating, 1950: July, 1151-1164
- chemotherapy, 1950: March, 455
- cortisone in, 1951: Jan., 102
- diagnosis, 1951: Nov., 1835
- diagnostic and therapeutic aspects, 1951: Jan., 189-226
- kidney in, 1951: July, 979
- myeloblastic, ACTH and cortisone in, 1951: Sept., 1241
- treatment, 1951: Jan., 103, 217
- Myocardium, failure, 1952: Jan., 25, 27
- hypertrophy, 1952: Jan., 24
- infarction, 1950: May, 687
- diagnosis and treatment, 1952: Jan., 73
- unipolar precordial electrocardiogram in, 1950: May, 846
- Myopia, test for, 1952: Nov., 1520
- Myositis, multiple. See *Dermatomyositis*.
- Myxedema, pituitary, morphine in, dangers, 1950: Nov., 1767
- NARCOLEPSY, 1952: March, 541
- treatment, 1952: March, 545
- Narcosis, drug, in psychosis, 1950: Sept., 1501
- electric, in psychoses, 1950: Sept., 1503
- Narcotics, addiction to, manifestations and treatment, 1950: March, 425-438
- Nausea, 1952: March, 373
- Neck, pain in, 1950: Sept., 1323-1334; 1952: Sept., 1289-1307
- stiff, 1950: Sept., 1323
- in poliomyelitis, 1950: Jan., 122
- veins, pulsations, in disturbances of rhythm, 1950: May, 727
- Necrobiosis lipoidica (diabeticorum), 1951: March, 452
- Necrosis, avascular, of bone in children, 1950: Jan., 165-186

- Neo-antergan, dosages, 1950: March, 352-357
- Neosphenamine in Vincent's angina, 1950: Nov., 1628
- Neohetramine, dosages, 1950: March, 353, 357
- Neomycin, effect on normal fecal flora, 1952: July, 1089
- in tuberculosis, 1952: Sept., 1260
- Neoplastic diseases, chemotherapy, 1950: March, 439-458
- Neosynephrine in auricular paroxysmal tachycardia, 1950: May, 740
- in intermittent positive pressure breathing, 1951: Nov., 1703
- Nephrectomy for hypertensive renal disease, results, 1951: July, 1044
- pregnancy after, 1951: May, 730
- Nephritis, acute glomerular, anuria due to, 1950: March, 309
- hemorrhagic, 1950: Jan., 95-105
- in children, 1951: July, 1069
- chronic diffuse, 1951: July, 970
- in children, 1950: Jan., 71-94
- treatment, 1950: Jan., 85
- therapeutic dilemmas, 1952: March, 411-417
- gout, 1951: July, 982
- in children, types and treatment, 1951: July, 1069-1080
- in multiple myeloma, 1951: Jan., 212
- in pregnancy, 1951: May, 684, 697, July, 1051-1068
- Nephrolithiasis in pregnancy, 1951: May, 725
- Nephrosis in children, 1950: Jan., 71-94; 1951: July, 1073
- treatment, 1950: Jan., 85
- in pregnancy, 1951: May, 697
- lipoid, 1951: July, 984
- lower nephron, 1950: Jan., 72, 74, 76, 82, 88
- anuria due to, 1950: March, 509
- prerenal azotemia and, 1950: May, 646
- retinal manifestations, 1951: July, 1033
- upper and lower nephron, magnesium levels in, 1952: July, 1159, 1160
- Nephrotic syndrome, 1952: July, 921-939
- ACTH and cortisone in, 1951: Sept., 1241
- pathogenesis and diagnosis, 1952: July, 921
- treatment, 1952: July, 925
- Nerve(s) block, pudendal, in obstetrics, 1950: Sept., 1526
- cranial, testing, 1952: Sept., 1398
- obturators, section of, in Legg-Perthes' disease, 1950: Jan., 180
- pathway pain, 1952: March, 489
- Nervous breakdown, questionable use of term, 1950: July, 1065
- system, central, infections, penicillin in, 1950: March, 323
- Nervous system, manifestations of allergic disorders, 1951: Nov., 1597
- tumors of, in children, 1952: Nov., 1801
- tension, fatigue due to, 1952: March, 313
- headache from, 1952: March, 325
- Neuralgia, head pain due to, 1952: March, 325
- Neurasthenia, 1951: Nov., 1795
- Neurectomy, presacral, in dysmenorrhea, 1951: May, 863
- Neuritis, diabetic, PMLE in, 1952: Sept., 1366
- multiple. See *Polyn neuritis*.
- of cervical spine, 1950: Sept., 1325
- peripheral, multiple, diagnosis and treatment, 1952: Sept., 1357-1372
- Neuroblastomas in childhood, 1952: Nov., 1798
- Neurodermatitis, ACTH and cortisone in, 1952: May, 823
- generalized, 1952: July, 1127
- treatment, dermatologic and psychiatric approaches, correlation, 1950: July, 1009-1017
- Neurofibromatosis in infants and children, 1952: Nov., 1754
- Neurohypophysis, disorders of, 1951: Nov., 1732
- functional tests, 1952: May, 753
- Neurologic disorders, holistic treatment, 1950: July, 1019-1028
- vitamin B₁₂ in, 1952: Sept., 1235
- examination, 1952: Sept., 1396
- Neurology, clinical method of, comments and suggestions, 1952: Sept., 1393-1408
- Neuromuscular disorders, physical medicine in, 1952: Sept., 1491
- Neuron disease, motor, symptoms and signs, 1951: Nov., 1767
- Neuropathies, diabetic, diagnosis, 1951: Nov., 1618
- Neurosis, compensation, headache due to, 1951: Sept., 1491
- diagnosis and treatment, 1950: Sept., 1487-1497
- obsessive compulsive, prefrontal lobotomy for, 1950: July, 1047
- psychosis and, differentiation, 1950: July, 957-971
- types, 1951: Nov., 1795
- Neurosyphilis, 1952: July, 1141-1149
- asymptomatic, 1952: July, 1142
- classification and differential diagnosis, 1952: July, 1142
- congenital, 1952: July, 1145
- degenerative forms, 1952: July, 1146
- meningovascular, 1952: July, 1142
- treatment, 1950: March, 501, Sept., 1502; 1951: Jan., 147; 1952: July, 1147
- Neurotic adaptation, causes, 1952: March, 307
- attacks, 1952: March, 565

- Neurovascular lesions of extremities, 1952: Jan., 155
- Neutralization test in viral diseases, 1950: Nov., 1611
- Neutropenia, splenic, 1950: Sept., 1271
plus thrombocytopenia, 1950: Sept., 1280
- Nevoxanthoendthelioma, 1951: March, 449
- Nevus (nevi), 1951: March, 301-313
anemicus, 1951: March, 306
arraneus, 1951: March, 304
blue, 1951: March, 312
epidermodermal, 1951: March, 311
flammeus, 1951: March, 303
glandular, 1951: March, 313
hairy, 1951: March, 310
intra-dermal or intracutaneous, 1951: March, 312
intra-epithelial or intra-epidermal, 1951: March, 310
junction, 1951: March, 311
lymphangiomatodes, 1951: March, 309
lymphatic, 1951: March, 309
mixed, 1951: March, 313
pigmented, 1951: March, 310
sanguineus, 1951: March, 306
simplex, 1951: March, 303
spider, 1951: March, 304
vascular, 1951: March, 301
vasculosus, 1951: March, 306
warty, 1951: March, 310, 311
- Newborn. See *Infant(s), newborn*.
- Niemann-Pick's disease, 1951: March, 450
- Nitrite test in hypertension, 1952: Jan., 120
- Nitrogen deficit, effect on normal posture development, 1952: Nov., 1538
- mustard in benign giant follicular lymphoma and lymphosarcoma, 1951: Jan., 101
- in carcinoma, 1951: Sept., 1375
- of lung, 1950: March, 450
- in hemolytic anemia, acquired, 1951: Sept., 1431
- in Hodgkin's disease, 1950: March, 453; 1951: Jan., 99, Sept., 1390
- in leukemia, 1950: Jan., 204, March, 452, 453; 1951: Jan., 98, Sept., 1390
- in lymphosarcoma, 1950: March, 454
- in malignant lymphomas, 1951: Jan., 98, Sept., 1390
- in multiple myeloma, 1951: Jan., 218
- in mycosis fungoides, 1950: March, 454; 1951: Jan., 103
- in nephrotic syndrome, 1952: July, 933
- in polycythemia vera, 1950: March, 455; 1951: Jan., 103
- in reticulum cell sarcoma, 1951: Jan., 101
- pharmacology, 1950: March, 440
- Nitrous oxide and ethylene anesthesia in obstetrics, 1950: Sept., 1530
- anesthesia in obstetrics, 1951: May, 812
- Nodules in arthritis, 1951: Nov., 1753, 1754
- Nor-epinephrine in blood in pheochromocytoma, 1950: May, 763
- Nose drops in allergy in infants, 1950: Jan., 9
- Nosebleeds as minor manifestation of rheumatic fever, 1952: Nov., 1650
- NPH-50 in diabetes, 1951: Sept., 1529
- No. 7337 as adrenergic blocking agent, 1950: March, 383
- Nursing care, skilled, for premature infant, 1952: Nov., 1573
- Nutrition, caries and, 1950: Jan., 20
- inadequate, iron deficiency anemia of infancy due to, 1952: Nov., 1686
- infant, advances in, 1952: Jan., 273-288
- proper, of premature infant, 1952: Nov., 1573
- Nydrazid in tuberculosis, 1952: Sept., 1260
- OBESITY**, 1951: Nov., 1747; 1952: March, 385-392
- at menopause, 1952: March, 520
- cause, 1951: March, 493
- central role of appetite in, 1951: Sept., 1355
- emotional aspects, 1951: March, 493-499
- heart disease and, 1951: Sept., 1351-1359
- hereditary, 1952: July, 916
- hypertension and, 1951: Sept., 1354
- in children, management, 1950: Jan., 223-234
- in pregnancy, influence of, 1951: May, 733-737
- psychologic factors in, 1952: March, 387
- treatment, 1952: March, 390
- Observation of newborn infants, 1952: Nov., 1568
- Obsessive-compulsive neurosis, 1951: Nov., 1795
- Obstetrics, analgesia and anesthesia in, 1951: May, 805-815
- Rh factor in, 1951: May, 749-770
- sedation, analgesics and anesthesia in, 1950: Sept., 1521-1535
- symposium on, 1951: May, 629
- Ocular pressure in auricular paroxysmal tachycardia, 1950: May, 737
- Ocular-mucous membrane syndrome, 1951: March, 315-331
- Old age, care in, 1952: March, 569-583
- growing problem of, 1951: Jan., 289-293
- psychosomatic aspects, 1950: July, 1091-1105
- Oligomenorrhea, endocrine therapy, 1950: Sept., 1540

- Oliguria in heart and kidney disease, water balance and, 1950: March, 571-587
 water-chloride balance studies in, 1951: July, 1131
- Ollier's disease in infants and children, 1952: Nov., 1752
- Omphalocele, 1952: Nov., 1772
- Ophthalmia, sympathetic, ACTH and cortisone in, 1951: Sept., 1238
- Opiates in inoperable cancer, 1951: Sept., 1377
 in obstetrics, 1951: May, 808
- Optic atrophy, syphilitic, 1952: July, 1144
- Orality, psychoanalytic concept, application to obesity, 1951: March, 495
- Orchidopexy, age of election for, 1952: Nov., 1783
- Orchiectomy in carcinoma of breast in male, 1950: Sept., 1410
 of prostate, 1950: Sept., 1411; 1952: May, 696
- Orchitis, mumps, 1950: Jan., 135
- Organic vs. functional disease, concept of, 1952: March, 305-310
- Os calcis, apophysitis of, 1950: Jan., 183
- Oscillometry, 1950: May, 891
- Osgood-Schlatter's disease, 1950: Jan., 180
- Osler's disease, 1951: March, 305
- Osseous lesions, noninfectious, of infants and children, 1952: Nov., 1751-1765
- Osteitis deformans, familial incidence, 1951: July, 1203-1208
 fibrosa cystica, generalized, complicating polycystic kidney, clinicopathologic conference 1952: March, 435-444
- Osteoarthritis, 1950: Sept., 1435-1446
 diagnosis, 1951: Nov., 1761
 in aged, 1952: March, 581
 physical medicine in, 1952: Sept., 1487
- Osteochondritis of hip, 1950: Jan., 173
- Osteoma, osteoid, in infants and children, 1952: Nov., 1757
- Osteomyelitis of cervical spine, neck and shoulder pain due to, 1952: Sept., 1296
 penicillin in, 1950: March, 323
- Osteoporosis, 1952: May, 847-863
 due to immobilization, 1952: May, 860
 postmenopausal, 1952: March, 519, May, 849
 treatment, 1952: May, 852
- Osteosarcoma in infants and children, 1952: Nov., 1758
- Otitis media, antibiotics in, 1952: Jan., 255, 256
- Ouabain, 1950: May, 657
 in congestive heart failure, 1950: May, 670; 1951: Sept., 1335
- Out-patient clinic, medical, diagnosis in, 1951: Nov., 1799-1805
- Ovarian agenesis, 1951: March, 514
- Ovary, aging of, 1950: March, 541
- disorders of, 1951: Nov., 1742
 urinary hormone values in, 1951: Nov., 1745
 functional tests, 1952: May, 749
 tumors causing precocious pseudo-puberty, 1952: Nov., 1721
 virilizing, 1952: Nov., 1721
- Overeating, emotional factors in, 1951: March, 486
- Overhydration, 1951: July, 1121
 water-chloride balance studies in, 1951: July, 1133
- Oxalate tetany, 1952: May, 892
- Oxazolidine-2,4-diones in epilepsy, 1952: Sept., 1385, 1388
- Oxygen anoxemia test in heart disease, 1950: May, 713-717
 for premature infant, 1952: Nov., 1572
- saturation, arterial, peripheral, in clinical diagnosis of congenital heart disease, 1952: Nov. 1663
 relationship to cyanosis, 1951: July, 1185-1202
- supply of brain, 1950: Nov., 1808
- therapy in asthma, 1952: Sept., 1273
- in congestive heart failure, 1951: Sept., 1345; 1952: March, 424
- in liver disease, 1951: Sept., 1453
- in respiratory failure, 1950: Sept., 1359
 physiologic basis, 1950: Sept., 1343
 in rheumatic fever, 1952: Nov., 1655
- Oxytocics in uterine inertia, 1951: May, 797
- PAGET's disease of bone, familial incidence, 1951: July, 1203-1208
- Pain, 1952: March, 485-500
 abdominal, as minor manifestation of rheumatic fever, 1952: Nov., 1650
 control of, synthetic analgesics in, 1950: March, 369-378
 cutaneous, 1952: March, 486
 deep, 1952: March, 487
 diagnosis, 1952: March, 496
 epigastric, 1952: March, 368-371
 wrongly attributed to heart, 1952: March, 507
- Gestalt, 1950: July, 987
- in arthritis, 1951: Nov., 1752
- in coronary artery disease, 1950: May, 689
- in multiple myeloma, 1951: Jan., 192
- in neck and upper extremity, 1950: Sept., 1323-1334
- intractable, in phantom limb, treatment, psychiatric aspects, 1950: July, 1029-1041
- prefrontal lobotomy for, 1950: July, 1047
- lower level, higher level modifications of, 1952: March, 492

- Pain, neck and shoulder, syndromes of, 1952: Sept., 1289-1307
 nerve pathway, 1952: March, 489
 neuritic, mistaken for heart pain, 1952: March, 504
 phantom limb, 1952: March, 491
 intractable, treatment, psychiatric aspects, 1950: July, 1029-1041
 psychogenic, 1950: July, 989
 psychosomatic aspects, 1950: July, 981-993
 referred, 1952: March, 488
 relief of, psychic influence in, 1950: March, 375
 symbolic, 1952: March, 495
 thoracic, 1952: March, 339-341
 in heart diseases, 1951: Nov., 1721
 management, 1952: March, 340
 treatment, 1952: March, 498
 wrongfully attributed to heart, 1952: March, 501-513
- Paint scrapings, lead determination in, 1952: Nov., 1592, 1596
- Palpitation in heart diseases, 1951: Nov., 1723
- Palsy. See *Paralysis*.
- Pancreas, atherogenesis and, 1952: Jan., 191
 carcinoma of, 1951: Nov., 1687
- Pancreatitis, biliary disease and, 1951: Nov., 1689
 chronic recurrent, treatment, 1952: March, 384
- Pancytopenia, splenic, 1950: Sept., 1281
- Panhypopituitarism, 1951: March, 510
 diagnosis, 1951: Nov., 1732
- Panthenol in chronic discoid lupus erythematosus, 1951: March, 395
- Papanicolaou method for diagnosis of uterine cancer, 1951: May, 855
 technic in carcinoma of prostate, 1952: May, 693
- Papaverine in acute arterial occlusions, 1952: Jan., 143
 in chronic arterial occlusions, 1952: Jan., 149
- Papillae, anal, hypertrophied, excision of, 1952: Sept., 1455
- Para-aminobenzoic acid in Rocky Mountain spotted fever, 1951: May, 918
- Para-aminosalicylic acid in pulmonary tuberculosis in children, 1952: Nov., 1624
 in tuberculosis, 1950: Sept., 1366; 1951: Jan., 163; 1952: Sept., 1257
 in tuberculous meningitis, 1950: Nov., 1688
 in children, 1952: Nov., 1622
 resistance, 1951: Jan., 163
- Paracentesis, abdominal, in nephrotic edema, 1950: Jan., 88
 in congestive heart failure, 1952: March, 430
- Paradione in epilepsy, 1950: March, 349, Sept., 1513, 1516; 1952: Sept., 1385, 1388
- Paraffin treatment of hypertrophic arthritis of fingers, 1950: Sept., 1440
- Paraldehyde anesthesia in obstetrics, 1950: Sept., 1529
 in status epilepticus, 1950: March, 349
- Paralysis agitans, 1951: Sept., 1476
 diphtheritic, 1950: Nov., 1629
 infantile. See *Poliomyelitis*.
 phrenic, in tuberculosis, 1950: Sept., 1369
- Paranoia, alcoholic, 1951: Nov., 1789
 paranoid conditions and, 1951: Nov., 1792
- Parasympathomimetic drugs in supraventricular tachycardia, 1952: Jan., 13
- Parathyroids, disorders of, 1951: Nov., 1736
 functional tests, 1952: May, 755
- Paravertebral block in obstetrics, 1950: Sept., 1526
- Parentage, question of, 1951: March, 528
- Parenteral feeding in liver disease, 1951: Sept., 1443
 fluid therapy, 1950: March, 395-412
 in children, 1950: Jan., 53-70
- Paresis, general, 1951: Nov., 1786; 1952: July, 1142
- Parkinsonism, antihistaminic drugs in, 1950: March, 361
- Parkinson's disease, physical medicine in, 1952: Sept., 1493
 treatment, principles of, 1951: Sept., 1475-1484
- Parotitis, epidemic, treatment, 1950: Jan., 134
- Pasteurella infections, antibiotics in, choice of, 1950: March, 314
- Patch test, Vollmer, 1952: Nov., 1522
- Patella, necrosis, avascular, 1950: Jan., 180
- Pathogenesis, current concepts, symposium on, 1950: Nov., 1739
- Patient as total organism, 1952: March, 305
 depressed, prefrontal lobotomy for, 1950: July, 1046
 his conception of his disease, 1952: March, 472
 pregnant, isosensitized, management of, 1951: May, 749-770
 psychologic effect on doctor, 1952: March, 585-592
- Patient-doctor relationship, 1952: Jan., 289-296, March, 308, 469, 585-592
- Pediometer, 1952: Nov., 1792
- Pediatric health examination, 1952: Nov., 1515-1523
 practice, antibiotics in, 1952: Nov., 1607-1618

- Pediatrician, role in mother-child relationship, 1952: Nov., 1548
at birth, 1952: Nov., 1548
during first year, 1952: Nov., 1549
- Pediatrics, newer antibiotics in, 1951: Sept., 1504-1522
psychotherapy in, 1951: Sept., 1495-1506
symposium on, 1950: Jan., 1; 1952: Nov., 1513
- Pediculosis, treatment, 1950: Sept., 1478
- Peep show method of hearing tests, 1952: Nov., 1792
- Peliosis rheumatica, 1952: Nov., 1707
- Pelvimetry, radiographic, 1951: May, 778
precision stereoscopic technic, 1951: May, 781, 784
Thomas technic, 1951: May, 779
- Pelvis, morphology, 1951: May, 771
obstetrical evaluation, with special reference to roentgenology, 1951: May, 771-790
- Pemphigus, ACTH and cortisone in, 1951: Sept., 1242; 1952: Jan., 241
vulgaris, antibiotics in, 1951: March, 351
- Penicillin, administration and dose, 1952: Jan., 258, 259
practical aspects, 1951: Jan., 23-36
by inhalation, 1951: Jan., 32
caronamide or benemid with, 1951: Jan., 32
combinations with other antibiotics, results, 1951: March, 535-544
cost, 1951: Jan., 34
current use, 1950: March, 319-326
dentifrices, 1950: Jan., 30
dosages, 1951: Jan., 23
and administration, 1950: March, 316, 320
effect on normal fecal flora, 1952: July, 1086
in abscess of brain, 1950: March, 323
of lung, 1950: Nov., 1664
in actinomycosis, 1950: March, 324
in allergy in infants, 1950: Jan., 9
in bacteremia, 1950: March, 321
in congestive heart failure, 1952: March, 430
in diphtheria, 1950: March, 324, Nov., 1631
in gas gangrene, 1950: March, 324
in gonorrhea, 1950: March, 324; 1951: Jan., 30
in gonorrheal vaginitis, acute, 1952: Nov., 1731
in infectious diseases, 1951: Jan., 31
in influenza, 1950: Nov., 1644
in intermittent positive pressure breathing, 1951: Nov., 1704
in measles, 1950: Jan., 142
in meningitis, 1950: March, 323; 1951: Jan., 31
- Penicillin, in meningitis, complicating pneumonia, 1950: Nov., 1664
in children, 1950: Nov., 1685; 1951: Sept., 1514, 1515, 1516
in neurosyphilis, 1952: July, 1147
in osteomyelitis, 1950: March, 323
in pediatric practice, 1952: Nov., 1608
in pharyngitis, 1950: Nov., 1632
in pleural effusions, postpneumonic, 1950: Nov., 1663
in pneumonia, 1950: March, 322, Nov., 1657; 1951: Jan., 27
in pulmonary diseases, 1951: Nov., 1703
in rheumatic fever, 1950: Sept., 1430; 1952: Nov., 1655
prophylactic, 1952: Jan., 218, 219
in rheumatic heart disease, prophylactic, 1951: Jan., 30
in Rocky Mountain spotted fever, 1951: May, 921
in scarlet fever, 1950: Jan., 143
in septic sore throat, 1950: Nov., 1624
in sinusitis, 1950: March, 322
in skin infections, 1950: March, 324
in spinal cord injuries, 1951: Nov., 1775
in subacute bacterial endocarditis, 1950: March, 321, May, 780; 1951: Jan., 30
in syphilis, 1950: March, 495-507; 1951: Jan., 32, 143-152
in pregnancy, 1951: May, 631-646
reactions, 1951: Jan., 149
in tabes dorsalis, 1951: Nov., 1778
in tetanus, 1950: March, 324
in tonsillitis, 1950: Nov., 1624
in ulcerative colitis, 1951: Jan., 262
in upper respiratory infections, 1951: Jan., 28
in urinary tract infections, 1950: March, 532; 1952: Sept., 1432, 1433
in Vincent's angina, 1950: Nov., 1627
indications, 1951: Jan., 23, 24
installations in pediatric practice, 1952: Nov., 1610
oral use, 1951: Jan., 32
in children, 1951: Sept., 1512; 1952: Nov., 1609
pharmacology and toxicology, 1950: March, 308
potassium, in pediatric practice, 1952: Nov., 1609
procaine, in pediatric practice, 1952: Nov., 1609
suboptimal dosage, 1952: Nov., 1610
prophylactic use, 1950: March, 325
reactions, 1951: Jan., 32
resistance, 1950: March, 319
sensitivity ranges, 1951: March, 536
study, method, 1951: Jan., 24

- Penicillin, sodium, in inaccessible infections, 1952: Nov., 1611
in pediatric practice, 1952: Nov., 1609
topical use, 1951: March, 345
toxicity, 1950: March, 311, 325
- Penis, glans, atrophic lesions, 1951: March, 411-418
- Pentobarbital in surgical anesthesia, 1950: March, 594
- Pentothal in surgical anesthesia, 1950: March, 592
- Peptic ulcer, 1952: Sept., 1339
ACTH in, effects, 1952: July, 1079
antacids in, 1950: Sept., 1453; 1952: Sept., 1324
antisecretory drugs in, 1952: Sept., 1328
complications, management, 1952: Sept., 1337
diet in, 1950: Sept., 1452; 1952: Sept., 1332
emotional factors, treatment, 1952: Sept., 1334
epigastric pain in, 1952: March, 370
intractable, 1952: Sept., 1337
large, not demonstrable by x-ray, 1952: July, 1099-1110
medical management, 1952: March, 379, Sept., 1323-1340
in light of current etiologic concepts, 1950: Sept., 1447-1457
psychogenic factors, 1950: Sept., 1447
pyloric obstruction in, 1952: Sept., 1338
use of tobacco in, 1950: Sept., 1454
- Perazil, dosages, 1950: March, 353, 357
- Percussion of heart, 1950: May, 729-732
- Perforation of gallbladder, 1951: Nov., 1683
- Periarteritis nodosa, 1951: Sept., 1277
ACTH and cortisone in, 1951: Sept., 1238, 1239; 1952: Jan., 239
kidney in, 1951: July, 965, 983
retinal changes, 1951: July, 1035
skin manifestations, 1951: March, 365
with hemolytic anemia, ACTH and cortisone in, 1951: Sept., 1434
- Periarthritis of upper extremity, 1950: Sept., 1329
- Periarticular conditions, physical medicine in, 1952: Sept., 1490
- Pericardial cavity, bullet in, angiocardiology in, 1950: May, 754, 755
disease, adhesive, pulsation in, 1950: May, 727
effusion, angiocardiology in, 1950: May, 753
percussion in, 1950: May, 732
tap in rheumatic fever, 1952: Nov., 1656
- Pericarditis, purulent, complicating pneumonia, 1950: Nov., 1664
- Periodontal disease, 1951: Nov., 1637
- Periosteal reaction in differential diagnosis of infantile cortical hyperostosis, 1952: Nov., 1765
- Perirenal infections, 1952: Sept., 1429
insufflation in adrenal cortex disease, 1952: May, 747
- Peritendinitis of upper extremity, 1950: Sept., 1329
- Peritoneal dialysis in acute renal failure, 1950: March, 516
in congestive heart failure, 1950: May, 624
- Peritonsillar abscess, 1950: Nov., 1631
incision, 1950: Nov., 1632
- Personality, changes in, following prefrontal lobotomy, 1950: July, 1048
infant. See *Infant personality*.
maternal. See *Maternal personality*.
relation, to cardiovascular patterns, 1950: May, 824
tests, 1950: July, 1075
- Pertussis. See *Whooping cough*.
- Phantom limb pain. See *Pain*.
- Pharyngitis, acute, 1950: Nov., 1632
viral, 1950: Nov., 1641
- Pharynx, infections, acute, 1950: Nov., 1621-1635
- Phenobarbital in epilepsy, 1950: March, 345, Sept., 1517; 1952: Sept., 1386, 1389
in hypertension, 1952: July, 1020
in rheumatic fever, 1952: Nov., 1654
in status epilepticus, 1950: March, 349
- Phenol turbidity in liver injury, 1951: Nov., 1661
- Phenolsulfonphthalein excretion, 1951: Nov., 1713
test in hypertension, 1952: Jan., 122
in toxemias of pregnancy, 1951: May, 708
- Phenurone in epilepsy, 1950: Sept., 1513, 1517; 1952: Sept., 1386, 1389
- Pheochromocytoma, 1951: Sept., 1299
diagnosis, 1951: Nov., 1741
adrenergic block in, 1950: March, 386
differential, 1950: May, 757-767
hypertension associated with, 1952: July, 1016
tests for, in hypertension, 1952: Jan., 123, May, 754
- Phlebotomy in congestive heart failure, 1952: March, 432
- Phoria, test for, 1952: Nov., 1520
- Phosphatase, acid, in carcinoma of prostate, 1952: May, 694
in malignancy, 1951: Nov., 1829
alkaline, in liver injury, 1951: Nov., 1659
in malignancy, 1951: Nov., 1831
in parathyroid disease, 1952: May, 755

- Phosphatase, determinations in diagnosis of cancer, 1950: Sept., 1395
 in liver disease, 1950: Sept., 1468
 serum, in carcinoma of prostate, 1951: Nov., 1830
 in diagnosis of malignancy, 1951: Nov., 1829
- Phosphorus, metabolism in renal disease, 1951: Nov., 1719
 radioactive, in benign giant follicular lymphoma and lymphosarcoma, 1951: Jan., 101
 in carcinoma, 1951: Sept., 1377
 in leukemia, 1950: Jan., 207, March, 452, 453; 1951: Jan., 96, Sept., 1386
 in multiple myeloma, 1951: Jan., 218
 in polycythemia vera, 1950: March, 454; 1951: Jan., 103
 in reticulum cell sarcoma, 1951: Jan., 101
 pharmacology, 1950: March, 441
 serum, in parathyroid disease, 1952: May, 755
- Photometry, flame, 1951: Nov., 1589
- Physical activity, restriction of, in treatment of tuberculosis in children, 1952: Nov., 1620
 examination in allergic states, 1951: Nov., 1600
 in arthritis, 1951: Nov., 1753
 in clinical diagnosis of congenital heart disease, 1952: Nov., 1660
 in liver disease, 1951: Nov., 1649
 in medical out-patient clinic, 1951: Nov., 1803
 of newborn infant, 1952: Nov., 1564
 manifestations of common emotional disorders, 1952: March, 458
 medicine in office treatment, 1952: Sept., 1485-1493
- Physician and his patient, 1952: Jan., 289-296, March, 308, 460, 585-592
 deportment assumed by, 1952: March, 586
 psychologic effect of patients on, 1952: March, 585-592
 qualities in, affecting acceptance by patient, 1952: March, 587
- Physiology of psychotherapy, 1952: March, 447-456
 of respiration, 1951: Nov., 1699
- Physiotherapy in cerebral hemorrhage and thrombosis, 1952: Jan., 170
 in chronic vascular occlusions, 1952: Jan., 148
 in Parkinson's disease, 1951: Sept., 1481
- Pick's disease, 1950: July, 1099
- Picrotoxin in respiratory failure, 1950: Sept., 1359
- Pigmentary disorder, progressive, 1951: March, 457
- Pigmentary purpuric diseases of lower extremity, 1951: March, 457-462
- Pitocin in uterine inertia, 1951: May, 797
 intravenous, to induce labor, 1952: Sept., 1481
- Pituitary, anterior lobe, disorders of, 1951: Nov., 1727
 diagnostic criteria, 1951: Nov., 1733
 basophilism, 1951: Sept., 1290
 extracts in infertility in women, 1951: May, 837
 function, tests of, 1952: May, 751, 753
 posterior lobe, disorders of, 1951: Nov., 1732
 therapy in hypertension, 1952: Jan., 136
- Placenta praevia, induction of labor in, 1952: Sept., 1473
- Plague, immunization, 1950: Nov., 1729, 1731
 streptomycin in, 1950: March, 328
- Plasma accelerator factor deficiency as cause of bleeding, 1951: Jan., 272
 administration in hemophilia, 1950: March, 465
 C/P ratios, 1952: Jan., 180
 fractions, in hemophilia, 1950: March, 466; 1951: Sept., 1414
 hypervolemia in congestive heart failure, 1952: Jan., 31
 intravenous, in nephrotic syndrome, 1952: July, 932
 pooled, in chronic nephritis and nephrosis, 1950: Jan., 86
 proteins in multiple myeloma, 1951: Jan., 210
- Platybasia, 1950: Jan., 155
- Pleiotropism of genes, 1952: July, 912
- Plethysmography, 1950: May, 892
- Pleural effusions, postpneumonic, 1950: Nov., 1663
- Plummer-Vinson syndrome, 1952: July, 912
- PMLE (pregnant mammalian liver extract) in diabetic neuritides, 1952: Sept., 1366
- Pneumectomy for tuberculosis, 1950: Sept., 1372
- Pneumococcal infections, antibiotics in, 1950: March, 314; 1952: Jan., 248, 250
- Pneumonia, atypical, 1950: Nov., 1645
 antibiotics in, 1950: March, 314; 1952: Sept., 1244
 diagnosis, 1950: Sept., 1312
 in children, treatment, 1951: Sept., 1519
 management, 1950: Sept., 1319, Nov., 1646
 bacterial, management, 1950: Nov., 1653-1666
 chloromycetin in, 1950: Nov., 1661

- Pneumonia, complications, management, 1950: Nov., 1663
 influenzal, 1950: Nov., 1654
 penicillin in, 1950: March, 322, Nov., 1657; 1951: Jan., 27
 pneumococcal, 1950: Nov., 1654
 in children, treatment, 1951: Sept., 1519
 retarded resolution, 1950: Nov., 1665
 staphylococcal, 1950: Nov., 1654
 streptococcal, 1950: Nov., 1654
 streptomycin in, 1950: Nov., 1660
 sulfonamides in, 1950: Nov., 1662
 terramycin in, 1950: Nov., 1661
 viral, 1950: Nov., 1645
 Pneumonolysis, extrapleural, in tuberculosis, 1952: Sept., 1264
 Pneumoperitoneum in tuberculosis, 1950: Sept., 1368; 1952: Sept., 1261
 Pneumothorax, artificial, in tuberculosis, 1950: Sept., 1367; 1952: Sept., 1260
 Poisoning, lead. See *Lead poisoning*.
 Poliomyelitis, 1951: Jan., 175-188
 abortive, 1950: Jan., 119
 anterior, acute, 1951: Nov., 1774
 antibiotics and sulfonamides in, 1952: Sept., 1251
 bulbar, 1950: Jan., 140, March, 559; 1951: Jan., 186
 hypoventilation syndrome in, 1950: Sept., 1337
 cerebrospinal fluid in, 1950: Jan., 108
 cure in, 1950: March, 556
 diagnosis, 1950: Jan., 119-132, March, 553-556, Sept., 1315; 1951: Jan., 179
 dromedary type, 1950: Jan., 120
 encephalitic type, 1950: Jan., 126, 141, March, 560
 epidemiology and incidence, 1950: Jan., 129
 in infancy, 1950: Jan., 161
 meningitic type, 1950: Jan., 126
 nonparalytic, 1950: Jan., 119, 140
 paralytic, 1950: Jan., 120, March, 558
 following injection of vaccines and toxoids, 1952: Nov., 1604
 respirator in, 1950: March, 560; 1951: Jan., 185
 respiratory, 1950: Jan., 141
 second attacks, 1950: Jan., 126
 spinal type, 1950: Jan., 140, March, 558
 symptoms, 1951: Jan., 178
 treatment, 1950: Jan., 140, March, 556-561, Sept., 1320; 1951: Jan., 183
 Polycystic disease, congenital, 1952: July, 915
 Polycythemia, treatment, 1951: Jan., 103
 vera, chemotherapy, 1950: March, 454
 Polymyxin, dosage, 1952: Jan., 259
 effect on normal fecal flora, 1952: July, 1089
 in shigellosis, 1952: July, 1097
 Polyneuritic syndromes, diagnosis and treatment, 1952: Sept., 1357-1372
 Polyneuritis, postdiphtheritic, cerebrospinal fluid in, 1950: Jan., 112
 Polyostotic fibrous dysplasia with precocious puberty, 1952: Nov., 1713
 Polyposis, intestinal, hereditary, with oral pigmentation, 1952: July, 913
 nasal, ACTH and cortisone in, 1952: May, 824
 Polyps of anus, fibrous, excision of, 1952: Sept., 1455
 of rectum, benign, removal of, 1952: Sept., 1436
 Porphyria, acute, autonomic blocking agents in, 1952: Sept., 1367
 Port-wine mark, 1951: March, 303
 Postcoital test in infertility, 1951: May, 821
 Postmaturity, induction of labor in, 1952: Sept., 1478
 Postoperative patients, magnesium levels in, 1952: July, 1163
 Posture changes in growing child, 1952: Nov., 1533-1540
 correction, 1952: Nov., 1539
 defects, physical medicine in, 1952: Sept., 1485
 development of, pattern of, 1952: Nov., 1533
 early juvenile, 1952: Nov., 1534
 in early infancy, 1952: Nov., 1533
 in late infancy, 1952: Nov., 1533
 late juvenile, 1952: Nov., 1534
 mechanics of, 1952: Nov., 1534
 normal, factors influencing, 1952: Nov., 1537
 prevention of deformities, 1952: Nov., 1539
 Potassium, analysis, 1951: May, 903
 bromide in epilepsy, 1950: March, 348
 chloride in premature contractions, 1952: Jan., 11
 clinical aspects, 1951: May, 901
 concentration in renal disease, 1951: Nov., 1718
 deficit in nephrotic syndrome, 1952: July, 930
 in diabetic acidosis and coma, 1952: May, 780
 pathologic physiology, 1951: May, 893-906
 penicillin in pediatric practice, 1952: Nov., 1609
 replacement, 1950: March, 409
 serum concentration, 1951: Nov., 1827
 relation to volume of body water, 1951: Nov., 1818
 thiocyanate in hypertension, 1952: July, 1021
 Pratt test for incompetent communicating veins, 1950: May, 903

- Preanesthetic drugs, approximate dosages in children, 1952: Nov., 1770
medication, 1950: March, 595
- Precoecious development, 1952: Nov., 1715
incomplete (partial), 1925: Nov., 1726
- Pre-eclampsia, 1951: May, 681, 682
induction of labor in, 1952: Sept., 1476
kidney function in, 1951: May, 699-714
treatment, 1951: May, 688
- Pre-excitation syndrome, electrocardiogram in, 1950: May, 884
- Pregnancy, advisability in tuberculosis, 1951: May, 652
after splenectomy, prognosis, 1950: July, 1217-1236
antithyroid drugs in, 1951: Sept., 1320
biliary disease and, 1951: Nov., 1689
diabetes and, 1951: May, 659-665
induction of labor in, 1952: Sept., 1477
- eclampsia in, 1951: May, 681
management, 1951: May, 693
glomerulonephritis in, 1951: July, 1051-1068
heart disease and, 1950: May, 795-804
management, 1951: May, 667-676
hematuria during, 1951: May, 724
hypertensive disease of, vascular, 1951: May, 682
treatment, 1951: May, 686
hyperthyroidism in, antithyroid drugs in, 1952: May, 608
radioiodine in, 1952: May, 635
interruption, in tuberculosis, 1951: May, 653
in urological complications, 1951: May, 730
isosensitization in, management, 1951: May, 749-770
kidney disease in, 1951: May, 684
treatment, 1951: May, 696
megaloblastic anemia of, vitamin B₁₂ in, 1950: July, 1202
normal, circulatory changes in, 1951: May, 667
obesity in, influence of, 1951: May, 733-737
pre-eclampsia in, 1951: May, 681, 682
treatment, 1951: May, 688
pulmonary tuberculosis in, 1951: May, 647-657
pyelonephritis of, 1951: May, 715
syphilis in, treatment, 1951: Jan., 148, May, 631-646
tests, 1951: Nov., 1588
- toxemias of, 1951: May, 677-698
classification, 1951: May, 680
fluids and electrolytes in, 1951: May, 899
hypertensive, 1951: Nov., 1716
kidney function in, 1951: May, 699-714
- Pregnancy, toxemias of, prophylaxis, 1951: May, 685
treatment, 1951: May, 685
urological complications, management, 1951: May, 715-731
water and electrolyte solutions in, 1951: May, 893-906
- Pregnanediol in urine, 1951: Nov., 1588
- Pregnenetriolone in rheumatoid arthritis, effects, 1951: Jan., 19, 20
- Pregnenilone in amenorrhea, 1950: Sept., 1540
in rheumatoid arthritis, effects, 1951: Jan., 16
- Premarin in menometrorrhagia, 1952: Nov., 1735
- Premature contractions, 1952: Jan., 7, 11
infant. See *Infant(s)*.
- Prematurity as cause of death, 1951: May, 739
- Premenstrual tension, 1952: May, 719
psychic aspects, 1950: July, 1002
- Pressure measurements in vessels, 1950: May, 895
- Pretibial fever, diagnosis, 1950: Sept., 1314
- Priscoline as adrenergic blocking agent, 1950: March, 383
in Buerger's disease, 1950: March, 386
in cerebral vascular accidents, 1950: March, 385
in hypertension, 1950: March, 389
- Procaine amide in paroxysmal ventricular tachycardia, 1952: Jan., 17
in premature contractions, 1952: Jan., 13
in ventricular fibrillation, 1952: Jan., 18
in relief of pain, 1950: March, 375
intravenous, in surgical anesthesia, 1950: March, 590
pencillin. See *Pencillin*.
- Proctitis, ulcerative, recurrent, 1951: Jan., 243
- Proctologic diagnosis and office procedures, 1952: Sept., 1445-1457
examination, 1952: Sept., 1447
- Progesterone in abnormal uterine bleeding, 1952: May, 714, 715
in amenorrhea, 1950: Sept., 1539; 1952: May, 709
with estrogen, 1950: Sept., 1540
in dysmenorrhea, 1950: Sept., 1544
in functional uterine bleeding, 1950: Sept., 1547, 1557, 1560; 1951: May, 876
in infertility in women, 1951: May, 837
in oligomenorrhea, 1950: Sept., 1541
in rheumatoid arthritis, effects, 1951: Jan., 17, 20
- Proluton in infertility in women, 1951: May, 838

- Promizole in pulmonary tuberculosis in children, 1952: Nov., 1624
in tuberculous meningitis, 1950: Nov., 1688
in children, 1952: Nov., 1621
Prorenyl. See *Procaine amide*.
- Prophylthiouracil in hypertension, 1952: July, 1021
in hyperthyroidism, 1952: May, 619, 620
in thyrotoxicosis, 1950: March, 537; 1951: Sept., 1309
maintenance therapy, 1950: March, 538
preoperative, 1950: March, 538
- Prostate, carcinoma, 1952: May, 689-704. See also *Carcinoma of prostate*.
disease of, in aged, 1952: March, 581
massage, 1952: Sept., 1425
secretion, cytology of, in cancer diagnosis, 1950: Sept., 1403
- Prostatectomy in carcinoma of prostate, 1952: May, 697, 698
- Prostatitis, 1952: Sept., 1423, 1424
nonspecific, treatment, 1950: March, 527
- Prostatovesiculitis, acute, 1952: Sept., 1424
- Prostigmine methyl sulfate in auricular paroxysmal tachycardia, 1950: May, 739
- Protamine in lymphomas, 1951: Jan., 106
zinc insulin in diabetes, 1951: Sept., 1528
- Protein, Bence-Jones, in multiple myeloma, 1951: Jan., 211, Nov., 1834
hydrolysates in peptic ulcer, 1952: Sept., 1326
in infant feeding, 1952: Jan., 275
plasma, in multiple myeloma, 1951: Jan., 210
substitutes, in nephrotic syndrome, 1952: July, 932
- Protein-bound iodine in blood, 1951: Nov., 1587
- Proteinosis, lipid, 1951: March, 451
- Proteinuria in renal diagnosis, 1951: Nov., 1709
postural, 1951: July, 1017-1022
- Proteus agglutination reaction in Rocky Mountain spotted fever, 1951: May, 914
infections, antibiotics in, 1950: March, 314; 1952: Jan., 250, 251
- Prothrombin activity in liver injury, 1951: Nov., 1668
conversion factors, deficiency of, bleeding due to, 1952: July, 1064
deficiency, treatment, 1950: March, 459-464; 1951: Jan., 271
level, maintenance in anticoagulant therapy, 1952: Jan., 113
time in jaundice, 1952: March, 399
in liver injury, 1951: Nov., 1658
- Pruritus, anogenital, antihistaminics in, 1951: March, 336
in aged, 1952: March, 579
in atopic dermatitis, treatment, 1952: July, 1135
treatment, 1950: Sept., 1479
- Pseudoglioma in differential diagnosis of retrolental fibroplasia, 1952: Nov., 1581
- Pseudohermaphroditism, female, 1952: Nov., 1717
- Pseudohypoparathyroidism, 1952: May, 889
diagnosis, 1951: Nov., 1737
- Pseudomonas infections, antibiotics in, 1952: Jan., 250, 251
- Pseudopuberty and precocious puberty, 1952: Nov., 1711-1728
precocious, 1952: Nov., 1715
conditions causing, 1952: Nov., 1717
due to Leydig cell tumors and teratoma, 1952: Nov., 1725
heterosexual, in boys, 1952: Nov., 1723
in girls, 1952: Nov., 1717
isosexual, in girls, 1952: Nov., 1721
ovarian tumors causing, 1952: Nov., 1721
- Psittacosis, 1950: Nov., 1650
antibiotics and sulfonamides in, 1952: Sept., 1244
choice of, 1950: March, 314
diagnosis, 1950: Sept., 1312
management, 1950: Sept., 1319
- Psoriasis, ACTH in, 1951: Sept., 1240; 1952: Jan., 241
cortisone in, 1951: Sept., 1240
treatment, 1950: Sept., 1479
- Psyche and soma, interaction of, 1952: Nov., 1544
- Psychiatric diagnosis, 1951: Nov., 1781-1797
methodology in, 1951: Nov., 1784
diseases, classification, 1951: Nov., 1783
etiology, 1951: Nov., 1782
examination, mental stage, 1951: Nov., 1786
physical stage, 1951: Nov., 1785
manifestations of early cerebral damage in essential hypertension, 1951: Jan., 133-142
patient, neurological examination of, 1952: Sept., 1401
treatment, modern, 1950: Sept., 1499-1506
of drug addiction, 1950: March, 436
of intractable pain in phantom limb, 1950: July, 1029-1041
- Psychiatry, acceptance as medical discipline, 1950: July, 942
and general practitioner, symposium on, 1950: July, 939

- Psychiatry, psychoanalytic contributions to, 1950: July, 966
- Psychic states, quantitative differences between, 1950: July, 969
- Psychogalvanometer in hearing tests, 1952: Nov., 1792
- Psychologic effect of patient on doctor, 1952: March, 585-592
- stages in woman, 1950: July, 996
- testing from standpoint of general practitioner, 1950: July, 1067-1077
- Psychoneuroses, 1951: Nov., 1794
- definition, 1951: Nov., 1783
- dementia praecox and, differentiation, 1950: July, 963, 964
- diagnosis and treatment, 1950: Sept., 1487
- prevalence in armed forces of World War II, 1950: July, 939
- in civilian practice, 1950: July, 941
- psychosis and, differentiation, 1950: July, 957-971
- treatment, 1951: Nov., 1796
- types, 1951: Nov., 1795
- Psychometer, Maico, 1952: Nov., 1792
- Psychopathology in mother, 1952: Nov., 1546
- Psychopaths, prefrontal lobotomy for, 1950: July, 1047
- Psychoses, adrenergic block in, 1950: March, 392
- convulsive therapy in, 1950: Sept., 1504
- definition, 1951: Nov., 1783
- functional, definition, 1951: Nov., 1784
- diagnosis and treatment, 1951: Nov., 1790
- in aged, 1950: July, 1097
- in general practice, 1950: July, 943
- Korsakoff's, 1951: Nov., 1789
- manic-depressive, 1951: Nov., 1790
- organic, 1951: Nov., 1786
- definition, 1951: Nov., 1784
- prefrontal lobotomy in, indications, 1950: July, 1043-1051
- psychogenic, 1951: Nov., 1790
- psychoneuroses and, differentiation, 1950: July, 957-971
- senile, 1951: Nov., 1787
- toxic, 1951: Nov., 1789
- definition, 1951: Nov., 1784
- treatment, 1951: Nov., 1790
- treatment, modern, 1950: Sept., 1499-1506
- types, 1951: Nov., 1786
- Psychosomatic approach, 1950: July, 947
- disorders, concept, 1950: July, 944
- treatment, 1950: July, 950
- types, 1950: July, 946
- general practitioner and, 1950: July, 939-955
- Psychotherapy, defined, 1950: July, 950
- in atopic dermatitis, 1952: July, 1136
- in dysmenorrhea, 1951: May, 862
- Psychotherapy, in hypertension, 1952: July, 1019
- in infertility, 1951: May, 833
- in insomnia, 1952: March, 550
- in lymphomas, 1951: Jan., 108
- in medical care of children, 1951: Sept., 1495-1506
- in menopause, 1950: March, 550; 1951: May, 887
- in mental disorders of aged, 1950: July, 1104
- in neuroses, 1950: Sept., 1487-1497
- in obesity, 1951: March, 493
- in painful states, 1952: March, 499
- in Parkinson's disease, 1951: Sept., 1480
- in psychoses, 1950: Sept., 1499
- in ulcerative colitis, 1951: Jan., 254
- physiology of, 1952: March, 447-456
- Pteroylglutamic acid. See *Folic acid*.
- Pubertal development, precocious, 1952: Nov., 1712
- Puberty, age at onset of, 1952: Nov., 1711
- delayed, 1951: March, 513
- onset of, hormonal mechanism of, 1952: Nov., 1711
- precocious, 1951: March, 505
- and pseudopuberty, 1952: Nov., 1711-1728
- conditions causing, 1952: Nov., 1714
- constitutional, 1952: Nov., 1714
- 17-ketosteroids in, 1952: May, 762
- polyostotic fibrous dysplasia with, 1952: Nov., 1713
- resulting from organic brain lesions, 1952: Nov., 1713
- true, precocious, 1952: Nov., 1713
- Pulmonary. See also *Lung*.
- artery, idiopathic hypertrophy, 1952: Nov., 1667
- circulation, cardiac catheterization in study of, 1952: July, 1035
- diseases, chronic, anatomic and pathologic features, 1951: Nov., 1695
- diagnosis and treatment, 1951: Nov., 1695-1706
- respiratory difficulties in, 1951: Nov., 1723
- roentgenograms in diagnosis of, 1951: Nov., 1698
- symptoms and physical signs, 1951: Nov., 1697
- treatment, 1951: Nov., 1701
- edema in renal disease, 1951: July, 1089
- embolism, diagnosis, 1952: Sept., 1317
- electrocardiogram in, 1950: May, 874
- prevention, 1952: Sept., 1313
- septic, pathogenesis, 1950: Nov., 1751-1760
- sites of origin, 1952: Sept., 1309

- Pulmonary, stenosis, angiocardio-
graphy in, 1950: May, 752
cardiac catheterization in, 1952:
July, 1045
congenital, with intact ventricular
septum, 1952: Jan., 49
roentgenology in, 1952: Jan., 66
without septal defect associated
with recurrent ascites, 1950:
July, 1187-1195
tuberculosis. See *Tuberculosis*.
veins, transposed, cardiac catheteri-
zation in, 1952: July, 1044
ventilation, 1951: Nov., 1700
- Pulmonic stenosis, pure, 1952: Nov.,
1669
- Pulsation signs in heart disease, 1950:
May, 722-729
- Pulsator, Bragg-Paul, 1950: Sept., 1357
- Punch biopsy in cancer of cervix, 1951:
May, 857
- Purpura, 1951: March, 367
allergic, 1952: Nov., 1707
anaphylactoid, 1952: Nov., 1707
annularis telangiectodes, 1951:
March, 457
haemorrhagica, treatment, 1951:
Jan., 267
senile, 1952: July, 1053
thrombocytopenia, 1951: Sept., 1416;
1952: Nov., 1698
clinical forms, 1952: Nov., 1699
congenital forms, 1952: Nov., 1698
essential, splenectomy for, effect
on subsequent pregnancies, 1950:
July, 1223
idiopathic, 1952: July, 1056, Nov.,
1701
treatment, 1951: Jan., 267
secondary or symptomatic, 1952:
July, 1057
thrombotic, 1952: July, 1058
- Purpuric diseases, pigmentary, of
lower extremity, 1951: March,
457-462
- Pyelogram, intravenous, in hyper-
tension, 1952: Jan., 123
- Pyelonephritis, 1952: Sept., 1413, 1428
chronic, in pregnancy, 1951: May,
725
pathologic aspects, 1951: July, 971
intrapartum, 1951: May, 720
of pregnancy, 1951: May, 715
postpartum, 1951: May, 721
retinal manifestations, 1951: July,
1033
treatment, 1952: Sept., 1415
- Pyloric obstruction in peptic ulcer,
1952: Sept., 1338
stenosis in children, parenteral fluid
therapy in, 1950: Jan., 63
- Pyocyanus infections, antibiotics in,
choice of, 1950: March, 314
- Pyrazinamide in tuberculosis, 1952:
Sept., 1260
- Pyribenzamine, dosages, 1950: March,
352, 357
structural formula, 1951: March, 334
- Pyrogen (Pyromen) in malignant hy-
pertension, 1951: Jan., 125
- Pyrosis, 1952: March, 371
wrongly attributed to heart, 1952:
March, 507
- Pyrolazote, dosages, 1950: March,
353, 357
- Pyuria, abacterial, antibiotics in,
1952: Sept., 1251
- Q FEVER, 1950: Nov., 1651
- Quadriceps muscle, contusion, in ath-
letics, treatment, 1950: Sept., 1264
- Queyrat's erythroplasia, 1951: March,
413, 414
- Quinidine, administration, for rever-
sion, 1952: July, 1027
in atrioventricular heart block, 1952:
Jan., 19
in auricular fibrillation, 1950: May,
742; 1952: Jan., 16, July, 1026
prophylactic, 1950: May, 743
in auricular flutter, 1952: Jan., 15,
July, 1027
in paroxysmal auricular tachycardia,
1950: May, 739
in children, 1950: Jan., 222
in paroxysmal supraventricular
tachycardia, 1952: Jan., 13, July,
1027
in paroxysmal ventricular tachy-
cardia, 1950: May, 741; 1952: Jan.,
17, July, 1027
in premature contractions, 1952:
Jan., 11, July, 1027
in ventricular fibrillation, 1952:
Jan., 19, July, 1027
therapeutic use, 1952: July, 1025-
1034
dangers in, 1952: July, 1027
- Quininum exchange indicator com-
pound for determining gastric
acidity, 1951: March, 593-602
- RABIES, diagnosis, 1950: Sept., 1316
immunization, 1950: Nov., 1730
management, 1950: Sept., 1321
- Radiation, ionizing, bleeding due to,
1951: Sept., 1421
sickness, antihistaminic drugs in,
1950: March, 361
syndrome, 1952: Jan., 264
treatment, 1952: Jan., 264
- Radioiodine. See *Iodine, radioactive*.
- Radiologic examination in diagnosis
of liver disease, 1951: Nov., 1677
- Radiophosphorus. See *Phosphorus,
radioactive*.
- Radiotherapy in carcinoma of pros-
tate, 1952: May, 699
- Radium in postmaturity abnormal
uterine bleeding, 1952: May, 716
treatment of angioma, 1951: March,
308
of inoperable carcinoma, 1951:
Sept., 1366
- Raspberry mark, 1951: March, 306

- Raynaud's disease, 1951: March, 366
dibenzamine in, 1950: March, 385
syndrome, 1952: Jan., 156
- Rectum, abscesses, incision of, 1952: Sept., 1455
examination, 1952: Sept., 1447
impactions, treatment, 1952: Sept., 1456
polyps, benign, removal of, 1952: Sept., 1456
- Recumbency, effects, management, 1951: March, 545-562
- Reflexes, testing, in neurology, 1952: Sept., 1399
- Regitine test of adrenal medulla function, 1952: May, 754
- Regurgitation, 1952: March, 375
- Reiter's disease, 1951: March, 326
- Renal. See also *Kidney*.
diagnosis, principles of, 1951: Nov., 1707-1720
- Rendu-Osler-Weber's disease, 1951: March, 305
- Renin-antirenin therapy in hypertension, 1952: Jan., 135
- Resection surgery in tuberculosis, 1952: Sept., 1264
- Resins, cation exchange, in congestive heart failure, 1951: Sept., 1344; 1952: March, 432
in edema, 1952: July, 958
in peptic ulcer, 1952: Sept., 1327
use, magnesium levels following, 1952: July, 1165
- Respiration, artificial, methods, 1950: Sept., 1348
electrophrenic, 1950: Sept., 1353
extrauterine, in newborn infant, 1952: Nov., 1563
physiology of, 1951: Nov., 1699
- Respirator, chest, 1950: Sept., 1353
in poliomyelitis, 1950: March, 560; 1951: Jan., 185
tank, 1950: Sept., 1352
- Respiratory difficulties in heart diseases, 1951: Nov., 1722
failure, classification, 1950: Sept., 1335
treatment, 1950: Sept., 1358
physiologic principles, 1950: Sept., 1335-1362
infection, hemolytic streptococcal, prevention, 1952: Jan., 217
in children, treatment, 1951: Sept., 1518
penicillin in, 1950: March, 322
upper, penicillin in, 1951: Jan. 28
tract manifestations of allergic disorders, 1951: Nov., 1594
virus diseases, 1950: Nov., 1637-1652
- Rest in dermatitis, acute, 1952: Sept., 1440
in heart failure, congestive, 1952: March, 422
in tuberculosis, 1950: Sept., 1363; 1952: Sept., 1256
- Resuscitation, methods, 1950: Sept., 1348
- Reticuloendotheliosis, 1951: March, 449
in differential diagnosis of bone cysts, 1952: Nov., 1756
nonlipid, 1951: March, 450
- Reticulogranuloma, benign, 1951: March, 469
- Reticulum cell sarcoma, treatment, 1951: Jan., 101
- Retinal dysplasia, in differential diagnosis of retrolental fibroplasia, 1952: Nov., 1581
examination, 1950: May, 889
lesions in renal disease, 1951: July, 1023-1039
- Retinitis pigmentosa, heredity in, 1951: March, 525
- Retinoblastoma, hereditary aspects, 1951: March, 530
in childhood, 1952: Nov., 1802
in differential diagnosis of retrolental fibroplasia, 1952: Nov., 1581
- Retinopathy of prematurity, 1952: Nov., 1579. See also *Retrolental fibroplasia*.
- Retrolental fibroplasia, 1952: Nov., 1579-1585
clinical course, 1952: Nov., 1582
complications, 1952: Nov., 1583
differential diagnosis, 1952: Nov., 1581
discussion, 1952: Nov., 1584
etiology, 1952: Nov., 1580
incidence, 1952: Nov., 1579
pathology, 1952: Nov., 1581
prognosis, 1952: Nov., 1583
treatment, 1952: Nov., 1583
- Retropharyngeal abscess, 1950: Nov., 1634
drainage, 1950: Nov., 1635
- Retroversion of uterus, sterility and, 1951: May, 820, 835
- Rh factor and erythroblastosis fetalis, 1950: Jan., 187
in obstetrics, 1951: May, 749-770
- Rheumatic fever, ACTH in, 1950: Sept., 1424; 1951: Sept., 1236; 1952: Jan., 219, 238
chronic pulmonary disease in, 1951: Jan., 170
cortisone in, 1950: March, 373, Sept., 1424; 1952: Jan., 219, 238
diagnosis, 1951: Nov., 1759
diet in, 1952: Jan., 225
in childhood, recognition and management, 1952: Nov., 1649-1658
convalescent care, 1952: Nov., 1657
course, 1952: Nov., 1653
diagnosis, 1952: Nov., 1649
manifestations, 1952: Nov., 1649
major, 1952: Nov., 1651
minor, 1952: Nov., 1649
management, 1952: Nov., 1653

- Rheumatic fever, in childhood, prevention of recurrences, 1952: Nov., 1657
treatment, symptomatic, 1952: Nov., 1653
modern concept of, 1950: May, 785-793
penicillin in, 1950: Sept., 1430
prophylaxis, 1952: Jan., 217, 218
sulfonamides in, 1950: March, 337
salicylates in, 1950: Sept., 1419; 1952: Jan., 223
subclinical, 1952: Jan., 224
treatment, 1950: Sept., 1419-1434; 1952: Jan., 219
heart disease in pregnancy, management, 1951: May, 671
penicillin in, prophylactic, 1951: Jan., 30
subject, care of, 1952: Jan., 217-228
Rheumatism, palindromic, diagnosis, 1951: Nov., 1759
psychogenic, diagnosis, 1951: Nov., 1762
Rhinitis, vasomotor, ACTH and cortisone in, 1952: May, 824
antihistaminic drugs in, 1950: March, 359
Rib, cervical, 1950: Sept., 1326
Riboflavin in infant nutrition, 1952: Jan., 280
Rice diet in hypertension, 1950: Nov., 1742; 1951: July, 1107; 1952: Jan., 127, 135
Rickets, refractory, in infants and children, 1952: Nov., 1761
renal, 1951: July, 1077
Rickettsial agglutination test in Rocky Mountain spotted fever, 1951: May, 915
infections, antibiotics in, 1950: March, 315; 1952: Jan., 254
diagnosis, 1950: Nov., 1606
Rimifon in tuberculosis, 1952: Sept., 1260
Rings, vascular, 1952: Nov., 1665
Ringworm of scalp, 1950: Jan., 257
diagnosis, 1950: Jan., 259
topical applications, 1950: Jan., 264
x-ray epilation in, 1950: Jan., 264
Robinson-Power-Kepler test in Addison's disease, 1952: May, 723, 745
Rocking bed for artificial respiration, 1950: Sept., 1351
Rocky Mountain spotted fever, 1951: May, 907-930
diagnosis, 1950: Sept., 1480; 1951: May, 909
ticks, 1951: May, 908
removal from body, 1951: May, 927
treatment, 1950: Sept., 1320; 1951: May, 915
Roentgen diagnosis of Addison's disease, 1952: May, 722, 747
of cancer, 1950: Sept., 1390
of congenital malformations of heart, 1952: Jan., 53
of hypothyroidism, 1950: Jan., 237; 1952: May, 743
of large gastric ulcers, failures in, 1952: July, 1099-1110
of multiple myeloma, 1951: Jan., 196
of parathyroid disease, 1952: May, 755
of pheochromocytoma, 1950: May, 762
of ulcerative colitis, 1951: Jan., 249
epilation in ringworm of scalp, 1950: Jan., 264
examination in arthritis, 1951: Nov., 1755
of heart in coronary artery disease, 1950: May, 693
pelvimetry, 1951: May, 778
stimulation in infertility in women, 1951: May, 838
treatment of amenorrhea, 1952: May, 711
of benign giant follicular lymphoma and lymphosarcoma, 1951: Jan., 101
of Cushing's disease, 1951: Sept., 1292
of Hodgkin's disease, 1950: March, 453; 1951: Jan., 99
of inoperable carcinoma, 1951: Sept., 1366
of leukemia, 1950: March, 452, 453; 1951: Sept., 1385
of malignant lymphomas, 1951: Sept., 1385
of multiple myeloma, 1951: Jan., 218
of mycosis fungoides, 1951: Jan., 103
of polycythemia vera, 1951: Jan., 103
of thyrotoxicosis, 1951: Sept., 1312
Roentgenograms of newborn infant, 1952: Nov., 1568
of skull in hydrocephalus, 1952: Nov., 1742
Roentgenography in clinical diagnosis of congenital heart disease, 1952: Nov., 1660
Roniocol in chronic arterial occlusions, 1952: Jan., 150
Rubella, immunization, 1952: Nov., 1604
treatment, 1950: Jan., 141
Rubeola. See Measles.
Rubin test, 1951: May, 827
Rutin, effect on capillary permeability, 1952: Jan., 211
Rupture of membranes for inducing labor, 1952: Sept., 1481

- SALICYLANILIDE in ringworm of scalp, 1950: Jan., 264
- Salicylates in hypertrophic arthritis, 1950: Sept., 1438
- in rheumatic fever, 1950: Sept., 1419; 1952: Jan., 223, Nov., 1654
- prophylaxis, 1952: Jan., 218
- toxic effects, 1950: Sept., 1422
- Salmonella infections, antibiotics in, 1950: March, 315; 1952: Jan., 250, 251, July, 1092
- in children, treatment, 1951: Sept., 1517
- Salpingohysterography, 1951: May, 828
- Salt depletion in heart disease therapy, 1952: Jan., 111, March, 430
- recognition and management, 1951: Sept., 1533-1542
- syndrome, 1952: July, 962
- as complication of treatment of cardiorenal disease, 1951: July, 1139-1156
- foods containing, 1951: Jan., 82
- foods low in, 1951: Jan., 83
- hormone deficiency, androgen-producing adrenocortical hyperplasia associated with, 1952: Nov., 1725
- restriction in Addison's disease, diagnostic, 1952: May, 722, 746
- in cardiovascular renal disease, 1951: July, 1109
- in heart disease, 1950: March, 578
- in heart failure, 1950: March, 566, 567, May, 621; 1951: Sept., 1347
- with mercurials, 1950: May, 636
- in hypertension, 1952: Jan., 127, 136
- in Laennec's cirrhosis, 1951: Jan., 74
- in liver disease, 1951: Sept., 1448
- in nephrotic syndrome, 1952: July, 929
- in obesity with heart disease, 1951: Sept., 1356
- in premenstrual tension, 1952: May, 719
- menus providing, 1951: Jan., 86
- retention in congestive heart failure, 1950: May, 615-628
- tolerance test in Addison's disease, 1952: May, 746
- Saphenous-femoral vein incompetency, test, 1950: May, 902
- Sarcoidosis, ACTH and cortisone in, 1951: Sept., 1241
- Sarcoma, osteogenic, in childhood, 1952: Nov., 1803
- reticulum cell, treatment, 1951: Jan., 101
- current trends, 1951: Sept., 1381
- Scabies, treatment, 1950: Sept., 1477
- Scalenus anticus syndrome, 1950: Sept., 1328; 1952: Sept., 1298
- Scalp examination, 1952: Nov., 1522
- ringworm of, 1950: Jan., 257. See also *Ringworm*.
- Scaphoid bone, necrosis, avascular, 1950: Jan., 183
- Scapula, winged, 1950: Sept., 1325, 1326
- Scarlet fever, immunization, 1950: Jan., 143, Nov., 1732
- treatment, 1950: Jan., 143
- Scatter charts, use of, 1951: Nov., 1585
- Schamberg's disease, 1951: March, 457
- Scheuermann's disease, 1950: Jan., 170
- Schiller's iodine test in cancer diagnosis, 1951: May, 857
- Schistosome dermatitis, 1950: Jan., 266
- Schizophrenia, 1951: Nov., 1793
- prefrontal lobotomy for, 1950: July, 1047
- treatment, 1950: Sept., 1499
- Schizophrenic disorders, differential diagnosis, 1950: July, 963, 964
- Schonlein-Henoch's syndrome, 1952: Nov., 1707
- School, effect on normal posture development, 1952: Nov., 1538
- Schüller-Christian disease, 1952: Nov., 1756
- Scintigrams, 1952: July, 987
- Scleredema adultorum, 1951: Sept., 1270
- Scleroderma, 1951: Sept., 1271
- ACTH and cortisone in, 1951: Sept., 1242; 1952: Jan., 239
- chronic pulmonary disease in, 1951: Jan., 171
- of glans penis, 1951: March, 415
- Sclerosis, amyotrophic lateral, diagnosis, 1951: Nov., 1772
- emotional manifestations, 1952: March, 479
- endocardial, 1952: Nov., 1666
- multiple, 1951: Nov., 1779
- ACTH and cortisone in, 1951: Sept., 1242
- physical medicine in, 1952: Sept., 1492
- posterolateral, diagnosis, 1951: Nov., 1776
- vascular, in diabetes, 1950: March, 491
- Scopolamine in motion sickness, 1952: Sept., 1378, 1379
- in obstetrics, 1950: Sept., 1522; 1951: May, 808, 809
- Screech, seagull, 1952: Nov., 1651
- Screening tests, 1952: Nov., 1518
- Scurvy, 1952: July, 1055
- in differential diagnosis of infantile cortical hyperostosis, 1952: Nov., 1765
- Seagull screech, 1952: Nov., 1651
- Seasickness, treatment, 1952: Sept., 1373-1380

- Sedation in aged, 1950: July, 1103
 in insomnia, 1952: March, 551
 in liver disease, 1951: Sept., 1454
 in obstetrics, 1950: Sept., 1521-1535
 in peptic ulcer, 1952: Sept., 1336
 in rheumatic fever, 1952: Nov., 1654
 testing pain with, 1952: March, 497
 Sedimentation rate, age and, relationship, 1951: July, 1209-1211
 in ACTH and cortisone therapy, 1952: Jan., 235
 in clinical diagnosis of congenital heart disease, 1952: Nov., 1662
 in rheumatic fever, 1952: Nov., 1650
 Seizures, treatment, 1950: March, 341-350, Sept., 1507-1520
 Semen examination, 1951: May, 821
 Sensation, anatomy and physiology of, 1951: Nov., 1768
 Sensory function, testing, in neurology, 1952: Sept., 1400
 Separation anxiety in children, 1950: July, 1084
 Septal defects, roentgenology in, 1952: Jan., 66
 Serologic studies in diagnosis of liver disease, 1951: Nov., 1675
 test in tuberculosis, 1951: March, 603-614
 in viral diseases, 1950: Nov., 1610
 Serratus magnus muscle, paralysis, 1950: Sept., 1325, 1326
 Serum acid phosphatase in carcinoma of prostate, 1951: Nov., 1830
 albumin in liver injury, 1951: Nov., 1668
 anion concentration, 1951: Nov., 1826
 bilirubin in liver injury, 1951: Nov., 1653, 1668
 carbon dioxide concentration, 1951: Nov., 1825
 relation to volume of body water, 1951: Nov., 1817
 chloride concentration, 1951: Nov., 1825
 relation to volume of body water, 1951: Nov., 1817
 concentration of electrolytes, abnormalities and interpretation, 1951: Nov., 1815
 clinical interpretation, 1951: Nov., 1807-1828
 electrolytes, interpretation of, 1951: Nov., 1813
 hepatitis, diagnosis, 1950: Sept., 1313
 management, 1950: Sept., 1320
 immune, in Rocky Mountain spotted fever, 1951: May, 918
 phosphatases in diagnosis of malignancy, 1951: Nov., 1829
 pooled, in chronic nephritis and nephrosis, 1950: Jan., 86
 potassium concentration, 1951: Nov., 1827
 Serum, potassium concentration, in Addison's disease, 1952: May, 722
 relation to volume of body water, 1951: Nov., 1818
 protein partition in liver injury, 1951: Nov., 1658
 sex hormone values in, 1951: Nov., 1743
 sickness, ACTH and cortisone in, 1951: Sept., 1238; 1952: Jan., 240
 antihistaminic drugs in, 1950: March, 359
 sodium concentration, 1951: Nov., 1817
 in Addison's disease, 1952: May, 722
 relation to volume of body water, 1951: Nov., 1816
 therapy in meningitis in children, 1950: Nov., 1686
 in ulcerative colitis, 1951: Jan., 251
 values, standard, 1951: Nov., 1813
 Sex hormones and growth, 1951: March, 501-518
 values in urine and serum, 1951: Nov., 1743
 Sexual intercourse, difficult, psychic factors, 1950: July, 1003
 Shafer prone-pressure method of artificial respiration, 1950: Sept., 1348
 Shigella infections, antibiotics in, 1952: Jan., 250, 251, July, 1095
 Shock, dibenamine in, 1950: March, 391
 hypoprothrombinemia of, 1950: March, 464
 morphine in, dangers, 1950: Nov., 1771
 Shoulder, bursitis, 1950: Sept., 1329
 frozen, physical medicine in, 1952: Sept., 1490
 injuries, 1950: Sept., 1332
 pain in, referred, 1950: Sept., 1334
 syndromes, 1952: Sept., 1289-1307
 tendon strain, 1950: Sept., 1334
 Sighing wrongly attributed to heart, 1952: March, 510
 Sigmoidoscopy, 1952: Sept., 1449
 Silver nitrate in tonsillitis, 1950: Nov., 1624
 Sinuses, tuberculous, from bone infection, streptomycin in, 1950: Jan., 279
 Sinusitis, penicillin in, 1950: March, 322
 Sippy powders in peptic ulcer, 1952: Sept., 1326
 Skeletal system, infections, penicillin in, 1950: March, 323
 Skin abnormalities in arthritis, 1951: Nov., 1753
 care, in occlusive disease of arteries, 1951: March, 359
 diseases, classification, 1951: Nov., 1621

- Skin, diseases, common, treatment, 1950: Sept., 1473-1486
 in aged, 1952: March, 578
 symposium on, 1951: March, 299
 eosinophilic granuloma, 1951: March, 463-479
 herpes simplex infection, 1951: March, 565
 infections, penicillin in, 1950: March, 324
 pyogenic, antibiotics in, 1951: March, 348, 349
 lesions, adequate description in diagnosis of, 1951: Nov., 1626
 distribution, 1951: Nov., 1629
 manifestations of allergic disorders, 1951: Nov., 1596
 of lipid diseases, 1951: March, 433-456
 of peripheral vascular diseases, 1951: March, 355-371
 resistance technic, galvanic, 1952: Nov., 1792
 signs and internal disease, 1951: Nov., 1630
 tags, anal, excision of, 1952: Sept., 1451
 temperature, testing, 1950: May, 890
 tests in diagnosis of allergic states, 1951: Nov., 1601
 tuberculin, 1952: Nov., 1522
 tineal and parasitic disorders, in children, 1950: Jan., 257
 tuberculosis, streptomycin in, 1950: Jan., 279
 Skull, basilar impression, 1950: Jan., 155
 roentgenogram of, in hydrocephalus, 1952: Nov., 1742
 Sleep, disturbances, 1952: March, 539-555
 problems in early childhood, 1950: July, 1081
 Smallpox, diagnosis, 1950: Sept., 1310
 immunization, 1950: Jan., 144, Nov., 1713
 management, 1950: Sept., 1318
 vaccination, 1952: Nov., 1603
 Smear, vaginal, 1952: May, 750
 Smoking for cardiac patient, 1950: May, 697-703
 Social factors in prolongation of illness, 1952: March, 306
 measures in painful states, 1952: March, 500
 Sodium. See also *Salt*.
 bromide in epilepsy, 1950: March, 348
 carboxymethylcellulose in peptic ulcer, 1952: Sept., 1327
 chloride in Addison's disease, 1952: May, 726
 citrate in lead poisoning, 1952: Nov., 1592, 1593
 Sodium, depletion in use of mercurial diuretics, 1951: Sept., 1342
 recognition and management, 1951: Sept., 1533-1542
 para-aminobenzoate in chronic discoid lupus erythematosus, 1951: March, 395
 penicillin. See *Penicillin*.
 perborate in Vincent's angina, 1950: Nov., 1628
 replacement, 1950: March, 406
 salicylate in rheumatic fever, 1950: Sept., 1421
 serum concentration, 1951: Nov., 1817
 relation to volume of body water, 1951: Nov., 1816
 Solutions, basic concepts, 1951: Nov., 1808
 Soma and psyche, interaction of, 1952: Nov., 1544
 Somatic illness in children, psychotherapy in, 1951: Sept., 1496
 Sore throat, septic, 1950: Nov., 1623
 Southey's tubes, use, in edema of nephrotic syndrome, 1952: July, 931
 Spectrophotometry, 1951: Nov., 1588
 Speech, normal development, 1952: Nov., 1790
 screening test, 1952: Nov., 1521
 Sperm count, 1952: May, 748
 Spheroctosis, hereditary, 1951: March, 572
 vs. acquired, 1951: Sept., 1426
 Sphingomyelinosis, reticular and histiocytic, 1951: March, 450
 Spinal canal, tumors of, neck and shoulder pain due to, 1952: Sept., 1294
 cord disease, diagnosis, 1951: Nov., 1765-1779
 injuries, 1951: Nov., 1775
 at birth, 1950: Jan., 158
 tumors, 1951: Nov., 1778
 fluid examination in neurosyphilis, 1952: July, 1146
 puncture, headache after, 1952: March, 324
 Spine, arthritis, hypertrophic, 1950: Sept., 1440
 cervical, carcinoma, neck and shoulder pain due to, 1952: Sept., 1296
 lesions, 1950: Sept., 1323
 osteomyelitis, neck and shoulder pain due to, 1952: Sept., 1296
 lesions, pain from, mistaken for heart pain, 1952: March, 504
 necrosis, avascular, 1950: Jan., 170
 sign in poliomyelitis, 1950: Jan., 122, 123
 Spirochetal infections, antibiotics in, choice of, 1950: March, 315
 Spleen, biopsy, in diagnosis of amyloidosis, 1950: July, 1173
 rupture of, in primary amyloidosis, 1951: Nov., 1841-1847

- Splenectomy in congenital hemolytic jaundice, 1950: Sept., 1293
in hemolytic anemia, 1951: March, 580
 acquired, 1951: Sept., 1426
in idiopathic thrombocytopenic purpura, 1951: Jan., 267
in thrombocytopenic purpura, 1951: Sept., 1416
in women of childbearing age, effect on fertility and course of subsequent pregnancies, 1950: July, 1217-1236
- Splenomegaly, congestive, hemorrhagic tendency, 1952: Nov., 1709
primary idiopathic, 1951: March, 451
- Spondylitis, rheumatoid, cortisone in, 1951: Jan., 9
 diagnosis, 1951: Nov., 1758
- Sprains of ankle in athletics, treatment, 1950: Sept., 1259
of knee in athletics, treatment, 1950: Sept., 1262
- Sprue, nontropical, complicated by generalized amyloidosis, 1952: July, 1173-1185
 vitamin B₁₂ in, 1950: July, 1201
- Sputum, blood in, 1952: March, 337
 cytology of, in cancer diagnosis, 1950: Sept., 1397
- Staphylococcal infections, antibiotics in, 1950: March, 315; 1952: Jan., 249, 250
 in children, antibiotics in, 1951: Sept., 1519
- Stasis eczema, 1951: March, 362, 363
ulcer, 1951: March, 363
- Stature, shortness of, familial, 1951: March, 517
- Status asthmaticus, dibenamine in, 1950: March, 390
 treatment, 1951: Sept., 1555; 1952: Sept., 1273
 degenerativus, 1952: July, 918
 epilepticus, 1950: Sept., 1518
 drug therapy, 1950: March, 349
- Steatorrhea, amyloid disease associated with, 1952: July, 1173
- Stellate ganglion block in cerebrovascular accidents, 1952: Jan., 169
- Stenosis, pulmonary. See *Pulmonary stenosis*.
- Stereovectorcardiography, 1952: Jan., 106
- Sterility. See *Infertility*.
- Sternal marrow, aspiration biopsy, 1950: Sept., 1388
 puncture in multiple myeloma, 1951: Jan., 202
- Steroids in breast metastasis therapy, 1951: Jan., 51-61
 in rheumatoid arthritis, summary of experiences at a large clinic, 1951: Jan., 3-22
- Stevens-Johnson disease, 1951: March, 322
- Stilbamidine in multiple myeloma, 1951: Jan., 218
- Stilbestrol. See *Diethylstilbestrol*.
- Stillbirths, repeat, management, 1951: May, 768
- Still's disease, cortisone in, 1951: Jan., 9
 diagnosis, 1951: Nov., 1758
- Stings and bites, insect, antihistaminic drugs in, 1950: March, 361
- Stockings, elastic, in prevention of thromboembolism, 1952: Sept., 1313
- Stokes-Adams syndrome, 1952: July, 912
- Stomach, secretion, cytology of, in cancer diagnosis, 1950: Sept., 1403
 effects of ACTH and cortisone on, 1952: July, 1079
 ulcer. See *Peptic ulcer*.
- Stomatitis, aphthous, 1951: March, 564
 recurrent, 1951: Nov., 1643
 herpetic, diagnosis, 1951: Nov., 1643
- Stool examination, 1952: Nov., 1522
 in diagnosis of liver disease, 1951: Nov., 1675
- Strabismus, nonparalytic, treatment problems, 1950: Jan., 283-302
 test for, 1952: Nov., 1520
- Strains, muscle, in athletics, treatment, 1950: Sept., 1265
- Strapping, protective, in athletics, 1950: Sept., 1266, 1267
- Strawberry mark, 1951: March, 306
- Streptobacillus moniliformis infections, antibiotics in, choice of, 1950: March, 315
- Streptococcal infections, antibiotics in, 1950: March, 315; 1952: Jan., 247, 248
 respiratory, prevention, 1952: Jan., 217
 sulfonamides in, prophylactic, 1950: March, 337
 sore throat, 1950: Nov., 1623
- Streptodornase in pleural effusions, postpneumonic, 1950: Nov., 1663
- Streptomycin, administration and dose, 1952: Jan., 259, 260
 combination with other antibiotics, results, 1951: March, 535-544
 current use, 1950: March, 326-330
 dosage and administration, 1950: March, 317, 327
 in children, 1951: Sept., 1512
 effect on normal fecal flora, 1952: July, 1086
 in bacteremia, 1950: March, 328
 in brucellosis, 1950: March, 329
 in influenzal meningitis, 1950: Jan., 137, March, 329
 in meningitis in children, 1950: Nov., 1686; 1951: Sept., 1514, 1515, 1516
 in miliary tuberculosis in children, 1952: Nov., 1623

- Streptomycin, in pediatric practice, 1952: Nov., 1612
 in plague, 1950: March, 328
 in pneumonia, 1950: Nov., 1660
 in Rocky Mountain spotted fever, 1951: May, 921
 in salmonellosis, 1952: July, 1094
 in shigellosis, 1952: July, 1096
 in staphylococcal infections, 1951: Sept., 1519
 in tuberculosis, 1950: Sept., 1364; 1951: Jan., 155; 1952: Sept., 1257
 dosage and administration, 1950: Sept., 1366
 in infants and children, 1950: Jan., 271-281
 indications, 1951: Jan., 160
 of intestines, 1950: Nov., 1677
 pulmonary, in children, 1952: Nov., 1624
 in tuberculous meningitis, 1950: Jan., 138, Nov., 1687
 in children, 1952: Nov., 1621
 in tularemia, 1950: March, 328
 in ulcerative colitis, 1951: Jan., 259, 263
 in urinary tract infections, 1950: March, 328, 532; 1952: Sept., 1432, 1433
 in whooping cough, 1950: Jan., 139, March, 329
 pharmacology, 1950: March, 309
 resistance, 1950: March, 313, 328; 1951: Jan., 157
 sensitivity of organisms to, method for determining, 1951: Jan., 158
 ranges, 1951: March, 537
 toxicity, 1950: March, 312; 1951: Jan., 159
- Stress, psychological, headache due to, 1951: Sept., 1491
- Stricture of common bile duct, 1951: Nov., 1686
- "Stroke," 1952: Jan., 159-175
 questionable use of term, 1950: July, 1058
- Strophanthidin, acetyl, in congestive heart failure, 1950: May, 670
- Strophanthin K, 1950: May, 657
- Study, plan of, in medical out-patient clinic, 1951: Nov., 1804
- Subaortic stenosis, 1952: Nov., 1665
- Subarachnoid hemorrhage, spontaneous, primary, 1952: Jan., 171, 173
- Subdural puncture in infants and children, 1950: Jan., 117
- Suffering, 1952: March, 485-500
- Sugar consumption and dental caries, 1950: Jan., 15
- Sulfadiazine in bacillary dysentery, 1950: March, 334, Nov., 1670
 in hemolytic streptococcal respiratory infection, prophylactic, 1952: Jan., 218
 in meningitis in children, 1950: Nov., 1685; 1951: Sept., 1514, 1515, 1516
 in meningococcal meningitis, 1950: March, 336
 in shigellosis, 1952: July, 1096
 in streptococcal infections, prophylactic use, 1950: March, 337
 in tonsillitis, 1950: Nov., 1624
 in urinary tract infections, 1950: March, 332, 530, 531; 1951: Sept., 1516; 1952: Sept., 1433
- Sulfaguanidine in bacillary dysentery, 1950: Nov., 1670
 in chronic ulcerative colitis, 1951: Jan., 258, 259
- Sulfamerazine in meningitis in children, 1950: Nov., 1685
 in prevention of recurrences of rheumatic fever, 1952: Nov., 1658
- Sulfamethazine in urinary tract infections, 1950: March, 332
- Sulfathiazole in Vincent's angina, 1950: Nov., 1627
- Sulfonamides. See also the individual drugs.
 choice of drug, 1950: March, 339
 dosage, in children, 1951: Sept., 1512
 effect on normal fecal flora, 1952: July, 1085
 in bacillary dysentery, 1950: March, 333
 in erysipelas, 1950: Jan., 136
 in measles, 1950: Jan., 142
 in meningitis in children, 1950: Nov., 1685
 in meningococcal meningitis, 1950: Jan., 136, March, 335
 in pneumonia, 1950: Nov., 1662
 in rheumatic fever, prophylactic, 1950: March, 337
 in streptococcal infections, prophylactic use, 1950: March, 337
 in ulcerative colitis, 1951: Jan., 251, 259
 in urinary tract infections, 1950: March, 331, 530, 531
 in viral diseases, 1952: Sept., 1239-1252
 present status, 1950: March, 331-340
- Sulkowitch reagent, 1952: May, 755
- Suppositories, vaginal, in leukorrhea, 1952: Sept., 1463
- Suprarenal. See *Adrenal*.
- Supraspinatus tendinitis with and without rupture or calcification, 1952: Sept., 1300
- Surgery, ACTH and cortisone in, 1952: Jan., 242
 arrhythmia during, 1952: Jan., 4
 in aged, 1952: March, 582
- Swimmer's itch, 1950: Jan., 266
- Sycosis barbae, treatment, 1950: Sept., 1476
 vulgaris, antibiotics in, 1951: March, 349
- Sympathectomy for acute arterial occlusions, 1952: Jan., 143
 for angina pectoris, 1952: Jan., 88

- Sympathectomy for chronic arterial occlusions, 1952: Jan., 151
for hypertension, 1950: Nov., 1745;
1952: Jan., 127, 137, July, 1023
malignant, 1951: Jan., 124
for thrombophlebitis, 1952: Sept., 1319
- Sympathoblastoma, 1951: Sept., 1301
- Sympathogonioma, 1951: Sept., 1301
- Symptoms, basis of, 1952: March, 451
symposium on, 1952: March, 303
- Syncope, 1952: March, 326-330
reflex, 1952: March, 326, 563
tussive, 1952: March, 328
- Syncurine with electroshock therapy, 1950: Sept., 1506
- Syndromes, clinical, nature of, 1952: July, 911-920
- Synergism and antagonism, antibiotic, 1952: Nov., 1613
- Synovial fluid examination in arthritis, 1951: Nov., 1755
- Syphilis, antibiotics in, 1952: Jan., 254, 255
aureomycin in, 1951: March, 351
cardiovascular, treatment, 1951: Jan., 147
congenital, treatment, 1951: Jan., 148
early, treatment schedule, 1951: Jan., 146
in differential diagnosis of infantile cortical hyperostosis, 1952: Nov., 1765
of infectious hepatitis, 1952: Nov., 1645
in pregnancy, treatment, 1951: Jan., 148, May, 631-646
of nervous system, 1952: July, 1141-1149
penicillin in, 1951: Jan., 32, 143-152
in pregnancy, 1951: May, 631-646
serologic tests for, in arthritis, 1951: Nov., 1755
treatment, abortive, 1951: Jan., 149
modern trends, 1951: Jan. 143-152
present status, 1950: March, 495-507
- Syringomyelia, 1951: Nov., 1770
- TABES dorsalis, 1951: Nov., 1777;
1952: July, 1144
- Tachycardias, paroxysmal, 1950: May, 735-744
digitalis in, 1950: May, 653
nodal, 1950: May, 740
quinidine in, 1952: July, 1027
supraventricular, in infants and children, 1950: Jan., 217-222
treatment, 1952: Jan., 12
ventricular, 1950: May, 740; 1952: Jan., 9, 17
sinus, 1952: Jan., 6, 17
- Tagathen, dosages, 1950: March, 352, 357
structural formula, 1951: March, 334
- Tapazole in hyperthyroidism, 1952: May, 619, 621
- Taussig-Bing syndrome, 1952: Nov., 1668
- Teeth, caries of, control and prevention, 1950: Jan., 13-32
- Telangiectasia, 1951: March, 304
congenital, 1951: March, 305
hemorrhagic, hereditary, 1951: March, 305; 1952: July, 1053
nuchae, 1951: March, 303
- Temperatures, basal body, in study of fertility, 1952: May, 751
of sterility, 1951: May, 829
environmental, for premature infant, 1952: Nov., 1572
- Tendinitis of shoulder, 1952: Sept., 1300
physical medicine in, 1952: Sept., 1490
- Tendon, "pulled," treatment, 1950: Sept., 1265
strain, of shoulder, 1950: Sept., 1334
- Tension and gratification, 1952: Nov., 1542
physical manifestations, 1952: March, 458
- Teratomas, precocious pseudopuberty due to, 1952: Nov., 1725
- Terminology, tyranny of certain terms, 1950: July, 1053-1066
- Terramycin, dosages, 1952: Jan., 259
in children, 1951: Sept., 1511
effect on normal fecal flora, 1952: July, 1087
general characteristics, 1951: March, 343
in amebiasis, 1952: July, 1091
in dermatology, 1951: March, 341-354
in infectious hepatitis in children, 1952: Nov., 1645
in influenza, 1950: Nov., 1645
in intermittent positive pressure breathing, 1951: Nov., 1704
in nonspecific vaginitis, 1952: Nov., 1731
in pediatric practice, 1952: Nov., 1612
in pharyngitis, 1950: Nov., 1632
in pneumonia, 1950: Nov., 1661
in respiratory tract infections, 1951: Nov., 1703
in salmonellosis, 1952: July, 1095
in septic sore throat, 1950: Nov., 1624
in urinary tract infections, 1952: Sept., 1433
topical use, 1951: March, 346
- Test(s), diagnostic, on sick patients, 1951: Nov., 1582
for developmental appraisal of children, 1952: Nov., 1526
intelligence, in adoptive placements and behavior disorders, 1950: July, 1073

- Test(s), intelligence, in mental retardation, 1950: July, 1067
 laboratory, economic aspects, 1951: Nov., 1583
 in diagnosis of arthritis, 1951: Nov., 1754
 selection of, 1951: Nov., 1580
 meal in diabetes, 1951: Nov., 1609
 of endocrine function, 1952: May, 739-756
 patch, Vollmer, 1952: Nov., 1522
 personality, 1950: July, 1075
 psychologic, from standpoint of general practitioner, 1950: July, 1067-1077
 screening, 1952: Nov., 1518
 skin, tuberculin, 1952: Nov., 1522
 special, in diagnosis of diabetes, 1951: Nov., 1609
 vocational, 1950: July, 1077
 Testes, disorders of, 1951: Nov., 1743
 embryology, 1952: Nov., 1780
 functional tests, 1952: May, 748
 nonpalpable, 1952: Nov., 1781
 retracted, 1952: Nov., 1781
 tumors of, hormone assay, 1951: Nov., 1832
 undescended, 1952: Nov., 1781
 choice of operation, 1952: Nov., 1784
 differential diagnosis and management, 1952: Nov., 1779-1785
 evaluation of patient, 1952: Nov., 1780
 prognosis, 1952: Nov., 1783
 results of operation, 1952: Nov., 1785
 therapeutic problem, 1952: Nov., 1782
 use of hormones, 1952: Nov., 1783
 Testicles. See *Testes*.
 Testicular androgen production, estimation, 1951: Jan., 282
 biopsy, 1952: May, 749
 deficiency, diagnosis, 1951: Jan., 283
 Testosterone in carcinoma of breast, 1950: Sept., 1410; 1951: Jan., 52; 1952: May, 681, 682
 complications, 1951: Jan., 53
 in dysmenorrhea, 1950: Sept., 1543
 preovulatory, 1951: May, 864
 in functional uterine bleeding, 1950: Sept., 1546, 1559, 1560
 in menometrorrhagia, 1952: Nov., 1735
 in menopause, 1950: Sept., 1549
 in postmenopausal osteoporosis, 1952: May, 853
 in rheumatoid arthritis, effects, 1951: Jan., 20
 physiologic role in male, 1951: Jan., 281
 Tetanus, antibiotics in, 1952: Jan., 251, 253
 immunization, 1950: Nov., 1717
 active, 1952: Nov., 1599
 Tetanus, immunization, active, dosage schedule, 1952: Nov., 1601
 passive, 1952: Nov., 1602
 penicillin in, 1950: March, 324
 toxoid, booster or recall injections, 1952: Nov., 1602
 Tetany, biochemical and clinical considerations, 1952: May, 875-893
 hypocalcemic, 1952: May, 880
 infantile, 1952: May, 882
 low magnesium, 1952: May, 893
 neonatal, 1952: May, 883
 normocalcemic, 1952: May, 891
 Tetraethylammonium in peptic ulcer, 1952: Sept., 1329
 test in hypertension, 1952: May, 754
 Tetralogy of Fallot, 1952: Jan., 45, 57, Nov., 1667
 angiocardiology in, 1950: May, 750
 roentgenology in, 1952: Jan., 57
 Thalamic syndrome, pain in, 1952: March, 491
 Thényle, dosages, 1950: March, 352, 357
 structural formula, 1951: March, 334
 Theophorin, dosages, 1950: March, 353, 357
 structural formula, 1951: March, 334
 Therapeutics, medical, symposium on, 1950: March, 307
 Thiamine in infant nutrition, 1952: Jan., 280
 Thiantoin in epilepsy, 1952: Sept., 1385, 1389
 Thibierge-Weissenbach's syndrome, 1952: July, 912
 Thiomerin as diuretic, 1952: July, 954
 in congestive heart disease, 1951: Sept., 1339, 1341
 to potentiate mercurials, 1950: May, 623
 Thiosemicarbazones in tuberculosis, 1951: Jan., 165; 1952: Sept., 1260
 in tuberculous meningitis in children, 1952: Nov., 1622
 Thiouracil, effect on function of thyroid cancer, 1952: May, 658
 Thoms technic of roentgen pelvimetry, 1951: May, 779
 Thoracentesis in rheumatic fever, 1952: Nov., 1656
 Thoracoplasty for tuberculosis, 1950: Sept., 1370; 1952: Sept., 1263
 Thorax, circumference in first five years of life, 1952: Nov., 1740
 Thornwaldt's disease, 1950: Nov., 1633
 Throat, infections, acute, 1950: Nov., 1621-1635
 Thrombidiosis, 1950: Jan., 267
 Thrombin in hemophilia, 1950: March, 467
 Thrombosis following varicosities, 1950: May, 907

- Thromboangiitis obliterans, 1952:
 Jan., 147, 148
 adrenergic blocking agents in, 1950: March, 386
 skin changes in, 1951: March, 358
- Thrombocytopenia accompanying or complicating infection, 1952: Nov., 1699
 complicating infiltrative lesions in marrow, 1952: Nov., 1701
 idiopathic, 1952: Nov., 1701
 secondary to drugs or allergens, 1952: Nov., 1699
 splenic, 1950: Sept., 1279
 plus neutropenia, 1950: Sept., 1280
- Thromboembolism, diagnosis, 1952: Sept., 1316
 prophylaxis and medical treatment, 1952: Sept., 1309-1321
- Thrombopenia, bleeding disorders associated with, 1952: July, 1056
- Thrombophlebitis, skin manifestations, 1951: March, 360
- Thrombosis, arterial, acute, 1952: Jan., 142, 145
 cerebral, 1952: Jan., 163, 169
 anticoagulants in, 1950: May, 909-924
 coronary, 1952: July, 991-999
 with infarction, pitfalls in, 1952: Jan., 113
 varicosities following, 1950: May, 897, 899, 906
 venous, diagnosis, 1952: Sept., 1316
 pathogenesis, 1952: Sept., 1310
 prevention, 1952: Sept., 1313
 treatment, 1952: Sept., 1317
- Thymol tests of liver injury, 1951: Nov., 1657
 turbidity test of MacLagan, 1952: March, 398
- Thymoma, asthma and, 1952: March, 360
- Thyroid deficiency in childhood, 1950: Jan., 235-245
 gland, absence of, 1950: Jan., 241-244
 carcinoma, metastatic, radioiodine in treatment, 1952: May, 663-680
 radioiodine in, 1950: March, 450; 1951: Jan., 43
 disorders of, 1951: Nov., 1734
 diagnosis, radioiodine in, 1952: July, 981-989
 radioactive iodine in, clinical application, 1951: Jan., 37-50
 functional tests, 1952: May, 739
 tumors, physiologic concepts, as revealed with newer tools of study, 1952: May, 639-662
- hormone, atherogenesis and, 1952: Jan., 191
 in amenorrhea, 1952: May, 709
 therapy in hypertropic arthritis, 1950: Sept., 1438
 in infertility in women, 1951: May, 836
 in nephrotic edema, 1950: Jan., 85
- Thyroidectomy, total, effect on function of metastatic thyroid cancer, 1952: May, 654, 667
- Thyrototoxicosis, antithyroid drugs in, 1952: May, 603-621
 diagnosis, 1951: Sept., 1306, Nov., 1734
 radioiodine in, 1952: July, 981-989
 hypothyroidism in, case report, 1951: March, 615-619
 iodine in, 1951: Sept., 1308
 methyl-mercaptoimidazole in, 1951: Sept., 1309
 problem cases, 1951: Sept., 1313
 propylthiouracil in, 1951: Sept., 1309
 medical and surgical treatment, 1950: March, 537, 538
 radioiodine in, 1951: Jan., 41, Sept., 1310
 diagnostic test, 1951: Sept., 1306
 results, 1952: May, 623-637
 surgery in, 1951: Sept., 1312
 tests for, 1952: May, 739
 treatment, 1951: Sept., 1305-1321
 current methods, 1950: March, 535-539
 x-rays in, 1951: Sept., 1312
- Thyrotrophic hormone, effect on function of thyroid cancer, 1952: May, 656
- Thyrotrophin in diagnosis of hypothyroidism, 1952: May, 742
- Tibial tubercle, avascular necrosis, 1950: Jan., 180
- Tibione in tuberculosis, 1950: Sept., 1367; 1952: Sept., 1260
- Tic, diagnosis and treatment, 1950: July, 1079
- Tick fever. See also *Rocky Mountain spotted fever*.
 Colorado, 1951: March, 587-592
- Tinea capitis, treatment, 1950: Sept., 1480
 corporis, treatment, 1950: Sept., 1481
 cruris, treatment, 1950: Sept., 1481
- Tinea disorders of skin in children, 1950: Jan., 257-269
- Tissues, lead determination in, 1952: Nov., 1592, 1595
- Tobacco, use of, in peptic ulcer, 1950: Sept., 1454
- Tocopherols, mixed, in chronic discoid lupus erythematosus, 1951: March, 395
- Toluidine blue in lymphomas, 1951: Jan., 106
- Tongue, black, diagnosis, 1951: Nov., 1640
 coated, 1951: Nov., 1641
 diseases of, 1951: Nov., 1639
 fissured, 1951: Nov., 1639
 geographic, 1951: Nov., 1640
- Tonsillitis, acute lacunar, 1950: Nov., 1624
 antibiotics in, 1952: Jan., 255, 256
 ulcerative, 1950: Nov., 1626
 viral, 1950: Nov., 1641

- Torkildsen's procedure in hydrocephalus, 1952: Nov., 1747
- Torticollis, 1950: Sept., 1328
- ocular, 1950: Jan., 292
- Tourniquets for pulmonary edema in rheumatic fever, 1952: Nov., 1656
- Toxemias of pregnancy, 1951: May, 677-698
- classification, 1951: May, 680
- fluids and electrolytes in, 1951: May, 899
- hypertensive, 1951: Nov., 1716
- kidney function in, 1951: May, 699-714
- prophylaxis, 1951: May, 685
- treatment, 1951: May, 685
- Toxoids, paralytic poliomyelitis following injection of, 1952: Nov., 1604
- Trachea, amyloid tumors, 1950: July, 1145-1150
- Tracheobronchitis, anatomic and pathologic features, 1951: Nov., 1696
- symptoms and physical signs, 1951: Nov., 1698
- Tracheo-esophageal fistula, 1950: Jan., 247-256
- Tracheotomy in respiratory failure, 1950: Sept., 1359
- Trachoma, sulfonamides and antibiotics in, 1952: Sept., 1243
- Traction, cervical, method, 1950: Sept., 1325
- Transfusions, blood, 1950: March, 405
- exchange, in erythroblastosis fetal, 1951: May, 765
- in erythroblastosis fetal, 1950: Jan., 196
- substitution therapy, 1950: Jan., 197
- in hemolytic anemia, 1951: March, 580
- acquired, 1951: Sept., 1427
- in hemophilia, 1950: March, 465; 1951: Jan., 270, Sept., 1413
- in hypothermia, 1951: Sept., 1418
- in liver disease, 1951: Sept., 1452
- in lymphomas, 1951: Jan., 105
- in nephritis and nephrosis, 1950: Jan., 86
- in rheumatic fever, 1952: Nov., 1655
- Transposition of great vessels, 1952: Nov., 1668
- Trauma to immature female genitalia, 1952: Nov., 1732
- Treatment, current concepts, symposium on, 1950: Nov., 1739
- effect of, in diagnosis of allergic states, 1951: Nov., 1603
- laboratory aids in, 1951: Nov., 1579-1592
- methods, symposium on, 1952: Sept., 1201
- of chronic pulmonary diseases, 1951: Nov., 1701
- Treatment, specific methods, symposium on, 1950: Sept., 1253; 1951: Sept., 1229
- Trench foot, 1952: Jan., 156
- mouth, 1950: Nov., 1626
- Trichlorethylene anesthesia in obstetrics, 1950: Sept., 1530
- Trichomonas vaginalis vaginitis, treatment, 1952: Sept., 1466
- Trichophylin reaction, 1950: Jan., 261
- Trichophyton, 1950: Jan., 259
- Tricuspid atresia, 1952: Jan., 48, 59, Nov., 1668
- roentgenology in, 1952: Jan., 59
- insufficiency, venous pulsations of liver in, 1950: May, 728
- regurgitation, pulsation in, 1950: May, 725
- stenosis, 1952: Nov., 1668
- Tridione in epilepsy, 1950: March, 347, Sept., 1513, 1516; 1952: Sept., 1385, 1388
- Triethylene melamine in leukemias and malignant lymphomas, 1951: Sept., 1392
- Trimethadione. See *Tridione*.
- Trimeton, dosages, 1950: March, 353, 357
- structural formula, 1951: March, 334
- Tromexan in prevention of myocardial infarction, 1952: Jan., 83
- Truncus arteriosus, 1952: Nov., 1670
- communis persistans, roentgenology in, 1952: Jan., 59
- Tubal insufflation, 1951: May, 827
- in sterility, 1951: May, 836
- patency, tests for, 1951: May, 826
- Tube diets in liver disease, 1951: Sept., 1447
- Tuberculin skin testing, 1952: Nov., 1522
- Tuberculosis, amithiazone in, 1952: Sept., 1260
- amyloidosis secondary to, 1950: July, 1167
- antibiotics in, 1952: Jan., 251, 253
- asthma and, 1952: March, 358
- chemotherapy, 1951: Jan., 149-167; 1952: Sept., 1257
- collapse procedures, changing picture, 1950: Sept., 1367
- collapse therapy, 1952: Sept., 1260
- dihydrostreptomycin in, 1952: Sept., 1259
- hematogenous, acute, bone marrow examination in, diagnostic importance, 1950: Nov., 1817-1827
- immunization, 1950: Nov., 1733
- in infants and children, streptomycin in, 1950: Jan., 271-281
- isonicotinic acid hydrazide in, 1952: Sept., 1260
- meningeal, miliary and pulmonary, in children, treatment of, 1952: Nov., 1619-1626
- general principles, 1952: Nov., 1619

- Tuberculosis, miliary, in children, 1952: Nov., 1623
treatment, 1952: Nov., 1619-1626
of intestines, 1950: Nov., 1676
para-aminosalicylic acid in, 1950: Sept., 1366; 1951: Jan., 163; 1952: Sept., 1257
treatment, 1952: Nov., 1619-1626
pulmonary, in children, 1952: Nov., 1624
in pregnant woman, 1951: May, 647-657
management, 1951: May, 654
pathogenesis, 1951: May, 649
treatment, 1952: Sept., 1253-1267
recent advances, 1950: Sept., 1363-1380
pyrazinamide in, 1952: Sept., 1260
renal, in pregnancy, 1951: May, 728
resection surgery in, 1952: Sept., 1264
rest in, 1950: Sept., 1363
serological test, 1951: March, 603-614
streptomycin in, 1950: Sept., 1364; 1951: Jan., 155; 1952: Sept., 1257
dosage and administration, 1950: Sept., 1366
streptomycin - para-aminosalicylic acid (combined) regimen, 1952: Sept., 1257
surgical technics in, 1950: Sept., 1370
therapy, combined, 1950: Sept., 1374
thiosemicarbazones in, 1951: Jan., 165; 1952: Sept., 1260
tibione in, 1950: Sept., 1367; 1952: Sept., 1260
Tubocurarine in obstetrics, 1950: Sept., 1531
Tularemia, antibiotics in, 1952: Jan., 251, 253
streptomycin in, 1950: March, 328
Tumors, adrenocortical. See *Adrenocortical tumors*.
amyloid, of larynx and trachea, 1950: July, 1145-1150
giant cell, in differential diagnosis of bone cysts, 1952: Nov., 1756
intrathoracic, diagnosis, angiocardio-graphy in, 1950: May, 746, 747
neck and shoulder pain due to, 1952: Sept., 1305
malignant, chemotherapy, 1950: March, 439-458
of adrenal cortex, 1951: Sept., 1298
of adrenal medulla, 1951: Sept., 1299
of bone in childhood, 1952: Nov., 1803
of central nervous system in childhood, 1952: Nov., 1801
of kidney, pregnancy and, 1951: May, 729
of soft tissues in childhood, 1952: Nov., 1803
of spinal canal, neck and shoulder pain due to, 1952: Sept., 1294
of thyroid gland, physiologic concepts, 1952: May, 639-662
Tumors, testicular, hormone assay, 1951: Nov., 1832
Wilms', in childhood, 1952: Nov., 1799
Tunica vasculosa lentis, 1952: Nov., 1581
Turbidity tests in jaundice, 1952: March, 398
2614 (1-n-propyl-3-ethyl-6-aminouracil) as diuretic, 1952: July, 954
Two-step exercise test in heart disease, 1950: May, 705-713
Typhoid fever, 1950: Nov., 1673
antibiotics in, 1952: July, 1092
immunization, 1950: Nov., 1716
in children, treatment, 1951: Sept., 1517
treatment, 1950: Nov., 1674
Typhus fever, immunization, 1950: Nov., 1729, 1730
Tyrothricin, dosage, 1950: March, 316
pharmacology and toxicology, 1950: March, 308
toxicity, 1950: March, 311
Tzanek test in dermatologic diagnosis, 1951: Nov., 1635
ULCER, duodenal. See *Duodenal ulcer and Peptic ulcer*.
gastric. See *Peptic ulcer*.
of leg, 1951: Nov., 1632
peptic. See *Peptic ulcer*.
stasis, 1951: March, 363
varicose, 1950: May, 907
Ultramicroanalysis, 1951: Nov., 1589
Urea as diuretic, 1952: July, 933
clearance, 1951: Nov., 1712
in toxemias of pregnancy, 1951: May, 709, 710
test in hypertension, 1952: Jan., 121
Uremia, acute, true, in acute glomerulonephritis, 1950: Jan., 104
cardiac manifestations, 1951: July, 1085
in renal disease, 1951: Nov., 1717
reversible, treatment, 1952: Sept., 1409-1419
Ureter during pregnancy, 1951: May, 717
ectopic, 1952: Nov., 1732
transplanted, pregnancy and, 1951: May, 729
Urethane in chronic myelocytic leukemia, results of three-year study, 1950: July, 1205-1215
in leukemia, 1950: Jan., 202, March, 452, 453; 1951: Jan., 98, Sept., 1394
in multiple myeloma, 1950: March, 455; 1951: Jan., 219
in mycosis fungoides, 1951: Jan., 103
pharmacology, 1950: March, 441
toxicity, 1950: July, 1212
Urethritis in female, 1952: Sept., 1427
in male, 1952: Sept., 1422
nonspecific, antibiotics in, 1952: Sept., 1251
treatment, 1950: March, 527

- Uric acid clearance in toxemias of pregnancy, 1951: May, 716
- Uric acid-creatinine ratio in ACTH and cortisone therapy, 1952: Jan., 235
- Urinalysis in arthritis, 1951: Nov., 1754
- routine, in renal diagnosis, 1951: Nov., 1708
- Urinary antiseptics, choice of, 1952: Sept., 1430
- hormone values in ovarian disorders, 1951: Nov., 1745
- sediment, cytology of, in cancer diagnosis, 1950: Sept., 1403
- tract anomalies, pregnancy and, 1951: May, 729
- infections, antiseptics and antibiotics in, choice of, 1952: Sept., 1430
- in children, treatment, 1951: Sept., 1516
- management, 1950: March, 525-533; 1952: Sept., 1421-1433
- streptomycin in, 1950: March, 328
- sulfonamides in, 1950: March, 331
- manifestations of allergic disorders, 1951: Nov., 1597
- Urine bilirubin in liver injury, 1951: Nov., 1654
- casts in, 1951: Nov., 1710
- concentration and dilution test, in hypertension, 1952: Jan., 122
- test in toxemias of pregnancy, 1951: May, 708
- cultures, 1951: Nov., 1711
- examination in renal diagnosis, 1951: Nov., 1708
- microscopic, 1951: Nov., 1710
- incontinence in pregnancy, 1951: May, 723
- lead concentration in lead poisoning, 1952: Nov., 1592
- determination in, 1952: Nov., 1595
- maximal concentrating power, 1951: Nov., 1712
- obstruction, congenital, and acidosis, parenteral fluid therapy in, 1950: Jan., 61
- pregnanediol in, 1951: Nov., 1588
- retention from incarcerated uterus, 1951: May, 722
- postpartum, 1951: May, 724
- sex hormone values in, 1951: Nov., 1743
- specific gravity, 1951: Nov., 1708
- studies in diagnosis of liver disease, 1951: Nov., 1675
- urobilinogen in liver injury, 1951: Nov., 1654
- Urobilinogen in urine, determinations, value of, 1950: Sept., 1464
- in jaundice, 1952: March, 401
- Urogastone in peptic ulcer, 1952: Sept., 1331
- Urologic complications of pregnancy, management, 1951: May, 715
- methods in diagnosis and treatment of bilateral renal disease, 1951: July, 1005
- Urticaria, ACTH and cortisone in, 1952: Jan., 240, May, 824
- antihistaminics in, 1950: March, 358; 1951: March, 339
- treatment, 1950: Sept., 1478; 1951: Sept., 1557
- Uterine index, 1951: May, 820
- inertia, labor and, 1951: May, 791-804
- Uterotubal insufflation, 1951: May, 827
- Uterus, bleeding from, abnormal, endocrine therapy, 1952: May, 712
- functional, causes, 1950: Sept., 1551
- endocrine therapy, 1950: Sept., 1544, 1556
- management and treatment, 1950: Sept., 1551; 1951: May, 871-877
- carcinoma, early stages, diagnosis, 1951: May, 841-859
- conditions in, leukorrhea due to, 1952: Sept., 1469
- incarcerated, in pregnancy, 1951: May, 723
- retroversion, sterility and, 1951: May, 820, 835
- VACCINATION procedures, encephalitis associated with, 1952: Nov., 1627-1635
- smallpox, 1950: Nov., 1713; 1952: Nov., 1603
- Vaccines in prevention of Rocky Mountain spotted fever, 1951: May, 924
- in rheumatoid arthritis, 1950: Nov., 1701
- paralytic poliomyelitis following injection of, 1952: Nov., 1604
- Vagina, foreign bodies in, leukorrhea due to, 1952: Sept., 1468
- Vaginal smear, 1952: May, 750
- in cancer diagnosis, 1950: Sept., 1396; 1951: May, 855
- suppositories in leukorrhea, 1952: Sept., 1463
- Vaginitis caused by foreign body, 1952: Nov., 1732
- fungus and yeast treatment, 1952: Sept., 1468
- gonorrheal, acute, 1952: Nov., 1731
- nonspecific, 1952: Nov., 1731
- streptococcal, hemolytic, 1952: Nov., 1731
- Trichomonas vaginalis, treatment, 1952: Sept., 1466
- Van den Bergh test, modifications, evaluation of, 1950: Sept., 1463
- Van der Hoeve's syndrome, 1952: July, 913

- Vaponefrin in intermittent positive pressure breathing, 1951: Nov., 1703
- Varicella. See *Chickenpox*.
- Varicelliform eruption of Kaposi, 1951: March, 565
- Varices, arterial, differential diagnosis and treatment, 1950: May, 897-908
- Varicose ulcer, 1950: May, 907
- veins, differential diagnosis and treatment, 1950: May, 897-908
- injection treatment, 1950: May, 904
- Variola. See *Smallpox*.
- Vascular disease, hypertensive, in pregnancy, 1951: May, 682
- treatment, 1951: May, 686
- peripheral, adrenergic blocking agents in, 1950: March, 384
- cutaneous manifestations, 1951: March, 355-371
- diagnosis and management, 1952: Jan., 141-158
- symposium on, 1950: May, 609
- rings, 1952: Nov., 1665
- Vasoconstrictor blocking drugs in hypertension, 1952: Jan., 135
- Vasomotor disturbances of menopause, 1950: March, 543
- Vasospasm in cerebrovascular accidents, 1951: Sept., 1457-1474
- Veins, diseases, skin changes in, 1951: March, 360
- pathologically enlarged, differential diagnosis and treatment, 1950: May, 897-908
- peripheral, examination, methods, 1950: May, 887
- post-thrombotic, 1951: May, 897, 899
- treatment, 1950: May, 906
- varicose, 1950: May, 897-908. See also *Varicose veins*.
- Venesection in congestive heart failure, 1951: Sept., 1349
- Venography, 1950: May, 894
- Venous insufficiency, chronic, skin manifestations, 1951: March, 360
- return, anomalous, 1952: Nov., 1670
- Ventilation, pulmonary, 1951: Nov., 1700
- Ventral flexion sign in poliomyelitis, 1950: Jan., 122
- Ventricle, single, 1952: Nov., 1669
- Ventricular fibrillation, treatment, 1952: Jan., 18
- hypertrophy, unipolar precordial electrocardiogram in, 1950: May, 849
- puncture in infants and children, 1950: Jan., 117
- septal defect, 1952: Nov., 1665
- cardiac catheterization in, 1952: July, 1044
- tachycardia, paroxysmal, 1952: Jan., 9, 17
- Ventriculoperitoneal shunt in hydrocephalus, 1952: Nov., 1748
- Ventriculostomy, third, in hydrocephalus, 1952: Nov., 1747
- Veratrum viride in hypertension, 1950: Nov., 1743; 1952: July, 1021
- Veriloid in malignant hypertension, 1951: Jan., 125
- Verruca, seborrheic, 1951: March, 311
- Vertigo, 1952: March, 330
- Vesicovaginal fistula, pregnancy and, 1951: May, 723
- Vesiculitis, 1952: Sept., 1423
- chronic, 1952: Sept., 1426
- Vincent's angina, 1950: Nov., 1626
- gingivostomatitis, diagnosis, 1951: Nov., 1638
- Viomycin in tuberculosis, 1952: Sept., 1260
- Viral diseases, diagnosis and management, 1950: Sept., 1303-1322, Nov., 1606
- of respiratory tract, 1950: Nov., 1637-1652
- infections, antibiotics in, 1952: Jan., 254; Sept., 1239-1252
- pharyngitis and tonsillitis, 1950: Nov., 1641
- Virilism, adrenal, 17-ketosteroids in, 1952: May, 762
- Virologist role in diagnosis of acute infectious diseases, 1950: Nov., 1605
- Virus diagnostic laboratory, utilization by physician, 1950: Nov., 1615
- herpes simplex, oral manifestations, 1951: Nov., 1642
- Vision, development, 1950: Jan., 284
- screening test, 1952: Nov., 1520
- Visual acuity, determination, in infants and children, 1950: Jan., 284, 286
- Vitamin(s) deficiency, electrocardiogram in, 1950: May, 870
- in infant nutrition, 1952: Jan., 277-283
- requirements of premature infant, 1952: Nov., 1576
- therapy in chronic discoid lupus erythematosus, 1951: March, 395
- in liver disease, 1951: Sept., 1450
- Vitamin A preparations, comparative absorption, 1950: March, 413-424
- Vitamin B₂ in allergic and dermatologic disorders, 1952: Sept., 1234
- in hematologic disorders, 1952: Sept., 1230
- in medicine, 1952: Sept., 1223-1237
- in megaloblastic anemia of infants, 1950: July, 1201
- in neurologic and nutritional disorders, 1952: Sept., 1235
- in pernicious anemia, 1950: July, 1197-1204, Sept., 1298; 1952: Sept., 1230
- in sprue, 1950: July, 1201
- metabolism of, 1952: Sept., 1225
- Vitamin C. See *Ascorbic acid*.

- Vitamin D deprivation, tetany due to, 1952: May, 880
- Vitamin K in Dicumarol poisoning, 1950: March, 463
in hypoprothrombinemia, 1952: July, 1063
in hypothrombinemia, 1951: Sept., 1419
in prothrombin deficiency, 1950: March, 461
- Vitreous, hyperplastic, persistent, in differential diagnosis of retrolental fibroplasia, 1952: Nov., 1581
- Vocational tests, 1950: July, 1077
- Vollmer patch test, 1952: Nov., 1522
- Volumes per cent, conversion to millimols or milliequivalents per liter, 1951: Nov., 1811
- Vomiting, 1952: March, 374
in chronic nephritis, 1950: Jan., 82
- Vulvovaginitis, 1952: Nov., 1731
- WATER and electrolyte balance, in pregnancy, 1951: May, 893-906
and salt retention in renal disease, 1951: Nov., 1718
balance in heart and kidney disease as related to edema and oliguria, 1950: March, 571-587
disturbances, prevention, 1951: July, 1139
intoxication, 1951: July, 1122
water-chloride balance studies in, 1951: July, 1134
metabolism, physiologic considerations, 1952: May, 829-846
retention in congestive heart failure, 1950: May, 615-628
tolerance test for Addison's disease, 1952: May, 723, 745
- Water-chloride balance, renal aspects in patients with water-electrolyte problems, 1951: July, 1129-1143
technic, clinical use of, 1951: July, 1113-1127
- Waterhouse-Friederichsen syndrome, 1951: Sept., 1286
- Weakness in emotional disorders, 1952: March, 461
- Weight, combining, relation to atomic weight, 1951: Nov., 1810
- Weil-Felix reaction in Rocky Mountain spotted fever, 1951: May, 914
- Werdnig-Hoffmann's disease, 1950: Jan., 149
- Whooping cough, antibiotics in, 1951: Sept., 1519; 1952: Jan., 251, 252
immunization, 1950: Nov., 1721
active, 1952: Nov., 1599
dosage schedule, 1952: Nov., 1601
rapid, 1952: Nov., 1601
passive, 1952: Nov., 1602
streptomycin in, 1950: March, 329
treatment, 1950: Jan., 139
vaccine, booster or recall injections, 1952: Nov., 1602
- Wilms' tumor in childhood, 1952: Nov., 1799
- Wood light in diagnosis of ringworm of scalp, 1950: Jan., 259
- Wounds of glans penis, 1951: March, 411
- XANTHELASMA palpebrarum, 1951: March, 445, 446
- Xanthine diuretics in congestive heart failure, 1951: Sept., 1343
- Xanthoma cell, pathogenesis, 1951: March, 435
cutaneous, in relation to diseases of liver, 1951: March, 441
definition, 1951: March, 434
diabeticorum, 1951: March, 448
disseminatum, 1951: March, 448
eruptivum, 1951: March, 448
juvenile, 1951: March, 448, 449
planum palpebrarum, 1951: March, 446
tuberosum, 1951: March, 440, 441, 443, 447
- Xanthomatoses, Bürger-Grütz, 1951: March, 451
classification, 1951: March, 438, 439
diagnosis, 1951: March, 444
hereditary aspects, 1951: March, 443
treatment, 1951: March, 445
- X-ray. See *Röntgen*.
- YEAST infections of vagina, treatment, 1952: Sept., 1468
- Yellow fever, immunization, 1950: Nov., 1728
- ZINC sulfate turbidity reaction of Kunkel, 1952: March, 399
turbidity in liver injury, 1951: Nov., 1660